

# Package 'DSI'

June 22, 2021

**Type** Package

**Title** 'DataSHIELD' Interface

**Version** 1.3.0

**Description** 'DataSHIELD' is an infrastructure and series of R packages that enables the remote and 'non-disclosive' analysis of sensitive research data. This package defines the API that is to be implemented by 'DataSHIELD' compliant data repositories.

**Depends** R (>= 3.1),  
methods,  
progress,  
R6

**Suggests** testthat (>= 2.1.0)

**License** LGPL (>= 2.1)

**URL** <https://github.com/datashield/DSI/>,  
<https://datashield.github.io/DSI/>, <https://datashield.org/>

**BugReports** <https://github.com/datashield/DSI/issues>

**RoxygenNote** 7.1.1

**Encoding** UTF-8

**Collate** 'DSObject.R'  
'hidden.R'  
'DSConnection.R'  
'DSDriver.R'  
'DSI-package.R'  
'DSLoginBuilder.R'  
'DSResult.R'  
'datashield.aggregate.R'  
'datashield.assign.R'  
'datashield.connections.R'  
'datashield.errors.R'  
'datashield.list.R'  
'datashield.login.R'  
'datashield.logout.R'

'datashield.status.R'  
 'datashield.symbol.R'  
 'datashield.workspace.R'  
 'rd.R'  
 'utils.R'

## R topics documented:

datashield.aggregate . . . . .	3
datashield.assign . . . . .	4
datashield.assign.expr . . . . .	5
datashield.assign.resource . . . . .	6
datashield.assign.table . . . . .	7
datashield.connections . . . . .	8
datashield.connections_default . . . . .	9
datashield.connections_find . . . . .	10
datashield.errors . . . . .	11
datashield.login . . . . .	11
datashield.logout . . . . .	13
datashield.methods . . . . .	14
datashield.method_status . . . . .	14
datashield.pkg_check . . . . .	15
datashield.pkg_status . . . . .	15
datashield.profiles . . . . .	16
datashield.resources . . . . .	16
datashield.resource_status . . . . .	17
datashield.rm . . . . .	17
datashield.symbols . . . . .	18
datashield.tables . . . . .	18
datashield.table_status . . . . .	19
datashield.workspaces . . . . .	19
datashield.workspace_rm . . . . .	20
datashield.workspace_save . . . . .	20
dsAggregate . . . . .	21
dsAssignExpr . . . . .	22
dsAssignResource . . . . .	23
dsAssignTable . . . . .	24
dsConnect . . . . .	25
DSCConnection-class . . . . .	26
dsDisconnect . . . . .	26
DSDriver-class . . . . .	27
dsFetch . . . . .	27
dsGetInfo . . . . .	28
dsHasResource . . . . .	29
dsHasTable . . . . .	30
dsIsAsync . . . . .	30
dsIsCompleted . . . . .	31
dsKeepAlive . . . . .	32

<i>datashield.aggregate</i>	3
dsListMethods . . . . .	33
dsListPackages . . . . .	34
dsListProfiles . . . . .	34
dsListResources . . . . .	35
dsListSymbols . . . . .	36
dsListTables . . . . .	37
dsListWorkspaces . . . . .	37
DSLoginBuilder . . . . .	38
DSObject-class . . . . .	40
DSResult-class . . . . .	41
dsRmSymbol . . . . .	41
dsRmWorkspace . . . . .	42
dsSaveWorkspace . . . . .	43
newDSLoginBuilder . . . . .	44
<b>Index</b>	<b>45</b>

---

*datashield.aggregate*    *Data aggregation*

---

### **Description**

Aggregates the expression result using the specified aggregation method in the current Datashield session.

### **Usage**

```
datashield.aggregate(conns, expr, async = TRUE)
```

### **Arguments**

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-classes</a> .
expr	Expression to evaluate.
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

### **Value**

The result of the aggregation

**Examples**

```
## Not run:
# call aggregate function on server side
datashield.aggregate(conns, expr = quote(someFunction(D, 123)))

# call aggregate functions that are defined in the provided named list.
# Connections are filtered by the list names.
datashield.aggregate(conns,
  list(server1=quote(someFunction(D, 123)), server2=quote(someFunction(G, 456))))

## End(Not run)
```

---

datashield.assign      *Data assignment*

---

**Description**

Assign a table or an expression result to a R symbol in the Datashield R session.

**Usage**

```
datashield.assign(
  conns,
  symbol,
  value,
  variables = NULL,
  missings = FALSE,
  identifiers = NULL,
  id.name = NULL,
  async = TRUE
)
```

**Arguments**

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
symbol	Name of the R symbol.
value	Fully qualified name of a table reference in data repositories (see <a href="#">datashield.assign.table</a> for more details) or a R expression with allowed assign functions calls.
variables	List of variable names or Javascript expression that selects the variables of a table (ignored if value does not refer to a table). See javascript documentation: <a href="http://opaldoc.obiba.org/en/latest/magma-user-guide/variable/">http://opaldoc.obiba.org/en/latest/magma-user-guide/variable/</a>
missings	If TRUE, missing values will be pushed from data repository to R, default is FALSE. Ignored if value is an R expression.
identifiers	Name of the identifiers mapping to use when assigning entities to R (if supported by data repository).

id.name	Name of the column that will contain the entity identifiers. If not specified, the identifiers will be the data frame row names. When specified this column can be used to perform joins between data frames.
async	Whether the result of the call should be retrieved asynchronously (TRUE means that calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests).

### Examples

```
## Not run:
# assign a list of variables from table HOP
datashield.assign(conn, symbol="D", value="demo.HOP",
  variables=list("GENDER","LAB_GLUC"))

# assign all the variables matching 'LAB' from table HOP
datashield.assign(conn, symbol="D", value="demo.HOP",
  variables="name().matches('LAB_')")

## End(Not run)
```

---

datashield.assign.expr

*Expression result assignment*

---

### Description

Assign the result of the execution of an expression to a R symbol in the Datashield R session.

### Usage

```
datashield.assign.expr(conns, symbol, expr, async = TRUE)
```

### Arguments

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
symbol	Name of the R symbol.
expr	R expression with allowed assign functions calls.
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

### Examples

```
## Not run:
# assign an expression to G
datashield.assign.expr(conns, symbol = "G", expr = quote(as.numeric(D$GENDER)))

# assign the expressions that are defined in the provided named list.
```

```
# Connections are filtered by the list names.
datashield.assign.expr(conns, "G",
  list(server1=quote(as.numeric(D$GENDER)), server2=quote(as.numeric(D$SEX))))

## End(Not run)
```

---

datashield.assign.resource

*Resource assignment*

---

### Description

Assign a resource object of class 'ResourceClient' to a R symbol in the Datashield R session.

### Usage

```
datashield.assign.resource(conns, symbol, resource, async = TRUE)
```

### Arguments

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
symbol	Name of the R symbol.
resource	Fully qualified name of a resource reference in the data repository (can be a vector or must be the same in each data repository); or a named list of fully qualified resource names (one per server name); or a data frame with 'server' and 'resource' columns (such as the one that is used in <a href="#">datashield.login</a> )
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

### Examples

```
## Not run:
# assign a resource HOP
datashield.assign.resource(conn, symbol="rsrc", resource="demo.HOP")

# assign the tables that are defined in the logindata ('server' and 'resource' columns are
# expected) data frame that is used in datashield.login() function. Connections names
# and server names must match.
datashield.assign.resource(conns, "rsrc", logindata)

# assign the resources that are defined in the provided named list.
# Connections are filtered by the list names.
datashield.assign.resource(conns, "rsrc",
  list(server1="datashield.CNSIM1", server2="datashield.CNSIM2"))

## End(Not run)
```

---

`datashield.assign.table`*Table assignment*

---

## Description

Assign a table to a R symbol in the Datashield R session.

## Usage

```
datashield.assign.table(  
  conns,  
  symbol,  
  table,  
  variables = NULL,  
  missings = FALSE,  
  identifiers = NULL,  
  id.name = NULL,  
  async = TRUE  
)
```

## Arguments

<code>conns</code>	<code>DSConnection-class</code> object or a list of <code>DSConnection-class</code> s.
<code>symbol</code>	Name of the R symbol.
<code>table</code>	Fully qualified name of a table in the data repository (can be a vector or must be the same in each data repository); or a named list of fully qualified table names (one per server name); or a data frame with 'server' and 'table' columns (such as the one that is used in <code>datashield.login</code> )
<code>variables</code>	List of variable names or Javascript expression that selects the variables of a table. See javascript documentation: <a href="http://opaldoc.obiba.org/en/latest/magma-user-guide/variable/">http://opaldoc.obiba.org/en/latest/magma-user-guide/variable/</a>
<code>missings</code>	If TRUE, missing values will be pushed from data repository to R, default is FALSE. Ignored if value is an R expression.
<code>identifiers</code>	Name of the identifiers mapping to use when assigning entities to R (if supported by the data repository).
<code>id.name</code>	Name of the column that will contain the entity identifiers. If not specified, the identifiers will be the data frame row names. When specified this column can be used to perform joins between data frames.
<code>async</code>	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

**Examples**

```

## Not run:
# assign a list of variables from table HOP
datashield.assign.table(conn, symbol="D", table="demo.HOP",
  variables=list("GENDER","LAB_GLUC"))

# assign all the variables matching 'LAB' from table HOP
datashield.assign.table(conn, symbol="D", table="demo.HOP",
  variables="name().matches('LAB_')")

# assign the tables that are defined in the logindata ('server' and 'table' columns are
# expected) data frame that is used in datashield.login() function. Connections
# are filtered by the list names.
datashield.assign.table(conns, "D", logindata)

# assign the tables that are defined in the provided named list.
# Connections are filtered by the list names.
datashield.assign.table(conns, "D", list(server1="datashield.CNSIM1", server2="datashield.CNSIM2"))

## End(Not run)

```

---

datashield.connections

*List the DSConnection objects in the analytic environment*

---

**Description**

This function identifies and prints all [DSConnection-class](#) objects in the analytic environment. If there are no DSConnection servers in the analytic environment [datashield.connections](#) reminds the user that they have to login to a valid set of DataSHIELD aware servers. If there is only one set of DSConnections, it copies that one set and names the copy 'default.connections'. This default set will then be used by default by all subsequent calls to client-side functions. If there is more than one set of DSConnections in the analytic environment, [datashield.connections](#) tells the user that they can either explicitly specify the DSConnections to be used by each client-side function by providing an explicit "datasources=" argument for each call, or can alternatively use the [datashield.connections\\_default](#) function to specify a default set of DSConnections to be used by all client-side calls unless over-ruled by the 'datasources=' argument.

**Usage**

```
datashield.connections(env = getOption("datashield.env", globalenv()))
```

**Arguments**

env                    The environment where to search for the connection symbols. Try to get it from the 'datashield.env' option, with default to the Global Environment.



**Value**

Returns a list of [DSConnection-class](#) objects and advises the user how best to respond depending whether there are zero, one or multiple connections detected.

**See Also**

Other Connections management: [datashield.connections\\_default\(\)](#), [datashield.connections\\_find\(\)](#)

---

`datashield.connections_default`

*Set or get the default list of DSConnection objects in the analytic environment*

---

**Description**

By default if there is only one set of [DSConnection-class](#) objects that is available for analysis, all DataSHIELD client-side functions will use that full set of DSConnections unless the 'datasources=' argument has been set and specifies that a particular subset of those DSConnections should be used instead. The correct identification of the full single set of opals is based on the [datashield.connections\\_find](#) function. To illustrate, if the single set of Opals is called 'study.opals' and consists of six servers numbered studies[1] to studies[6] then all client-side functions will use data from all six of these 'studies' unless, say, `datasources=studies[c(2,5)]` is declared and only data from the second and fifth studies will then be used. On the other hand, if there is more than one set of DSConnections in the analytic environment client-side functions will be unable to determine which set to use. The function [datashield.connections\\_find](#) has therefore been written so that if one of the DSConnection sets is called 'default.connections' then that set - i.e. 'default.connections' - will be selected by default by all DataSHIELD client-side functions. If there is more than one set of DSConnections in the analytic environment and NONE of these is called 'default.connections', the function [datashield.connections\\_find](#) will fail. Therefore `datashield.connections_default` copies the provided set of DSConnections as 'default.connections'. This set will then be selected by default by all client-side functions, unless it is deleted and an alternative set of DSConnections is copied and named 'default.connections'. Regardless how many sets of DSConnections exist and regardless whether any of them may be called 'default.connections', the 'datasources=' argument overrides the defaults and allows the user to base his/her analysis on any set of DSConnections and any subset of those DSConnections.

**Usage**

```
datashield.connections_default(  
  name = NULL,  
  env = getOption("datashield.env", globalenv())  
)
```

**Arguments**

name	Symbol name that identifies the set of <a href="#">DSConnection-class</a> objects to be used by default. If not provided, the 'default.connections' variable value is returned.
env	The environment where to search for the connection symbols. Try to get it from the 'datashield.env' option, with default to the Global Environment.

**Value**

The 'default.connections' value from the analytic environment or NULL if the 'default.connections' symbol is not defined.

**See Also**

Other Connections management: [datashield.connections\\_find\(\)](#), [datashield.connections\(\)](#)

---

datashield.connections\_find

*Search for DSConnection objects in the analytic environment*

---

**Description**

If the user does not set the argument 'datasources' in the client side analysis functions, this function is called to search for [DSConnection-class](#) objects in the environment (default environment is the Global one). If one set of DSConnection objects is found, it is assigned to 'default.connections' symbol in the analytic environment. If more than one set of DSConnection objects is found and none of them is called 'default.connections', the function stops and suggests user to use the [datashield.connections\\_default](#) function.

**Usage**

```
datashield.connections_find(env = getOption("datashield.env", globalenv()))
```

**Arguments**

env	The environment where to search for the connection symbols. Try to get it from the 'datashield.env' option, with default to the Global Environment.
-----	---

**Value**

Returns a list of [DSConnection-class](#) objects or stops the process

**See Also**

Other Connections management: [datashield.connections\\_default\(\)](#), [datashield.connections\(\)](#)

---

datashield.errors	<i>List R last errors</i>
-------------------	---------------------------

---

**Description**

Get the R last errors available after the `datashield.assign` or `datashield.aggregate` calls in the Datashield R session.

**Usage**

```
datashield.errors()
```

---

datashield.login	<i>Logs in a DataSHIELD R sessions and optionally assigns variables to R</i>
------------------	--

---

**Description**

This function allows for clients to login to data repository servers and (optionally) assign all the data or specific variables from the data repositories tables to R data frames. The assigned dataframes (one for each data repository) are named 'D' (by default). Different login strategies are supported: using a certificate/private key pair (2-way SSL encryption mechanism), using user credentials (user name and password) or using a personal access token (could be combined with a user name, depending on the data repository system).

**Usage**

```
datashield.login(
  logins = NULL,
  assign = FALSE,
  variables = NULL,
  missings = FALSE,
  symbol = "D",
  id.name = NULL,
  opts = getOption("datashield.opts", list()),
  restore = NULL
)
```

**Arguments**

logins	A dataframe table that holds login details. This table holds five elements required to login to the servers where the data to analyse is stored. The expected column names are 'driver' (the <code>DSDriver-class</code> name, default is "OpalDriver"), 'server' (the server name), 'url' (the server url), 'user' (the user name or the certificate PEM file path), 'password' (the user password or the private key PEM
--------	--

file path), 'token' (the personal access token, ignored if 'user' is defined), 'table' (the fully qualified name of the table in the data repository), 'resource' (the fully qualified name of the resource reference in the data repository), 'profile' (an optional DataSHIELD profile name), 'options' (the SSL options). An additional column 'identifiers' can be specified for identifiers mapping (if supported by data repository). See also the documentation of the exemplar input table `logindata` for details of the login elements.

assign	A boolean which tells whether or not data should be assigned from the data repository table to R after login into the server(s).
variables	Specific variables to assign. If assign is set to FALSE this argument is ignored otherwise the specified variables are assigned to R. If no variables are specified (default) the whole data repository's table is assigned.
missings	If TRUE, missing values will be pushed from data repository to R, default is FALSE.
symbol	A character, the name of the data frame to which the data repository's table will be assigned after login into the server(s).
id.name	Name of the column that will contain the entity identifiers. If not specified, the identifiers will be the data frame row names. When specified this column can be used to perform joins between data frames.
opts	Default SSL options to be used in case it is not specified in the logins structure.
restore	The workspace name to restore (optional).

**Value**

object(s) of class `DSCConnection`

**Examples**

```
## Not run:

#### The below examples illustrate an analyses that use test/simulated data ####

# build your data.frame
builder <- newDSLoginBuilder()
builder$append(server="server1", url="https://opal-demo.obiba.org",
               table="datashield.CNSIM1", resource="datashield.CNSIM1r",
               user="dsuser", password="password",
               options="list(ssl_verifyhost=0,ssl_verifypeer=0)")
builder$append(server="server2", url="dslite.server",
               table="CNSIM2", resource="CNSIM2r", driver="DSLiteDriver")
builder$append(server="server3", url="https://molgenis.example.org",
               table="CNSIM3", resource="CNSIM3r", token="123456789", driver="MolgenisDriver")
builder$append(server="server4", url="dslite.server",
               table="CNSIM4", resource="CNSIM4r", driver="DSLiteDriver")
logindata <- builder$build()

# or load the data.frame that contains the login details
data(logindata)
```

```
# Example 1: just login (default)
connections <- datashield.login(logins=logindata)

# Example 2: login and assign the whole dataset
connections <- datashield.login(logins=logindata, assign=TRUE)

# Example 3: login and assign specific variable(s)
myvar <- list("LAB_TSC")
connections <- datashield.login(logins=logindata, assign=TRUE, variables=myvar)

# note that the assignment information can also be provided afterwards
builder <- newDSLoginBuilder()
builder$append(server="server1", url="https://opal-demo.obiba.org",
               user="dsuser", password="password")
builder$append(server="server2", url="https://opal-test.obiba.org",
               token="123456789")
logindata <- builder$build()
connections <- datashield.login(logins=logindata)
datashield.assign.table(connections, symbol = "D",
                       table = list(server1 = "CNSIM.CNSIM1",
                                     server2 = "CNSIM.CNSIM2"))
datashield.assign.resource(connections, symbol = "rsrc",
                          table = list(server1 = "res.CNSIM1",
                                       server2 = "res.CNSIM2"))

## End(Not run)
```

---

datashield.logout

*Logout from DataSHIELD R sessions*

---

## Description

Clear the Datashield R sessions and logout from DataSHIELD data repositories.

## Usage

```
datashield.logout(conns, save = NULL)
```

## Arguments

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
save	Save datashield sessions on each DataSHIELD data repository (if feature is supported) with provided ID (must be a character string).

---

datashield.methods      *List of DataSHIELD methods*

---

**Description**

Get the list of all the DataSHIELD methods from the different data repositories.

**Usage**

```
datashield.methods(conns, type = "aggregate")
```

**Arguments**

conns                    [DSConnection-class](#) object or a list of [DSConnection-classes](#).  
type                    Type of the method: "aggregate" (default) or "assign".

**Value**

Methods details from all the servers.

---

datashield.method\_status  
                                 *Status of the DataSHIELD methods*

---

**Description**

Get the status of the DataSHIELD methods in the different data repositories to check if any method is missing.

**Usage**

```
datashield.method_status(conns, type = "aggregate")
```

**Arguments**

conns                    [DSConnection-class](#) object or a list of [DSConnection-classes](#).  
type                    Type of the method: "aggregate" (default) or "assign".

**Value**

Methods availability on each server.

---

`datashield.pkg_check` *Check server-side package minimum version*

---

**Description**

Check for each of the server, accessible through provided [DSConnection-class](#) objects, whether the installed

**Usage**

```
datashield.pkg_check(  
  conns,  
  name,  
  version,  
  env = getOption("datashield.env", globalenv())  
)
```

**Arguments**

<code>conns</code>	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-classes</a> .
<code>name</code>	The name of the server-side package.
<code>version</code>	The minimum package version number to be matched.
<code>env</code>	Environment where the package status result should be cached. Try to get it from the 'datashield.env' option, with default to the Global Environment.

---

`datashield.pkg_status` *Status of the DataSHIELD packages*

---

**Description**

Get the status of the DataSHIELD packages in the different data repositories to check if any package is missing.

**Usage**

```
datashield.pkg_status(conns)
```

**Arguments**

<code>conns</code>	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-classes</a> .
--------------------	---

**Value**

Packages status for each server.

---

datashield.profiles *List of DataSHIELD profiles*

---

**Description**

Get the list of all the DataSHIELD profiles from the different data repositories: available ones and currently applied to each connection.

**Usage**

```
datashield.profiles(conns)
```

**Arguments**

conns [DSConnection-class](#) object or a list of [DSConnection-class](#).

**Value**

Profiles details from all the servers.

---

datashield.resources *List of the resources*

---

**Description**

Get the list of all the resources from the different data repositories.

**Usage**

```
datashield.resources(conns)
```

**Arguments**

conns [DSConnection-class](#) object or a list of [DSConnection-class](#).

**Value**

Resource unique names from all the servers.

**Examples**

```
## Not run:  
datashield.resources(conns)  
  
## End(Not run)
```



---

datashield.resource\_status  
*Status of some resources*

---

**Description**

Get whether some identified resources are accessible in each of the data repositories.

**Usage**

```
datashield.resource_status(conns, resource)
```

**Arguments**

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
resource	Fully qualified name of a resource in the data repository (can be a vector or must be the same in each data repository); or a named list of fully qualified resource names (one per server name); or a data frame with 'server' and 'resource' columns (such as the one that is used in <a href="#">datashield.login</a> )

**Value**

Resource status for each server.

---

datashield.rm      *Remove a R symbol*

---

**Description**

Remove a symbol from the current Datashield session.

**Usage**

```
datashield.rm(conns, symbol)
```

**Arguments**

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
symbol	Name of the R symbol.

datashield.symbols     *List R symbols*

---

**Description**

Get the R symbols available after the datashield.assign calls in the Datashield R session.

**Usage**

```
datashield.symbols(conns)
```

**Arguments**

conns             [DSCConnection-class](#) object or a list of [DSCConnection-class](#).

---

datashield.tables     *List of the tables*

---

**Description**

Get the list of all the tables from the different data repositories.

**Usage**

```
datashield.tables(conns)
```

**Arguments**

conns             [DSCConnection-class](#) object or a list of [DSCConnection-class](#).

**Value**

Table unique names from all the servers.

**Examples**

```
## Not run:  
datashield.tables(conns)  
  
## End(Not run)
```

---

`datashield.table_status`*Status of some tables*

---

**Description**

Get whether some identified tables are accessible in each of the data repositories.

**Usage**

```
datashield.table_status(conns, table)
```

**Arguments**

<code>conns</code>	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
<code>table</code>	Fully qualified name of a table in the data repository (can be a vector or must be the same in each data repository); or a named list of fully qualified table names (one per server name); or a data frame with 'server' and 'table' columns (such as the one that is used in <a href="#">datashield.login</a> )

**Value**

Table status for each server.

---

`datashield.workspaces` *List saved DataSHIELD R workspaces*

---

**Description**

Get the list of R workspaces that were saved during a Datashield R session.

**Usage**

```
datashield.workspaces(conns)
```

**Arguments**

<code>conns</code>	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-class</a> s.
--------------------	--

datashield.workspace\_rm

*Remove a DataSHIELD workspace*

---

### **Description**

Remove in each data repository the workspace with the provided name.

### **Usage**

```
datashield.workspace_rm(conns, ws)
```

### **Arguments**

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-classes</a> .
ws	The workspace name

---

datashield.workspace\_save

*Save DataSHIELD R session to a workspace*

---

### **Description**

Save the current state of the DataSHIELD R session in a workspace with the provided name in each data repository. The workspace can be restored on the next [datashield.login](#).

### **Usage**

```
datashield.workspace_save(conns, ws)
```

### **Arguments**

conns	<a href="#">DSConnection-class</a> object or a list of <a href="#">DSConnection-classes</a> .
ws	The workspace name

---

dsAggregate	<i>Aggregate data</i>
-------------	-----------------------

---

## Description

Aggregate some data from the DataSHIELD R session using a valid R expression. The aggregation expression must satisfy the data repository's DataSHIELD configuration.

## Usage

```
dsAggregate(conn, expr, async = TRUE)
```

## Arguments

conn	An object that inherits from <a href="#">DSConnection-class</a> .
expr	Expression to evaluate.
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

## See Also

Other DSConnection generics: [DSConnection-class](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

## Examples

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignTable(con, "D", "test.CNSIM")
dsAggregate(con, as.symbol("meanDS(D$WEIGHT)"))
dsDisconnect(con)

## End(Not run)
```

---

dsAssignExpr	<i>Assign an expression result</i>
--------------	------------------------------------

---

### Description

Assign the result of the evaluation of an expression to a symbol the DataSHIELD R session. The assignment expression must satisfy the data repository's DataSHIELD configuration.

### Usage

```
dsAssignExpr(conn, symbol, expr, async = TRUE)
```

### Arguments

conn	An object that inherits from <a href="#">DSConnection-class</a> .
symbol	Name of the R symbol.
expr	A R expression with allowed assign functions calls.
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

### See Also

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

### Examples

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignExpr(con, "C", as.symbol("c(1, 2, 3)"))
dsDisconnect(con)

## End(Not run)
```

---

dsAssignResource	<i>Assign a resource object</i>
------------------	---------------------------------

---

### Description

Assign a resource object of class 'ResourceClient' from the data repository to a symbol in the DataSHIELD R session. The resource reference to be assigned must exist (i.e. proper permissions apply) for the DataSHIELD user.

### Usage

```
dsAssignResource(conn, symbol, resource, async = TRUE)
```

### Arguments

conn	An object that inherits from <a href="#">DSConnection-class</a> .
symbol	Name of the R symbol.
resource	Fully qualified name of a resource reference in the data repository.
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

### See Also

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

### Examples

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignResource(con, "D", "test.CNSIM")
dsDisconnect(con)

## End(Not run)
```

---

dsAssignTable	<i>Assign a data table</i>
---------------	----------------------------

---

### Description

Assign a data table from the data repository to a symbol in the DataSHIELD R session. The table to be assigned must exist (i.e. proper permissions apply) for the DataSHIELD user.

### Usage

```
dsAssignTable(
  conn,
  symbol,
  table,
  variables = NULL,
  missings = FALSE,
  identifiers = NULL,
  id.name = NULL,
  async = TRUE
)
```

### Arguments

conn	An object that inherits from <a href="#">DSConnection-class</a> .
symbol	Name of the R symbol.
table	Fully qualified name of a table in the data repository.
variables	List of variable names or Javascript expression that selects the variables of a table. See javascript documentation: <a href="http://opaldoc.obiba.org/en/latest/magma-user-guide/variable/">http://opaldoc.obiba.org/en/latest/magma-user-guide/variable/</a>
missings	If TRUE, missing values will be pushed from data repository to R, default is FALSE.
identifiers	Name of the identifiers mapping to use when assigning entities to R (if supported by the data repository).
id.name	Name of the column that will contain the entity identifiers. If not specified, the identifiers will be the data frame row names. When specified this column can be used to perform joins between data frames.
async	Whether the result of the call should be retrieved asynchronously. When TRUE (default) the calls are parallelized over the connections, when the connection supports that feature, with an extra overhead of requests.

### See Also

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)



**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignTable(con, "D", "test.CNSIM")
dsDisconnect(con)

## End(Not run)
```

dsConnect

*Create a connection to a DataSHIELD-aware data repository***Description**

Connect to a data repository going through the appropriate authentication procedure. Some implementations may allow you to have multiple connections open, so you may invoke this function repeatedly assigning its output to different objects. The authentication mechanism is left unspecified, so check the documentation of individual drivers for details.

**Usage**

```
dsConnect(drv, name, restore = NULL, ...)
```

**Arguments**

drv	an object that inherits from <a href="#">DSDriver-class</a> .
name	Name of the connection, which must be unique among all the DataSHIELD connections.
restore	Workspace name to be restored in the newly created DataSHIELD R session.
...	authentication arguments needed by the data repository instance; these typically include 'username', 'password', 'token', 'host', 'port', 'dbname', etc. For details see the appropriate 'DSDriver'.

**See Also**

[dsDisconnect](#) to disconnect from a data repository.

Other DSDriver generics: [DSDriver-class](#), [dsGetInfo\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
con
dsListTables(con)
dsDisconnect(con)

## End(Not run)
```

---

DSConnection-class      *DSConnection class*

---

### Description

This virtual class encapsulates the connection to a DataSHIELD-aware data repository, and it provides access to data assignments and aggregations etc.

### Implementation note

Individual drivers are free to implement single or multiple simultaneous connections.

### See Also

Other DS classes: [DSDriver-class](#), [DSObject-class](#), [DSResult-class](#)

Other DSConnection generics: [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

### Examples

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
con
dsDisconnect(con)

## End(Not run)
```

---

dsDisconnect      *Disconnect (close) a connection*

---

### Description

This closes the connection, discards all pending work, and frees resources (e.g., memory, sockets).

### Usage

```
dsDisconnect(conn, save = NULL)
```

### Arguments

conn                    An object inheriting from [DSConnection-class](#).

save                    Save DataSHIELD session in data repository with provided identifier string.

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsDisconnect(con)

## End(Not run)
```

---

DSDriver-class	<i>DSDriver class</i>
----------------	-----------------------

---

**Description**

Base class for all DataSHIELD-aware data repositories drivers (e.g., Opal, ...). The virtual class 'DSDriver' defines the operations for creating connections.

**See Also**

Other DS classes: [DSConnection-class](#), [DSObject-class](#), [DSResult-class](#)  
 Other DSDriver generics: [dsConnect\(\)](#), [dsGetInfo\(\)](#)

---

dsFetch	<i>Get the raw result</i>
---------	---------------------------

---

**Description**

Wait for the result to be available and fetch the result from a previous assignment or aggregation operation that may have been run asynchronously, in which case it is a one-shot call. When the assignment or aggregation operation was not asynchronous, the result is wrapped in the object and can be fetched multiple times.

**Usage**

```
dsFetch(res)
```

**Arguments**

res                    An object inheriting from [DSResult-class](#).

**See Also**

Other DSResult generics: [DSResult-class](#), [dsGetInfo\(\)](#), [dsIsCompleted\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignExpr(con, "C", as.symbol("c(1, 2, 3)"))
res <- dsAggregate(con, as.symbol("length(C)"))
length <- dsFetch(res)
dsDisconnect(con)

## End(Not run)
```

---

dsGetInfo

*Get DataSHIELD-aware data repository metadata*


---

**Description**

Get DataSHIELD-aware data repository metadata

**Usage**

```
dsGetInfo(dsObj, ...)
```

**Arguments**

dsObj	An object inheriting from <a href="#">DSObject-class</a> , i.e. <a href="#">DSDriver-class</a> , <a href="#">DSConnection-class</a> , or a <a href="#">DSResult-class</a> .
...	Other arguments to methods.

**Value**

a named list

**Implementation notes**

For ‘DSDriver’ subclasses, this should include the version of the package (‘driver.version’) and the version of the underlying client library (‘client.version’).

For ‘DSConnection’ objects this should report the version of the data repository application (‘repo.version’) and its name (‘repo.name’), the database name (‘dbname’), username, (‘username’), host (‘host’), port (‘port’), etc. It MAY also include any other arguments related to the connection (e.g., thread id, socket or TCP connection type). It MUST NOT include the password.

For ‘DSResult’ objects, this should include the R expression being executed (an expression object tailored by the implementation of DSI) and if the query is complete (a result object tailored by the implementation of DSI).

**See Also**

Other DSDriver generics: [DSDriver-class](#), [dsConnect\(\)](#)

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

Other DSResult generics: [DSResult-class](#), [dsFetch\(\)](#), [dsIsCompleted\(\)](#)

---

dsHasResource	<i>Check remote resource exists</i>
---------------	-------------------------------------

---

**Description**

Check if a remote resource reference exists in the data repository. Returns a logical indicating the existence of a remote resource accessible through this connection.

**Usage**

```
dsHasResource(conn, resource)
```

**Arguments**

conn	An object that inherits from <a href="#">DSConnection-class</a> .
resource	the resource fully qualified name

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsHasResource(con, "test.CNSIM")
dsDisconnect(con)

## End(Not run)
```

---

dsHasTable	<i>Check remote table exists</i>
------------	----------------------------------

---

### Description

Check if a remote table exists in the data repository. Returns a logical indicating the existence of a remote table accessible through this connection.

### Usage

```
dsHasTable(conn, table)
```

### Arguments

conn	An object that inherits from <a href="#">DSConnection-class</a> .
table	the table fully qualified name

### See Also

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

### Examples

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsHasTable(con, "test.CNSIM")
dsDisconnect(con)

## End(Not run)
```

---

dsIsAsync	<i>Asynchronous result support</i>
-----------	------------------------------------

---

### Description

When a [DSResult-class](#) object is returned on aggregation or assignment operation, the raw result can be accessed asynchronously, allowing parallelization of DataSHIELD calls over multiple servers. The returned named list of logicals will specify if asynchronicity is supported for: aggregation operation ('aggregate'), table assignment operation ('assignTable'), resource assignment operation ('assignResource') and expression assignment operation ('assignExpr').

**Usage**

```
dsIsAsync(conn)
```

**Arguments**

conn                   An object that inherits from [DSConnection-class](#).

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsIsAsync(con)
dsDisconnect(con)

## End(Not run)
```

---

dsIsCompleted	<i>Get whether the operation is completed</i>
---------------	---

---

**Description**

Get whether the result from a previous assignment or aggregation operation was completed, either with a successful status or a failed one. This call must not wait for the completion, immediate response is expected. Once the result is identified as being completed, the raw result the operation can be get directly.

**Usage**

```
dsIsCompleted(res)
```

**Arguments**

res                    An object inheriting from [DSResult-class](#).

**Value**

A logical

**See Also**

Other DSResult generics: [DSResult-class](#), [dsFetch\(\)](#), [dsGetInfo\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignExpr(con, "C", as.symbol("c(1, 2, 3)"))
res <- dsAggregate(con, as.symbol("length(C)"), async = TRUE)
completed <- dsIsCompleted(res)
while (!completed) {
  Sys.sleep(1)
  completed <- dsIsCompleted(res)
}
length <- dsFetch(res)
dsDisconnect(con)

## End(Not run)
```

---

dsKeepAlive

*Keep a connection alive*


---

**Description**

As the DataSHIELD sessions are working in parallel, this function helps at keeping idle connections alive while others are working. Any communication failure must be silently processed.

**Usage**

```
dsKeepAlive(conn)
```

**Arguments**

conn                   An object inheriting from [DSConnection-class](#).

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsKeepAlive(con)
dsDisconnect(con)

## End(Not run)
```



---

dsListMethods	<i>Get the DataSHIELD methods</i>
---------------	-----------------------------------

---

### Description

Get the list of DataSHIELD methods that have been configured on the remote data repository.

### Usage

```
dsListMethods(conn, type = "aggregate")
```

### Arguments

conn	An object that inherits from <a href="#">DSConnection-class</a> .
type	Type of the method: "aggregate" (default) or "assign".

### Value

A data.frame with columns: name, type ('aggregate' or 'assign'), class ('function' or 'script'), value, package, version.

### See Also

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

### Examples

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsListMethods(con)
dsDisconnect(con)

## End(Not run)
```

---

dsListPackages      *Get the DataSHIELD packages*

---

**Description**

Get the list of DataSHIELD packages with their version, that have been configured on the remote data repository.

**Usage**

```
dsListPackages(conn)
```

**Arguments**

conn                    An object that inherits from [DSConnection-class](#).

**Value**

A data.frame with columns: name, version.

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsListPackages(con)
dsDisconnect(con)

## End(Not run)
```

---

dsListProfiles      *Get the DataSHIELD profiles*

---

**Description**

Get the list of DataSHIELD profiles that have been configured on the remote data repository.

**Usage**

```
dsListProfiles(conn)
```

**Arguments**

conn                    An object that inherits from [DSConnection-class](#).

**Value**

A list containing the "available" character vector of profile names and the "current" profile (in case a default one was assigned).

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsListProfiles(con)
dsDisconnect(con)

## End(Not run)
```

---

dsListResources                    *List remote resources*

---

**Description**

List remote resources from the data repository. Returns the unquoted names of remote resources accessible through this connection.

**Usage**

```
dsListResources(conn)
```

**Arguments**

conn                    An object that inherits from [DSConnection-class](#).

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsListResources(con)
dsDisconnect(con)

## End(Not run)
```

---

dsListSymbols	<i>List symbols</i>
---------------	---------------------

---

**Description**

After assignments have been performed, some symbols live in the DataSHIELD R session on the server side.

**Usage**

```
dsListSymbols(conn)
```

**Arguments**

conn            An object that inherits from [DSConnection-class](#).

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignTable(con, "D", "test.CNSIM")
dsListSymbols(con)
dsDisconnect(con)

## End(Not run)
```

---

dsListTables	<i>List remote tables</i>
--------------	---------------------------

---

**Description**

List remote tables from the data repository. Returns the unquoted names of remote tables accessible through this connection.

**Usage**

```
dsListTables(conn)
```

**Arguments**

conn            An object that inherits from [DSConnection-class](#).

**Value**

A character vector of table names.

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsListTables(con)
dsDisconnect(con)

## End(Not run)
```

---

dsListWorkspaces	<i>Get the DataSHIELD workspaces</i>
------------------	--------------------------------------

---

**Description**

Get the list of DataSHIELD workspaces, that have been saved on the remote data repository.

**Usage**

```
dsListWorkspaces(conn)
```

**Arguments**

conn                    An object that inherits from [DSConnection-class](#).

**Value**

A data.frame with columns: name, lastAccessDate, size.

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsListWorkspaces(con)
dsDisconnect(con)

## End(Not run)
```

---

DSLoginBuilder

*DataSHIELD login details builder*

---

**Description**

DataSHIELD login details builder

DataSHIELD login details builder

**Format**

A R6 object of class DSLoginBuilder

**Details**

Helper class for creating a valid data frame that can be used to perform [datashield.login](#). See also [newDSLoginBuilder](#).

## Methods

### Public methods:

- [DSLoginBuilder\\$new\(\)](#)
- [DSLoginBuilder\\$append\(\)](#)
- [DSLoginBuilder\\$build\(\)](#)
- [DSLoginBuilder\\$clone\(\)](#)

**Method** `new()`: Create a new DSLoginBuilder instance.

*Usage:*

```
DSLoginBuilder$new(logins = NULL, .silent = FALSE)
```

*Arguments:*

`logins` A valid login details data frame to initiate the builder, optional.

`.silent` Do not warn user when non secure HTTP urls are encountered. Default is FALSE.

*Returns:* A DSLoginBuilder object.

**Method** `append()`: Append login information for a specific server.

*Usage:*

```
DSLoginBuilder$append(
  server,
  url,
  table = "",
  resource = "",
  driver = "OpalDriver",
  user = "",
  password = "",
  token = "",
  options = "",
  profile = ""
)
```

*Arguments:*

`server` The server name (must be unique).

`url` The url to connect to the server or a R symbol name.

`table` The table path that identifies the dataset in the server.

`resource` The resource path that identifies the resource reference in the server.

`driver` The [DSDriver-class](#) name to build the [DSConnection-class](#).

`user` The user name in the user credentials.

`password` The user password in the user credentials.

`token` The personal access token (ignored when user credentials are not empty).

`options` Any options (R code to be parsed) that could be relevant for the DS connection object.

`profile` The DataSHIELD R server profile (affects the R packages available and the applied configuration). If not provided or not supported, default profile will be applied.

**Method** `build()`: Build the DSLoginBuilder instance.

*Usage:*

DSLoginBuilder\$build()

*Returns:* The DataSHIELD logindata data.frame

**Method** clone(): The objects of this class are cloneable with this method.

*Usage:*

DSLoginBuilder\$clone(deep = FALSE)

*Arguments:*

deep Whether to make a deep clone.

---

DSObject-class

*DSObject class*

---

## Description

Base class for all other DataSHIELD classes (e.g., drivers, connections). This is a virtual Class: No objects may be created from it.

## Details

More generally, DataSHIELD defines a very small set of classes and generics that allows users and applications perform meta-analysis with a common interface. The virtual classes are 'DSDriver' that individual drivers extend, 'DSConnection' that represent instances of DataSHIELD-aware data repository connections, and 'DSResult' that represent the result of a DataSHIELD operation. These three classes extend the basic class of 'DSObject', which serves as the root or parent of the class hierarchy.

## Implementation notes

An implementation **MUST** provide methods for the following generics:

- [dsGetInfo](#)

It **MAY** also provide methods for:

- [summary](#) Print a concise description of the object. The default method invokes 'dsGetInfo(dsObj)' and prints the name-value pairs one per line. Individual implementations may tailor this appropriately.

## See Also

Other DS classes: [DSConnection-class](#), [DSDriver-class](#), [DSResult-class](#)



**Examples**

```
## Not run:
drv <- DSOpal::Opal()
con <- dsConnect(drv,
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")

rs <- dsAssign(con, "Project.TableA")
is(drv, "DSObject") ## True
is(con, "DSObject") ## True
is(rs, "DSObject") ## True

dsDisconnect(con)

## End(Not run)
```

---

DSResult-class

*DSResult class*


---

**Description**

This virtual class describes the result and state of execution of a DataSHIELD request (aggregation or assignment).

**Implementation notes**

Individual drivers are free to allow single or multiple active results per connection.

The default show method displays a summary of the query using other DS generics.

**See Also**

Other DS classes: [DSConnection-class](#), [DSDriver-class](#), [DSObject-class](#)

Other DSResult generics: [dsFetch\(\)](#), [dsGetInfo\(\)](#), [dsIsCompleted\(\)](#)

---

dsRmSymbol

*Remove a symbol*


---

**Description**

After removal, the data identified by the symbol will not be accessible in the DataSHIELD R session on the server side.

**Usage**

```
dsRmSymbol(conn, symbol)
```

**Arguments**

conn            An object that inherits from [DSConnection-class](#).  
symbol         Name of the R symbol.

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmWorkspace\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsAssignTable(con, "D", "test.CNSIM")
dsRmSymbol(con, "D")
dsDisconnect(con)

## End(Not run)
```

---

dsRmWorkspace	<i>Remove a DataSHIELD workspace</i>
---------------	--------------------------------------

---

**Description**

Remove a DataSHIELD workspace from the remote data repository. Ignore if no such workspace exists.

**Usage**

```
dsRmWorkspace(conn, name)
```

**Arguments**

conn            An object that inherits from [DSConnection-class](#).  
name            Name of the workspace

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsSaveWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsSaveWorkspace(con, "foo")
dsListWorkspaces(con)
dsRmWorkspace(con, "foo")
dsListWorkspaces(con)
dsDisconnect(con)

## End(Not run)
```

---

dsSaveWorkspace	<i>Save the DataSHIELD R session in a workspace</i>
-----------------	---

---

**Description**

Save the DataSHIELD R session in a workspace on the remote data repository.

**Usage**

```
dsSaveWorkspace(conn, name)
```

**Arguments**

conn	An object that inherits from <a href="#">DSConnection-class</a> .
name	Name of the workspace

**See Also**

Other DSConnection generics: [DSConnection-class](#), [dsAggregate\(\)](#), [dsAssignExpr\(\)](#), [dsAssignResource\(\)](#), [dsAssignTable\(\)](#), [dsDisconnect\(\)](#), [dsGetInfo\(\)](#), [dsHasResource\(\)](#), [dsHasTable\(\)](#), [dsIsAsync\(\)](#), [dsKeepAlive\(\)](#), [dsListMethods\(\)](#), [dsListPackages\(\)](#), [dsListProfiles\(\)](#), [dsListResources\(\)](#), [dsListSymbols\(\)](#), [dsListTables\(\)](#), [dsListWorkspaces\(\)](#), [dsRmSymbol\(\)](#), [dsRmWorkspace\(\)](#)

**Examples**

```
## Not run:
con <- dsConnect(DSOpal::Opal(), "server1",
  username = "dsuser", password = "password", url = "https://opal-demo.obiba.org")
dsSaveWorkspace(con, "foo")
dsListWorkspaces(con)
dsDisconnect(con)

## End(Not run)
```

---

newDSLoginBuilder      *Create a new DataSHIELD login details builder*

---

### Description

Shortcut function to create a new [DSLoginBuilder](#) instance. The data frame that is being built can be used to perform [datashield.login](#).

### Usage

```
newDSLoginBuilder(logins = NULL, .silent = FALSE)
```

### Arguments

logins	A valid login details data frame to initiate the builder, optional.
.silent	Do not warn user when non secure HTTP urls are encountered. Default is FALSE.

### Examples

```
{
  builder <- newDSLoginBuilder()
  builder$append(server="server1", url="https://opal-demo.obiba.org", table="datashield.CNSIM1",
    user="administrator", password="password")
  builder$append(server="server2", url="dslite.server", table="CNSIM2")
  builder$append(server="server3", url="http://molgenis.example.org", table="CNSIM3",
    token="123456789")
  builder$append(server="server4", url="dslite.server", table="CNSIM4")
  logindata <- builder$build()
}
```

# Index

- \* **Connections management**
  - datashield.connections, 8
  - datashield.connections\_default, 9
  - datashield.connections\_find, 10
- \* **DS classes**
  - DSConnection-class, 26
  - DSDriver-class, 27
  - DSObject-class, 40
  - DSResult-class, 41
- \* **DSConnection generics**
  - dsAggregate, 21
  - dsAssignExpr, 22
  - dsAssignResource, 23
  - dsAssignTable, 24
  - DSConnection-class, 26
  - dsDisconnect, 26
  - dsGetInfo, 28
  - dsHasResource, 29
  - dsHasTable, 30
  - dsIsAsync, 30
  - dsKeepAlive, 32
  - dsListMethods, 33
  - dsListPackages, 34
  - dsListProfiles, 34
  - dsListResources, 35
  - dsListSymbols, 36
  - dsListTables, 37
  - dsListWorkspaces, 37
  - dsRmSymbol, 41
  - dsRmWorkspace, 42
  - dsSaveWorkspace, 43
- \* **DSDriver generics**
  - dsConnect, 25
  - DSDriver-class, 27
  - dsGetInfo, 28
- \* **DSResult generics**
  - dsFetch, 27
  - dsGetInfo, 28
  - dsIsCompleted, 31
- DSResult-class, 41
- datashield.aggregate, 3
- datashield.assign, 4
- datashield.assign.expr, 5
- datashield.assign.resource, 6
- datashield.assign.table, 4, 7
- datashield.connections, 8, 8, 10
- datashield.connections\_default, 8, 9, 9, 10
- datashield.connections\_find, 9, 10, 10
- datashield.errors, 11
- datashield.login, 6, 7, 11, 17, 19, 20, 38, 44
- datashield.logout, 13
- datashield.method\_status, 14
- datashield.methods, 14
- datashield.pkg\_check, 15
- datashield.pkg\_status, 15
- datashield.profiles, 16
- datashield.resource\_status, 17
- datashield.resources, 16
- datashield.rm, 17
- datashield.symbols, 18
- datashield.table\_status, 19
- datashield.tables, 18
- datashield.workspace\_rm, 20
- datashield.workspace\_save, 20
- datashield.workspaces, 19
- dsAggregate, 21, 22–24, 26, 27, 29–38, 42, 43
- dsAssignExpr, 21, 22, 23, 24, 26, 27, 29–38, 42, 43
- dsAssignResource, 21, 22, 23, 24, 26, 27, 29–38, 42, 43
- dsAssignTable, 21–23, 24, 26, 27, 29–38, 42, 43
- dsConnect, 25, 27, 29
- DSConnection-class, 26
- dsDisconnect, 21–26, 26, 29–38, 42, 43
- DSDriver-class, 27
- dsFetch, 27, 29, 31, 41

`dsGetInfo`, 21–28, 28, 29–38, 40–43  
`dsHasResource`, 21–24, 26, 27, 29, 29, 30–38, 42, 43  
`dsHasTable`, 21–24, 26, 27, 29, 30, 31–38, 42, 43  
`dsIsAsync`, 21–24, 26, 27, 29, 30, 30, 32–38, 42, 43  
`dsIsCompleted`, 28, 29, 31, 41  
`dsKeepAlive`, 21–24, 26, 27, 29–31, 32, 33–38, 42, 43  
`dsListMethods`, 21–24, 26, 27, 29–32, 33, 34–38, 42, 43  
`dsListPackages`, 21–24, 26, 27, 29–33, 34, 35–38, 42, 43  
`dsListProfiles`, 21–24, 26, 27, 29–34, 34, 35–38, 42, 43  
`dsListResources`, 21–24, 26, 27, 29–35, 35, 36–38, 42, 43  
`dsListSymbols`, 21–24, 26, 27, 29–35, 36, 37, 38, 42, 43  
`dsListTables`, 21–24, 26, 27, 29–36, 37, 38, 42, 43  
`dsListWorkspaces`, 21–24, 26, 27, 29–37, 37, 42, 43  
`DSLoginBuilder`, 38, 44  
`DSObject`-class, 40  
`DSResult`-class, 41  
`dsRmSymbol`, 21–24, 26, 27, 29–38, 41, 42, 43  
`dsRmWorkspace`, 21–24, 26, 27, 29–38, 42, 42, 43  
`dsSaveWorkspace`, 21–24, 26, 27, 29–38, 42, 43  
  
`newDSLoginBuilder`, 38, 44  
  
summary, 40