

Package ‘HMMcopula’

December 1, 2018

Type Package

Title Markov Regime Switching Copula Models Estimation and Goodness of Fit

Version 1.0.3

Author Mamadou Yamar Thioub <mamadou-yamar.thioub@hec.ca>,
Bouchra Nasri <bouchra.nasri@mail.mcgill.ca>,
Romanic Pieugueu <romanic.pieugueu@gerad.ca>, and
Bruno Remillard <bruno.remillard@hec.ca>

Maintainer Mamadou Yamar Thioub <mamadou-yamar.thioub@hec.ca>

Description R functions to estimate and perform goodness of fit test for several Markov regime switching and mixture bivariate copula models. The goodness of fit test is based on a Cramer von Mises statistic and uses the Rosenblatt transform and parametric bootstrap to estimate the p-value. The estimation of the copula parameters are based on the pseudo-maximum likelihood method using pseudo-observations defined as normalized ranks.

License GPL (>= 2)

Encoding UTF-8

LazyData true

Depends matrixcalc, mvtnorm, foreach, doParallel, copula

RoxygenNote 6.1.1

NeedsCompilation no

Repository CRAN

Date/Publication 2018-12-01 11:30:04 UTC

R topics documented:

dilog	2
EstHMMCop	3
EstKendallTau	4
EstMixtureCop	4
GofHMMCop	5

GofMixtureCop	6
KendallTau	7
ParamCop	7
ParamTau	8
RosenblattClayton	8
RosenblattFrank	9
RosenblattGaussian	9
RosenblattGumbel	10
RosenblattStudent	10
SimHMMCop	11
SimMarkovChain	11
SimMixtureCop	12
SnB	13
Tau2Rho	13
Index	14

dilog

Dilogarithm function

Description

This function computes the dilogarithm of a number.

Usage

```
dilog(x)
```

Arguments

x a real number

Value

out dilogarithm

EstHMMCop	<i>Estimation of bivariate Markov regime switching bivariate copula model</i>
-----------	---

Description

This function estimates parameters from a bivariate Markov regime switching bivariate copula model

Usage

```
EstHMMCop(y, reg, family, max_iter, eps)
```

Arguments

y	(nx2) data matrix (observations or residuals) that will be transformed to pseudo-observations
reg	number of regimes
family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
max_iter	maximum number of iterations of the EM algorithm
eps	precision (stopping criteria); suggestion 0.0001.

Value

theta	(1 x reg) estimated parameter of the copula according to CRAN copula package (except for Frank copula, where theta = log(theta_R_Package)) for each regime (except for degrees of freedom)
dof	estimated degree of freedom, only for the Student copula
Q	(reg x reg) estimated transition matrix
eta	(n x reg) conditional probabilities of being in regime k at time t given observations up to time t
tau	estimated Kendall tau for each regime
U	(n x 2) matrix of Rosenblatt transforms
cvm	Cramer-von-Mises statistic for goodness-of-fit
W	regime probabilities for the conditional distribution given the past Kendall's tau

Examples

```
Q <- matrix(c(0.8, 0.3, 0.2, 0.7),2,2) ; kendallTau <- c(0.3 ,0.7) ;
data <- SimHMMCop(Q, 'clayton', kendallTau, 10)$SimData;
estimations <- EstHMMCop(data,2,'clayton',10000,0.0001)
```

EstKendallTau	<i>Sample Kendall's tau Estimation</i>
---------------	--

Description

This function estimates the sample Kendall's tau of a bivariate data matrix

Usage

```
EstKendallTau(X)
```

Arguments

X	(n x 2) matrix
---	----------------

Value

KendallTau	estimated sample Kendall's tau of the data
------------	--

EstMixtureCop	<i>Estimation of bivariate mixture bivariate copula model</i>
---------------	---

Description

This function estimates parameters from a mixture bivariate copula model

Usage

```
EstMixtureCop(y, reg, family, max_iter, eps)
```

Arguments

y	(nx2) data matrix (observations or residuals) that will be transformed to pseudo-observations
reg	number of regimes
family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
max_iter	maximum number of iterations of the EM algorithm
eps	precision (stopping criteria); suggestion 0.0001.

Value

theta	(1 x reg) estimated parameter of the copula according to CRAN copula package (except for Frank copula, where $\theta = \log(\theta_{R_Package})$) for each component (except for degrees of freedom)
dof	estimated degree of freedom, only for the Student copula
Q	(1 x reg) estimated weights vector
eta	(n x reg) conditional probabilities of being in regime k at time t given observations up to time t
tau	estimated Kendall tau for each regime
U	(n x 2) matrix of Rosenblatt transforms
cvm	Cramer-von-Mises statistic for goodness-of-fit

GofHMMCop

*Goodness-of-fit of Markov regime switching bivariate copula model***Description**

This function performs goodness-of-fit test of a Markov regime switching bivariate copula model

Usage

```
GofHMMCop(R, reg, family, max_iter, eps, n_sample, n_cores)
```

Arguments

R	(n x 2) data matrix that will be transformed to pseudo-observations
reg	number of regimes
family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
max_iter	maximum number of iterations of the EM algorithm
eps	precision (stopping criteria); suggestion 0.0001
n_sample	number of bootstrap; suggestion 1000
n_cores	number of cores to use in the parallel computing

Value

pvalue	pvalue (significant when the result is greater than 5)
theta	(1 x reg) estimated parameter of the copula according to CRAN copula package (except for Frank copula, where $\theta = \log(\theta_{R_Package})$) for each regime (except for degrees of freedom)
dof	estimated degree of freedom, only for the Student copula
Q	(reg x reg) estimated transition matrix

eta	(n x reg) conditional probabilities of being in regime k at time t given observations up to time t
tau	estimated Kendall tau for each regime
U	(n x 2) matrix of Rosenblatt transforms
cvm	Cramer-von-Mises statistic for goodness-of-fit
W	regime probabilities for the conditional distribution given the past Kendall's tau

GofMixtureCop	<i>Goodness-of-fit of mixture bivariate copula model</i>
---------------	--

Description

This function performs goodness-of-fit test of a mixture bivariate copula model

Usage

```
GofMixtureCop(R, reg, family, max_iter, eps, n_sample, n_cores)
```

Arguments

R	(nx2) data matrix (observations or residuals) that will be transformed to pseudo-observations
reg	number of regimes
family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
max_iter	maximum number of iterations of the EM algorithm
eps	precision (stopping criteria); suggestion 0.0001
n_sample	number of bootstrap; suggestion 1000
n_cores	number of cores to use in the parallel computing

Value

pvalue	pvalue (significant when the result is greater than 5)
theta	(1 x reg) estimated parameter of the copula according to CRAN copula package (except for Frank copula, where theta = log(theta_R_Package)) for each component (except for degrees of freedom)
dof	estimated degree of freedom, only for the Student copula
Q	(1 x reg) estimated weights vector
eta	(n x reg) conditional probabilities of being in regime k at time t given observations up to time t
tau	estimated Kendall tau for each regime
U	(n x 2) matrix of Rosenblatt transforms
cvm	Cramer-von-Mises statistic for goodness-of-fit

KendallTau	<i>Kendall's tau of a copula</i>
------------	----------------------------------

Description

This function computes the Kendall's tau of a copula family with a unconstrained parameter alpha.

Usage

```
KendallTau(family, alpha)
```

Arguments

family	"gaussian" , "t" , "clayton" , "frank" , "gumbel"
alpha	unconstrained parameters of the copula family

Value

tau	estimated Kendall's tau
-----	-------------------------

ParamCop	<i>Theta estimation</i>
----------	-------------------------

Description

This function computes the parameter of the copula according to CRAN copula package (except for Frank copula, where $\theta = \log(\theta_{R_Package})$), corresponding to the unconstrained parameters alpha.

Usage

```
ParamCop(family, alpha)
```

Arguments

family	"gaussian" , "t" , "clayton" , "frank" , "gumbel"
alpha	unconstrained parameters of the copula family

Value

theta	matlab parameters
-------	-------------------

ParamTau	<i>Alpha estimation</i>
----------	-------------------------

Description

This function computes the unconstrained parameter alpha for given Kendall's tau value

Usage

```
ParamTau(family, tau)
```

Arguments

family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
tau	Kendall's tau of the copula family

Value

alpha	estimated unconstrained parameter
-------	-----------------------------------

RosenblattClayton	<i>Rosenblatt transform for Clayton copula</i>
-------------------	--

Description

This function computes the Rosenblatt transform for the Clayton copula

Usage

```
RosenblattClayton(u, theta)
```

Arguments

u	(n x d) matrix of pseudos-observations (normalized ranks)
theta	parameter of the Clayton copula

Value

R	Rosenblatt transform
---	----------------------

RosenblattFrank	<i>Rosenblatt transform for Frank copula</i>
-----------------	--

Description

This function computes the Rosenblatt transform for the Frank copula

Usage

```
RosenblattFrank(U, theta)
```

Arguments

U	(n x d) matrix of pseudos-observations (normalized ranks)
theta	parameter of the Frank copula

Value

R	Rosenblatt transform
---	----------------------

RosenblattGaussian	<i>Rosenblatt transform for Gaussian copula</i>
--------------------	---

Description

This function computes the Rosenblatt transform for the Gaussian copula

Usage

```
RosenblattGaussian(u, rho)
```

Arguments

u	(n x d) matrix of pseudos-observations (normalized ranks)
rho	(d x d) correlation matrix, or the correlation coefficient (if, d = 2)

Value

R	Rosenblatt transform
---	----------------------

RosenblattGumbel	<i>Rosenblatt transform for Gumbel copula</i>
------------------	---

Description

This function computes the Rosenblatt transform for the Gumbel copula

Usage

```
RosenblattGumbel(U, theta)
```

Arguments

U	(n x d) matrix of pseudos-observations (normalized ranks)
theta	parameter of the Gumbel copula

Value

R	Rosenblatt transform
---	----------------------

RosenblattStudent	<i>Rosenblatt transform for Student copula</i>
-------------------	--

Description

This function computes the Rosenblatt transform for the Student copula

Usage

```
RosenblattStudent(u, rho, nu)
```

Arguments

u	(n x d) matrix of pseudos-observations (normalized ranks)
rho	(d x d) correlation matrix
nu	degrees of freedom

Value

R	Rosenblatt transform
---	----------------------

 SimHMMCop

Simulation of bivariate Markov regime switching copula model

Description

This function simulates observation from a bivariate Markov regime switching copula model

Usage

```
SimHMMCop(Q, family, KendallTau, n, DoF)
```

Arguments

Q	Transition probability matrix (d x d);
family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
KendallTau	Kendall's rank correlation
n	number of simulated vectors
DoF	degree of freedom only for the Student copula

Value

SimData	Simulated Data
MC	Markov chain regimes
alpha	parameters alpha

Examples

```
Q <- matrix(c(0.8, 0.3, 0.2, 0.7),2,2) ; kendallTau <- c(0.3 ,0.7) ;
simulations <- SimHMMCop(Q, 'gumbel', kendallTau, 300)
```

 SimMarkovChain

Markov chain simulation

Description

This function generates a Markov chain $X(1), \dots, X(n)$ with transition matrix Q , starting from a state eta0 or the uniform distribution on $1, \dots, r$

Usage

```
SimMarkovChain(Q, n, eta0)
```

Arguments

Q	Transition probability matrix (d x d)
n	number of simulated vectors
eta0	variable eta

SimMixtureCop	<i>Simulation of bivariate mixture copula model</i>
---------------	---

Description

This function simulates observation from a bivariate mixture copula model

Usage

```
SimMixtureCop(Q, family, KendallTau, n, DoF)
```

Arguments

Q	Weights vector (1 x component);
family	'gaussian', 't', 'clayton', 'frank', 'gumbel'
KendallTau	Kendall's rank correlation
n	number of simulated vectors
DoF	vector of degree of freedom only for the Student copula

Value

SimData	Simulated Data
MC	Markov chain regimes
alpha	parameters alpha

Examples

```
Q <- matrix(c(0.8, 0.2),1,2) ; kendallTau <- c(0.3 ,0.7) ;
simulations <- SimMixtureCop(Q, 'gaussian', kendallTau, 300)
```

SnB	<i>Cramer-von Mises statistic SnB for GOF based on the Rosenblatt transform</i>
-----	---

Description

This function computes the Cramer-von Mises statistic SnB for GOF based on the Rosenblatt transform

Usage

SnB(E)

Arguments

E (n x d) matrix of pseudos-observations (normalized ranks)

Value

Sn Cramer-von Mises statistic

Tau2Rho	<i>Spearman's rho</i>
---------	-----------------------

Description

This function estimates the Spearman's rho corresponding to a constrained (matlab) parameter theta for a copula family.

Usage

Tau2Rho(family, theta)

Arguments

family 'gaussian', 't', 'clayton', 'frank', 'gumbel'

theta parameter of the copula according to CRAN copula package (except for Frank copula, where theta = log(theta_R_Package))

Value

rho estimated Spearman's rho

Index

dilog, [2](#)

EstHMMCop, [3](#)

EstKendallTau, [4](#)

EstMixtureCop, [4](#)

GofHMMCop, [5](#)

GofMixtureCop, [6](#)

KendallTau, [7](#)

ParamCop, [7](#)

ParamTau, [8](#)

RosenblattClayton, [8](#)

RosenblattFrank, [9](#)

RosenblattGaussian, [9](#)

RosenblattGumbel, [10](#)

RosenblattStudent, [10](#)

SimHMMCop, [11](#)

SimMarkovChain, [11](#)

SimMixtureCop, [12](#)

SnB, [13](#)

Tau2Rho, [13](#)