

# Package ‘fungible’

May 14, 2019

**Version** 1.86

**Date** 2019-05-14

**Title** Psychometric Functions from the Waller Lab

**Maintainer** Niels Waller <nwaller@umn.edu>

**Depends** R (>= 3.5)

**Imports** clue, GPArotation, lattice, MASS, methods, mvtnorm, nleqslv,  
Rcsdp, RSpectra, utils, graphics, grDevices

**Description** Computes fungible coefficients and Monte Carlo data. Underlying theory for these functions is described in the following publications:

Waller, N. (2008). Fungible Weights in Multiple Regression. *Psychometrika*, 73(4), 691-703, <DOI:10.1007/s11336-008-9066-z>.

Waller, N. & Jones, J. (2009). Locating the Extrema of Fungible Regression Weights. *Psychometrika*, 74(4), 589-602, <DOI:10.1007/s11336-008-9087-7>.

Waller, N. G. (2016). Fungible Correlation Matrices:  
A Method for Generating Nonsingular, Singular, and Improper Correlation Matrices for Monte Carlo Research. *Multivariate Behavioral Research*, 51(4), 554-568, <DOI:10.1080/00273171.2016.1178566>.

Jones, J. A. & Waller, N. G. (2015). The normal-theory and asymptotic distribution-free (ADF) covariance matrix of standardized regression coefficients: theoretical extensions and finite sample behavior. *Psychometrika*, 80, 365-378, <DOI:10.1007/s11336-013-9380-y>.

Waller, N. G. (2018). Direct Schmid-Leiman transformations and rank-deficient loadings matrices. *Psychometrika*, 83, 858-870. <DOI:10.1007/s11336-017-9599-0>.

**License** GPL (>= 2)

**Encoding** UTF-8

**NeedsCompilation** no

**RoxygenNote** 6.1.1

**Author** Niels Waller [aut, cre],  
Jeff Jones [ctb],  
Casey Giordano [ctb]

**Repository** CRAN

**Date/Publication** 2019-05-14 15:20:03 UTC

**R topics documented:**

adfCor . . . . .	3
adfCov . . . . .	5
AmzBoxes . . . . .	6
BadRBY . . . . .	7
BadRJN . . . . .	7
BadRKtB . . . . .	8
BadRLG . . . . .	8
BadRRM . . . . .	9
BiFAD . . . . .	9
bigen . . . . .	13
Box20 . . . . .	15
Box26 . . . . .	16
corSample . . . . .	18
corSmooth . . . . .	19
cosMat . . . . .	20
d2r . . . . .	21
eap . . . . .	22
eigGen . . . . .	23
enhancement . . . . .	25
erf . . . . .	26
faAlign . . . . .	28
fals . . . . .	31
faMain . . . . .	32
faMAP . . . . .	40
fapa . . . . .	42
fareg . . . . .	44
faSort . . . . .	46
faStandardize . . . . .	48
faX . . . . .	49
FMP . . . . .	52
FMPMonotonicityCheck . . . . .	55
fungible . . . . .	56
fungibleExtrema . . . . .	58
fungibleL . . . . .	60
fungibleR . . . . .	62
FUP . . . . .	67
gen4PMDData . . . . .	69
genCorr . . . . .	71
GenerateBoxData . . . . .	72
genFMPData . . . . .	76
HS9Var . . . . .	78
HW . . . . .	79
irf . . . . .	80
itemDescriptives . . . . .	81
kurt . . . . .	83
monte . . . . .	84

monte1 . . . . .	92
normalCor . . . . .	94
normF . . . . .	95
Omega . . . . .	95
orderFactors . . . . .	97
plot.monte . . . . .	98
promaxQ . . . . .	98
r2d . . . . .	102
rarc . . . . .	103
rcone . . . . .	105
rcor . . . . .	106
rellipsoid . . . . .	107
restScore . . . . .	108
rGivens . . . . .	110
rMAP . . . . .	111
rmsd . . . . .	112
RnpdMAP . . . . .	113
SchmidLeiman . . . . .	116
seBeta . . . . .	120
seBetaCor . . . . .	122
seBetaFixed . . . . .	123
skew . . . . .	125
SLi . . . . .	126
smoothAPA . . . . .	130
smoothBY . . . . .	132
smoothKB . . . . .	135
smoothLG . . . . .	136
summary.monte . . . . .	137
summary.monte1 . . . . .	139
svdNorm . . . . .	140
tetcor . . . . .	141
tetcorQuasi . . . . .	143
vcos . . . . .	144
vnorm . . . . .	145

**Index** **146**

adfCor *Asymptotic Distribution-Free Covariance Matrix of Correlations*

**Description**

Function for computing an asymptotic distribution-free covariance matrix of correlations.

**Usage**

adfCor(X, y = NULL)

**Arguments**

X                    Data matrix.  
 y                    Optional vector of criterion scores.

**Value**

adfCorMat            Asymptotic distribution-free estimate of the covariance matrix of correlations.

**Author(s)**

Jeff Jones and Niels Waller

**References**

Browne, M. W. (1984). Asymptotically distribution-free methods for the analysis of covariance structures. *British Journal of Mathematical and Statistical Psychology*, 37, 62–83.

Steiger, J. H. and Hakstian, A. R. (1982). The asymptotic distribution of elements of a correlation matrix: Theory and application. *British Journal of Mathematical and Statistical Psychology*, 35, 208–215.

**Examples**

```
## Generate non-normal data using monte1
set.seed(123)
## we will simulate data for 1000 subjects
N <- 1000

## R = the desired population correlation matrix among predictors
R <- matrix(c(1, .5, .5, 1), 2, 2)

## Consider a regression model with coefficient of determination (Rsq):
Rsq <- .50

## and vector of standardized regression coefficients
Beta <- sqrt(Rsq/t(sqrt(c(.5, .5)))) %*% R %*% sqrt(c(.5, .5)) * sqrt(c(.5, .5))

## generate non-normal data for the predictors (X)
## x1 has expected skew = 1 and kurtosis = 3
## x2 has expected skew = 2 and kurtosis = 5
X <- monte1(seed = 123, nvar = 2, nsub = N, cormat = R, skewvec = c(1, 2),
            kurtvec = c(3, 5))$data

## generate criterion scores
y <- X %*% Beta + sqrt(1-Rsq)*rnorm(N)

## Create ADF Covariance Matrix of Correlations
adfCor(X, y)

#>           12           13           23
#> 12 0.0012078454 0.0005331086 0.0004821594
```

```
#> 13 0.0005331086 0.0004980130 0.0002712080  
#> 23 0.0004821594 0.0002712080 0.0005415301
```

---

adfCov

*Asymptotic Distribution-Free Covariance Matrix of Covariances*

---

## Description

Function for computing an asymptotic distribution-free covariance matrix of covariances.

## Usage

```
adfCov(X, y = NULL)
```

## Arguments

X                    Data matrix.  
y                    Optional vector of criterion scores.

## Value

adfCovMat            Asymptotic distribution-free estimate of the covariance matrix of covariances

## Author(s)

Jeff Jones and Niels Waller

## References

Browne, M. W. (1984). Asymptotically distribution-free methods for the analysis of covariance structures. *British Journal of Mathematical and Statistical Psychology*, 37, 62–83.

## Examples

```
## Generate non-normal data using monte1  
set.seed(123)  
  
## we will simulate data for 1000 subjects  
N <- 1000  
  
## R = the desired population correlation matrix among predictors  
R <- matrix(c(1, .5, .5, 1), 2, 2)  
  
## Consider a regression model with coefficient of determination (Rsqr):  
Rsqr <- .50  
  
## and vector of standardized regression coefficients
```

```

Beta <- sqrt(Rsq/t(sqrt(c(.5, .5))) ** R ** sqrt(c(.5, .5))) * sqrt(c(.5, .5))

## generate non-normal data for the predictors (X)
## x1 has expected skew = 1 and kurtosis = 3
## x2 has expected skew = 2 and kurtosis = 5
X <- monte1(seed = 123, nvar = 2, nsub = N, cormat = R, skewvec = c(1, 2),
            kurtvec = c(3, 5))$data

## generate criterion scores
y <- X ** Beta + sqrt(1-Rsq)*rnorm(N)

## Create ADF Covariance Matrix of Covariances
adfCov(X, y)

#>      11      12      13      22      23      33
#> 11 3.438760 2.317159 2.269080 2.442003 1.962584 1.688631
#> 12 2.317159 3.171722 2.278212 3.349173 2.692097 2.028701
#> 13 2.269080 2.278212 2.303659 2.395033 2.149316 2.106310
#> 22 2.442003 3.349173 2.395033 6.275088 4.086652 2.687647
#> 23 1.962584 2.692097 2.149316 4.086652 3.287088 2.501094
#> 33 1.688631 2.028701 2.106310 2.687647 2.501094 2.818664

```

---

AmzBoxes

*Length, width, and height measurements for 98 Amazon shipping boxes*

---

### Description

Length, width, and height measurements for 98 Amazon shipping boxes

### Usage

```
data(AmzBoxes)
```

### Format

A data set of measurements for 98 Amazon shipping boxes. These data were downloaded from the BoxDimensions website: (<https://www.boxdimensions.com/>). The data set includes five variables:

- Amazon Box Size
- Length (inches)
- Width (inches)
- Height (inches)
- Volume (inches)

**Examples**

```
data(AmzBoxes)

hist(AmzBoxes$`Length (inches)` ,
     main = "Histogram of Box Lengths",
     xlab = "Length",
     col = "blue")
```

---

BadRBY

*Improper correlation matrix reported by Bentler and Yuan*

---

**Description**

Example improper R matrix reported by Bentler and Yuan (2011)

**Format**

A 12 by 12 non-positive definite correlation matrix.

**Source**

Bentler, P. M. & Yuan, K. H. (2011). Positive definiteness via off-diagonal scaling of a symmetric indefinite matrix. *Psychometrika*, 76(1), 119–123.

**Examples**

```
data(BadRBY)
```

---

BadRJN

*Improper R matrix reported by Joseph and Newman*

---

**Description**

Example NPD improper correlation matrix reported by Joseph and Newman

**Format**

A 14 by 14 non-positive definite correlation matrix.

**Source**

Joseph, D. L. & Newman, D. A. (2010). Emotional intelligence: an integrative meta-analysis and cascading model. *Journal of Applied Psychology*, 95(1), 54–78.

**Examples**

```
data(BadRJN)
```

---

BadRKtB

*Improper R matrix reported by Knol and ten Berge*

---

**Description**

Example improper R matrix reported by Knol and ten Berge

**Format**

A 6 by 6 non-positive definite correlation matrix.

**Source**

Knol, D. L. and Ten Berge, J. M. F. (1989). Least-squares approximation of an improper correlation matrix by a proper one. *Psychometrika*, 54(1), 53-61.

**Examples**

```
data(BadRKtB)
```

---

BadRLG

*Improper R matrix reported by Lurie and Goldberg*

---

**Description**

Example improper R matrix reported by Lurie and Goldberg

**Format**

A 3 by 3 non-positive definite correlation matrix.

**Source**

Lurie, P. M. & Goldberg, M. S. (1998). An approximate method for sampling correlated random variables from partially-specified distributions. *Management Science*, 44(2), 203–218.

**Examples**

```
data(BadRLG)
```

---

 BadRRM

*Improper R matrix reported by Rousseeuw and Molenberghs*


---

**Description**

Example improper R matrix reported by Rousseeuw and Molenberghs

**Format**

A 3 by 3 non-positive definite correlation matrix.

**Source**

Rousseeuw, P. J. & Molenberghs, G. (1993). Transformation of non positive semidefinite correlation matrices. *Communications in Statistics—Theory and Methods*, 22(4), 965–984.

**Examples**

```
data(BadRRM)
```

---

 BiFAD

*Bifactor Analysis via Direct Schmid-Leiman (DSL) Transformations*


---

**Description**

This function estimates the (rank-deficient) Direct Schmid-Leiman (DSL) bifactor solution as well as the (full-rank) Direct Bifactor (DBF) solution.

**Usage**

```
BiFAD(R, B = NULL, numFactors = NULL, facMethod = "fals",
      rotate = "oblimin", salient = 0.25, digits = NULL,
      rotateControl = NULL, faControl = NULL)
```

**Arguments**

R	(Matrix) A correlation matrix.
B	(Matrix) Bifactor target matrix. If B is NULL the program will create an empirically defined target matrix.
numFactors	(Numeric) The number of group factors to estimate.

facMethod	<p>(Character) The method used for factor extraction (<b>faX</b>). The supported options are "fals" for unweighted least squares, "faml" for maximum likelihood, "fapa" for iterated principal axis factoring, "faregLS" for regularized least squares, "faregML" for regularized maximum likelihood, and "pca" for principal components analysis. The default method is "fals".</p> <ul style="list-style-type: none"> <li>• <b>"fals"</b>: Factors are extracted using the unweighted least squares estimation procedure using the <code>fals</code> function.</li> <li>• <b>"faml"</b>: Factors are extracted using the maximum likelihood estimation procedure using the <code>factanal</code> function.</li> <li>• <b>"fapa"</b>: Factors are extracted using the iterated principal axis factoring estimation procedure using the <code>fapa</code> function.</li> <li>• <b>"faregLS"</b>: Factors are extracted using regularized least squares factor analysis using the <code>fareg</code> function.</li> <li>• <b>"faregML"</b>: Factors are extracted using regularized maximum likelihood factor using the <code>fareg</code> function.</li> <li>• <b>"pca"</b>: Principal components are extracted.</li> </ul>
rotate	<p>(Character) Designate which rotation algorithm to apply. See the <code>faMain</code> function for more details about possible rotations. An oblimin rotation is the default.</p>
salient	<p>(Numeric) Threshold value for creating an empirical target matrix.</p>
digits	<p>(Numeric) Rounds the values to the specified number of decimal places. Defaults to digits = NULL (no rounding).</p>
rotateControl	<p>(List) A list of control values to pass to the factor rotation algorithms.</p> <ul style="list-style-type: none"> <li>• <b>numberStarts</b>: (Numeric) The number of random (orthogonal) starting configurations for the chosen rotation method (e.g., oblimin). The first rotation will always commence from the unrotated factors orientation. Defaults to numberStarts = 10.</li> <li>• <b>itemSort</b>: (Logical) If TRUE, sort the row order of all the following output such that variables loading on a common factor are grouped together for ease of interpretation: (a) the global minimum factor loadings, (b) indicator communalities, (c) factor-loading bootstrap standard errors, (d) factor-loading bootstrap confidence interval quantiles (both upper and lower), and (e) the array of all factor-loading bootstrap results. Defaults to itemSort = FALSE.</li> <li>• <b>gamma</b>: (Numeric) This is a tuning parameter (between 0 and 1, inclusive) for an oblimin rotation. See the <b>GPArotation</b> library's oblimin documentation for more details. Defaults to gamma = 0 (i.e., a quartimin rotation).</li> <li>• <b>delta</b>: (Numeric) This is a tuning parameter for the geomin rotation. It adds a small number (default = .01) to the squared factor loadings before computing the geometric means in the discrepancy function.</li> <li>• <b>kappa</b>: (Numeric) The main parameterization of the Crawford-Ferguson (CF) rotations (i.e., "cfT" and "cfQ" for orthogonal and oblique CF rotation, respectively). Defaults to kappa = 0.</li> <li>• <b>k</b>: (Numeric) A specific parameter of the simplimax rotation. Defaults to k = the number of observed variables.</li> </ul>

- **standardize**: (Character) The standardization routine used on the unrotated factor structure. The three options are "none", "Kaiser", and "CM". Defaults to standardize = "none".
  - "none": No standardization is applied to the unrotated factor structure.
  - "Kaiser": Use a factor structure matrix that has been normed by Kaiser's method (i.e., normalize all rows to have a unit length).
  - "CM": Use a factor structure matrix that has been normed by the Cureton-Mulaik method.
- **epsilon**: (Numeric) The rotational convergence criterion to use. Defaults to epsilon = 1e-5.
- **power**: (Numeric) Raise factor loadings the the n-th power in the `promaxQ` rotation. Defaults to power = 4.
- **maxItr**: (Numeric) The maximum number of iterations for the rotation algorithm. Defaults to maxItr = 15000.

faControl

(List) A list of optional parameters passed to the factor extraction (`faX`) function.

- **treatHeywood**: (Logical) In `fals`, if `treatHeywood` is true, a penalized least squares function is used to bound the communality estimates below 1.0. Defaults to `treatHeywood = TRUE`.
- **nStart**: (Numeric) The number of starting values to be tried in `faml`. Defaults to `nStart = 10`.
- **start**: (Matrix) NULL or a matrix of starting values, each column giving an initial set of uniquenesses. Defaults to `start = NULL`.
- **maxCommunality**: (Numeric) In `faml`, set the maximum communality value for the estimated solution. Defaults to `maxCommunality = .995`.
- **epsilon**: (Numeric) In `fapa`, the numeric threshold designating when the algorithm has converged. Defaults to `epsilon = 1e-4`.
- **communality**: (Character) The method used to estimate the initial communality values in `fapa`. Defaults to `communality = 'SMC'`.
  - "SMC": Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables.
  - "maxr": Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.
  - "unity": Initial communalities equal 1.0 for all variables.
- **maxItr**: (Numeric) In `fapa`, the maximum number of iterations to reach convergence. Defaults to `maxItr = 15,000`.

## Value

The following output are returned in addition to the estimated Direct Schmid-Leiman bifactor solution.

- **B**: (Matrix) The target matrix used for the Procrustes rotation.
- **BstarSL**: (Matrix) The resulting (rank-deficient) matrix of Direct Schmid-Leiman factor loadings.
- **BstarFR**: (Matrix) The resulting (full-rank) matrix of Direct Bifactor factor loadings.

- **rmsrSL**: (Scalar) The root mean squared residual (rmsr) between the known B matrix and the estimated (rank-deficient) Direct Schmid-Leiman rotation. If the B target matrix is empirically generated, this value is NULL.
- **rmsrFR**: (Scalar) The root mean squared residual (rmsr) between the known B matrix and the estimated (full-rank) Direct Bifactor rotation. If the B target matrix is empirically generated, this value is NULL.

### Author(s)

- Niels G. Waller (nwaller@umn.edu)

### References

- Giordano, C. & Waller, N. G. (under review). Recovering bifactor models: A comparison of seven methods.
- Mansolf, M., & Reise, S. P. (2016). Exploratory bifactor analysis: The Schmid-Leiman orthogonalization and Jennrich-Bentler analytic rotations. *Multivariate Behavioral Research*, *51*(5), 698-717.
- Waller, N. G. (2018). Direct Schmid Leiman transformations and rank deficient loadings matrices. *Psychometrika*, *83*, 858-870.

### See Also

Other Factor Analysis Routines: [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

### Examples

```
cat("\nExample 1:\nEmpirical Target Matrix:\n")
# Mansolf and Reise Table 2 Example
Btrue <- matrix(c(.48, .40, 0, 0, 0,
                 .51, .35, 0, 0, 0,
                 .67, .62, 0, 0, 0,
                 .34, .55, 0, 0, 0,
                 .44, 0, .45, 0, 0,
                 .40, 0, .48, 0, 0,
                 .32, 0, .70, 0, 0,
                 .45, 0, .54, 0, 0,
                 .55, 0, 0, .43, 0,
                 .33, 0, 0, .33, 0,
                 .52, 0, 0, .51, 0,
                 .35, 0, 0, .69, 0,
                 .32, 0, 0, 0, .65,
                 .66, 0, 0, 0, .51,
                 .68, 0, 0, 0, .39,
                 .32, 0, 0, 0, .56), 16, 5, byrow=TRUE)

Rex1 <- Btrue %*% t(Btrue)
diag(Rex1) <- 1
```

```

out.ex1 <- BiFAD(R      = Rex1,
                B      = NULL,
                numFactors = 4,
                facMethod = "fals",
                rotate    = "oblimin",
                salient   = .25)

cat("\nRank Deficient Bifactor Solution:\n")
print( round(out.ex1$BstarSL, 2) )

cat("\nFull Rank Bifactor Solution:\n")
print( round(out.ex1$BstarFR, 2) )

cat("\nExample 2:\nUser Defined Target Matrix:\n")

Bpattern <- matrix(c( 1,  1,  0,  0,  0,
                    1,  1,  0,  0,  0,
                    1,  1,  0,  0,  0,
                    1,  1,  0,  0,  0,
                    1,  0,  1,  0,  0,
                    1,  0,  1,  0,  0,
                    1,  0,  1,  0,  0,
                    1,  0,  1,  0,  0,
                    1,  0,  0,  1,  0,
                    1,  0,  0,  1,  0,
                    1,  0,  0,  1,  0,
                    1,  0,  0,  0,  1,
                    1,  0,  0,  0,  1,
                    1,  0,  0,  0,  1,
                    1,  0,  0,  0,  1), 16, 5, byrow=TRUE)

out.ex2 <- BiFAD(R      = Rex1,
                B      = Bpattern,
                numFactors = NULL,
                facMethod = "fals",
                rotate    = "oblimin",
                salient   = .25)

cat("\nRank Deficient Bifactor Solution:\n")
print( round(out.ex2$BstarSL, 2) )

cat("\nFull Rank Bifactor Solution:\n")
print( round(out.ex2$BstarFR, 2) )

```

**Description**

Function for generating binary data with population thresholds.

**Usage**

```
bigen(data, n, thresholds = NULL, Smooth = FALSE, seed = NULL)
```

**Arguments**

data	Either a matrix of binary (0/1) indicators or a correlation matrix.
n	The desired sample size of the simulated data.
thresholds	If data is a correlation matrix, thresholds must be a vector of threshold cut points.
Smooth	(logical) Smooth = TRUE will smooth the tetrachoric correlation matrix.
seed	Default = FALSE. Optional seed for random number generator.

**Value**

data	Simulated binary data
r	Input or calculated (tetrachoric) correlation matrix

**Author(s)**

Niels G Waller

**Examples**

```
## Example: generating binary data to match
## an existing binary data matrix
##
## Generate correlated scores using factor
## analysis model
##  $X \leftarrow Z * L' + U * D$ 
## Z is a vector of factor scores
## L is a factor loading matrix
## U is a matrix of unique factor scores
## D is a scaling matrix for U

N <- 5000

# Generate data from a single factor model
# factor pattern matrix
L <- matrix( rep(.707, 5), nrow = 5, ncol = 1)

# common factor scores
Z <- as.matrix(rnorm(N))

# unique factor scores
U <- matrix(rnorm(N * 5), nrow = N, ncol = 5)
```

```

D <- diag(as.vector(sqrt(1 - L^2)))

# observed scores
X <- Z %*% t(L) + U %*% D

cat("\nCorrelation of continuous scores\n")
print(round(cor(X),3))

# desired difficulties (i.e., means) of
# the dichotomized scores
difficulties <- c(.2, .3, .4, .5, .6)

# cut the observed scores at these thresholds
# to approximate the above difficulties
thresholds <- qnorm(difficulties)

Binary <- matrix(0, N, ncol(X))
for(i in 1:ncol(X)){
  Binary[X[,i] <= thresholds[i],i] <- 1
}

cat("\nCorrelation of Binary scores\n")
print(round(cor(Binary), 3))

## Now use 'bigen' to generate binary data matrix with
## same correlations as in Binary

z <- bigen(data = Binary, n = N)

cat("\n\nnames in returned object\n")
print(names(z))

cat("\nCorrelation of Simulated binary scores\n")
print(round(cor(z$data), 3))

cat("Observed thresholds of simulated data:\n")
cat(apply(z$data, 2, mean))

```

---

Box20

*Length, width, and height measurements for Thurstone's 20 boxes*


---

### Description

Length, width, and height measurements for Thurstone's 20 hypothetical boxes

### Usage

```
data(Box20)
```

**Format**

A data set of measurements for Thurstone's 20 hypothetical boxes. The data set includes three variables:

- **x** Box length
- **y** Box width
- **z** Box height

**Examples**

```
data(Box20)

hist(Box20$x,
      main = "Histogram of Box Lengths",
      xlab = "Length",
      col = "blue")
```

---

Box26

*R matrix for Thurstone's 26 hypothetical box attributes.*

---

**Description**

Correlation matrix for Thurstone's 26 hypothetical box attributes.

**Usage**

```
data(Box26)
```

**Format**

Correlation matrix for Thurstone's 26 hypothetical box attributes. The so-called Thurstone invariant box problem contains measurements on the following 26 functions of length, width, and height.

**Box26** variables:

1.  $x$
2.  $y$
3.  $z$
4.  $xy$
5.  $xz$
6.  $yz$
7.  $x^2 * y$
8.  $x * y^2$
9.  $x^2 * z$

10.  $x * z^2$
11.  $y^2 * z$
12.  $y * z^2$
13.  $x/y$
14.  $y/x$
15.  $x/z$
16.  $z/x$
17.  $y/z$
18.  $z/y$
19.  $2x + 2y$
20.  $2x + 2z$
21.  $2y + 2z$
22.  $\sqrt{x^2 + y^2}$
23.  $\sqrt{x^2 + z^2}$
24.  $\sqrt{y^2 + z^2}$
25.  $xyz$
26.  $\sqrt{x^2 + y^2 + z^2}$

- **x** Box length
- **y** Box width
- **z** Box height

### Examples

```

data(Box26)
fout <- faMain(R      = Box26,
               numFactors = 3,
               facMethod  = "fapa",
               rotate     = "varimax",
               bootstrapSE = FALSE,
               rotateControl = list(
                 numberStarts = 100,
                 standardize   = "none"),
               Seed = 123)

print( round(fout$loadings, 2 ) )

fout <- faMain(R      = Box26,
               numFactors = 3,
               facMethod  = "fapa",
               rotate     = "varimax",
               bootstrapSE = FALSE,
               rotateControl = list(
                 numberStarts = 100,

```

```

        standardize = "CM"),
        Seed = 123)

print( round(fout$loadings, 2 ) )

```

---

corSample

*Sample Correlation Matrices from a Population Correlation Matrix*


---

### Description

Sample correlation (covariance) matrices from a population correlation matrix (see Browne, 1968; Kshirsagar, 1959)

### Usage

```
corSample(R, n)
```

### Arguments

R	A population correlation matrix.
n	Sample correlation (covariance) matrices will be generated assuming a sample size of n.

### Value

cor.sample	Sample correlation matrix.
cov.sample	Sample covariance matrix.

### Author(s)

Niels Waller

### References

Browne, M. (1968). A comparison of factor analytic techniques. *Psychometrika*, 33(3), 267-334.

Kshirsagar, A. (1959). Bartlett decomposition and Wishart distribution. *The Annals of Mathematical Statistics*, 30(1), 239-241.

### Examples

```

R <- matrix(c(1, .5, .5, 1), 2, 2)
# generate a sample correlation from pop R with n = 25
out <- corSample(R, n = 25)
out$cor.sample
out$cov.sample

```

corSmooth

*Smooth a Non PD Correlation Matrix***Description**

A function for smoothing a non-positive definite correlation matrix by the method of Knol and Berger (1991).

**Usage**

```
corSmooth(R, eps = 1e+08 * .Machine$double.eps)
```

**Arguments**

R	A non-positive definite correlation matrix.
eps	Small positive number to control the size of the non-scaled smallest eigenvalue of the smoothed R matrix. Default = $1E8 * .Machine$double.eps$

**Value**

Rsmoothed	A Smoothed (positive definite) correlation matrix.
-----------	--

**Author(s)**

Niels Waller

**References**

Knol, D. L., and Berger, M. P. F., (1991). Empirical comparison between factor analysis and multi-dimensional item response models. *Multivariate Behavioral Research*, 26, 457-477.

**Examples**

```
## choose eigenvalues such that R is NPD
l <- c(3.0749126, 0.9328397, 0.5523868, 0.4408609, -0.0010000)

## Generate NPD R
R <- genCorr(eigenval = l, seed = 123)
print(eigen(R)$values)

#> [1] 3.0749126 0.9328397 0.5523868 0.4408609 -0.0010000

## Smooth R
Rsm<-corSmooth(R, eps = 1E8 * .Machine$double.eps)
print(eigen(Rsm)$values)

#> [1] 3.074184e+00 9.326669e-01 5.523345e-01 4.408146e-01 2.219607e-08
```

---

 cosMat

---

*Compute the cosine(s) between either 2 matrices or 2 vectors.*


---

### Description

This function will compute the cosines (i.e., the angle) between two vectors or matrices. When applied to matrices, it will compare the two matrices one vector (i.e., column) at a time. For instance, the cosine (angle) between factor 1 in matrix A and factor 1 in matrix B.

### Usage

```
cosMat(A, B, align = FALSE, digits = NULL)
```

### Arguments

A	(Matrix, Vector) Either a matrix or vector.
B	(Matrix, Vector) Either a matrix or vector (must be of the same dimensions as A).
align	(Logical) Whether to run a factor alignment before computing the cosine.
digits	(Numeric) The number of digits to round the output to.

### Details

- **Chance Congruence:** Factor cosines were originally described by Burt (1948) and later popularized by Tucker (1951). Several authors have noted the tendency for two factors to have spuriously large factor cosines. Paunonen (1997) provides a good overview and describes how factor cosines between two vectors of random numbers can appear to be congruent.
- **Effect Size Benchmarks:** When computing congruence coefficients (cosines) in factor analytic studies, it can be useful to know what constitutes large versus small congruence. Lorenzo-Seva and ten Berge (2006) currently provide the most popular (i.e., most frequently cited) recommended benchmarks for congruence. “A value in the range .85-.94 means that the two factors compared display *fair* similarity. This result should prevent congruence below .85 from being interpreted as indicative of any factor similarity at all. A value higher than .95 means that the two factors or components compared can be considered equal. That is what we have called a *good* similarity in our study” (Lorenzo-Seva & ten Berge, 2006, p. 61, emphasis theirs).

### Value

A vector of cosines will be returned. When comparing two vectors, only one cosine can be computed. When comparing matrices, one cosine is computed per column.

- **cosine:** (Matrix) A matrix of cosines between the two inputs.
- **A:** (Matrix) The A input matrix.
- **B:** (Matrix) The B input matrix.
- **align:** (Logical) Whether Matrix B was aligned to A.

**Author(s)**

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)

**References**

- Burt, C. (1948). The factorial study of temperament traits. *British Journal of Psychology, Statistical Section, 1*, 178-203.
- Lorenzo-Seva, U., & ten Berge, J. M. F. (2006). Tuckers Congruence Coefficient as a meaningful index of factor similarity. *Methodology, 2*(2), 57-64.
- Paunonen, S. V. (1997). On chance and factor congruence following orthogonal Procrustes rotation. *Educational and Psychological Measurement, 57*, 33-59.
- Tucker, L. R. (1951). *A method for synthesis of factor analysis studies* (Personnel Research Section Report No. 984). Washington, DC: Department of the Army.

**Examples**

```
## Cosine between two vectors
A <- rnorm(5)
B <- rnorm(5)

cosMat(A, B)

## Cosine between the columns of two matrices
A <- matrix(rnorm(5 * 5), 5, 5)
B <- matrix(rnorm(5 * 5), 5, 5)

cosMat(A, B)
```

---

d2r

*Convert Degrees to Radians*

---

**Description**

A simple function to convert degrees to radians

**Usage**

```
d2r(deg)
```

**Arguments**

deg                    Angle in degrees.

**Value**

Angle in radians.

**Examples**

```
d2r(90)
```

---

```
eap
```

---

*Compute eap trait estimates for FMP and FUP models*

---

**Description**

Compute eap trait estimates for items fit by filtered monotonic polynomial IRT models.

**Usage**

```
eap(data, bParams, NQuad = 21, priorVar = 2, mintheta = -4,
    maxtheta = 4)
```

**Arguments**

data	N(subjects)-by-p(items) matrix of 0/1 item response data.
bParams	A p-by-9 matrix of FMP or FUP item parameters and model designations. Columns 1 - 8 hold the (possibly zero valued) polynomial coefficients; column 9 holds the value of k.
NQuad	Number of quadrature points used to calculate the eap estimates.
priorVar	Variance of the normal prior for the eap estimates. The prior mean equals 0.
mintheta, maxtheta	NQuad quadrature points will be evenly spaced between mintheta and maxtheta

**Value**

eap trait estimates.

**Author(s)**

Niels Waller

**Examples**

```
## this example demonstrates how to calculate
## eap trait estimates for a scale composed of items
## that have been fit to FMP models of different
## degree

NSubjects <- 2000
```

```

## Assume that
## items 1 - 5 fit a k=0 model,
## items 6 - 10 fit a k=1 model, and
## items 11 - 15 fit a k=2 model.

itmParameters <- matrix(c(
# b0 b1 b2 b3 b4 b5, b6, b7, k
-1.05, 1.63, 0.00, 0.00, 0.00, 0, 0, 0, 0, #1
-1.97, 1.75, 0.00, 0.00, 0.00, 0, 0, 0, 0, #2
-1.77, 1.82, 0.00, 0.00, 0.00, 0, 0, 0, 0, #3
-4.76, 2.67, 0.00, 0.00, 0.00, 0, 0, 0, 0, #4
-2.15, 1.93, 0.00, 0.00, 0.00, 0, 0, 0, 0, #5
-1.25, 1.17, -0.25, 0.12, 0.00, 0, 0, 0, 1, #6
1.65, 0.01, 0.02, 0.03, 0.00, 0, 0, 0, 1, #7
-2.99, 1.64, 0.17, 0.03, 0.00, 0, 0, 0, 1, #8
-3.22, 2.40, -0.12, 0.10, 0.00, 0, 0, 0, 1, #9
-0.75, 1.09, -0.39, 0.31, 0.00, 0, 0, 0, 1, #10
-1.21, 9.07, 1.20, -0.01, -0.01, 0.01, 0, 0, 2, #11
-1.92, 1.55, -0.17, 0.50, -0.01, 0.01, 0, 0, 2, #12
-1.76, 1.29, -0.13, 1.60, -0.01, 0.01, 0, 0, 2, #13
-2.32, 1.40, 0.55, 0.05, -0.01, 0.01, 0, 0, 2, #14
-1.24, 2.48, -0.65, 0.60, -0.01, 0.01, 0, 0, 2), #15
15, 9, byrow=TRUE)

# generate data using the above item parameters
ex1.data<-genFMPData(NSubj = NSubjects, bParams = itmParameters,
seed = 345)$data

## calculate eap estimates for mixed models
thetaEAP<-eap(data = ex1.data, bParams = itmParameters,
NQuad = 25, priorVar = 2,
mintheta = -4, maxtheta = 4)

## compare eap estimates with initial theta surrogates

if(FALSE){ #set to TRUE to see plot

thetaInit <- svdNorm(ex1.data)
plot(thetaInit,thetaEAP, xlim = c(-3.5,3.5),
ylim = c(-3.5,3.5),
xlab = "Initial theta surrogates",
ylab = "EAP trait estimates (Mixed models)")
}

```

**Description**

Generate eigenvalues for R matrices with underlying component structure

**Usage**

```
eigGen(nDimensions = 15, nMajorFactors = 5, PrcntMajor = 0.8,
       threshold = 0.5)
```

**Arguments**

nDimensions	Total number of dimensions (variables).
nMajorFactors	Number of major factors.
PrcntMajor	Percentage of variance accounted for by major factors.
threshold	Minimm difference in eigenvalues between the last major factor and the first minor factor.

**Value**

A vector of eigenvalues that satisfies the above criteria.

**Author(s)**

Niels Waller

**Examples**

```
## Example
set.seed(323)
nDim <- 25 # number of dimensions
nMaj <- 5 # number of major components
pmaj <- 0.70 # percentage of variance accounted for
# by major components
thresh <- 1 # eigenvalue difference between last major component
# and first minor component

L <- eigGen(nDimensions = nDim, nMajorFactors = nMaj,
           PrcntMajor = pmaj, threshold = thresh)

maxy <- max(L+1)

plotTitle <- paste(" n Dimensions = ", nDim,
                  ", n Major Factors = ", nMaj,
                  "\n % Variance Major Factors = ", pmaj*100,
                  "%", sep = "")

plot(1:length(L), L,
     type = "b",
     main = plotTitle,
     ylim = c(0, maxy),
```

```
xlab = "Dimensions",
ylab = "Eigenvalues",
cex.main = .9)
```

---

enhancement

*Find OLS Regression Coefficients that Exhibit Enhancement*


---

### Description

Find OLS regression coefficients that exhibit a specified degree of enhancement.

### Usage

```
enhancement(R, br, rr)
```

### Arguments

R	Predictor correlation matrix.
br	Model R-squared = $b' r$ . That is, br is the model coefficient of determination: $b' R b = R s q = b r$
rr	Sum of squared predictor-criterion correlations (rxy). That is, $r r = r' r = \text{Sum}(r x y^2)$

### Value

b	Vector of standardized regression coefficients.
r	Vector of predictor-criterion correlations.

### Author(s)

Niels Waller

### References

Waller, N. G. (2011). The geometry of enhancement in multiple regression. *Psychometrika*, 76, 634–649.

### Examples

```
## Example: For a given predictor correlation matrix (R) generate
## regression coefficient vectors that produce enhancement (br - rr > 0)

## Predictor correlation matrix
R <- matrix(c( 1, .5, .25,
              .5, 1, .30,
              .25, .30, 1), 3, 3)
```

```

## Model coefficient of determination
Rsqr <- .60

output<-enhancement(R, br = Rsqr, rr =.40)

r <- output$r
b <- output$b

##Standardized regression coefficients
print(t(b))

##Predictor-criterion correlations
print(t(r))

##Coefficient of determinations (b'r)
print(t(b) %*% r)

##Sum of squared correlations (r'r)
print(t(r) %*% r)

```

---

erf

*Utility fnc to compute the components for an empirical response function*


---

### Description

Utility function to compute empirical response functions.

### Usage

```
erf(theta, data, whichItem, min = -3, max = 3, Ncuts = 12)
```

### Arguments

theta	Vector of estimated latent trait scores.
data	A matrix of binary item responses.
whichItem	Data for an erf will be generated for whichItem.
min	Default = -3. Minimum value of theta.
max	Default = 3. Maximum value of theta.
Ncuts	Number of score groups for erf.

**Value**

probs	A vector (of length Ncuts) of bin response probabilities for the empirical response function.
centers	A vector of bin centers.
Ni	Bin sample sizes.
se.p	Standard errors of the estimated bin response probabilities.

**Author(s)**

Niels Waller

**Examples**

```

NSubj <- 2000

#generate sample k=1 FMP data
b <- matrix(c(
  #b0  b1  b2  b3  b4  b5 b6 b7 k
  1.675, 1.974, -0.068, 0.053, 0, 0, 0, 0, 1,
  1.550, 1.805, -0.230, 0.032, 0, 0, 0, 0, 1,
  1.282, 1.063, -0.103, 0.003, 0, 0, 0, 0, 1,
  0.704, 1.376, -0.107, 0.040, 0, 0, 0, 0, 1,
  1.417, 1.413, 0.021, 0.000, 0, 0, 0, 0, 1,
-0.008, 1.349, -0.195, 0.144, 0, 0, 0, 0, 1,
  0.512, 1.538, -0.089, 0.082, 0, 0, 0, 0, 1,
  0.122, 0.601, -0.082, 0.119, 0, 0, 0, 0, 1,
  1.801, 1.211, 0.015, 0.000, 0, 0, 0, 0, 1,
-0.207, 1.191, 0.066, 0.033, 0, 0, 0, 0, 1,
-0.215, 1.291, -0.087, 0.029, 0, 0, 0, 0, 1,
  0.259, 0.875, 0.177, 0.072, 0, 0, 0, 0, 1,
-0.423, 0.942, 0.064, 0.094, 0, 0, 0, 0, 1,
  0.113, 0.795, 0.124, 0.110, 0, 0, 0, 0, 1,
  1.030, 1.525, 0.200, 0.076, 0, 0, 0, 0, 1,
  0.140, 1.209, 0.082, 0.148, 0, 0, 0, 0, 1,
  0.429, 1.480, -0.008, 0.061, 0, 0, 0, 0, 1,
  0.089, 0.785, -0.065, 0.018, 0, 0, 0, 0, 1,
-0.516, 1.013, 0.016, 0.023, 0, 0, 0, 0, 1,
  0.143, 1.315, -0.011, 0.136, 0, 0, 0, 0, 1,
  0.347, 0.733, -0.121, 0.041, 0, 0, 0, 0, 1,
-0.074, 0.869, 0.013, 0.026, 0, 0, 0, 0, 1,
  0.630, 1.484, -0.001, 0.000, 0, 0, 0, 0, 1),
  nrow=23, ncol=9, byrow=TRUE)

theta <- rnorm(NSubj)
data<-genFMPData(NSubj = NSubj, bParam = b, theta = theta, seed = 345)$data

erfItem1 <- erf(theta, data, whichItem = 1, min = -3, max = 3, Ncuts = 12)

plot( erfItem1$centers, erfItem1$probs, type="b",
      main="Empirical Response Function",

```

```
xlab = expression(theta),
ylab="Probability",
cex.lab=1.5)
```

---

faAlign

*Align the columns of two factor loading matrices*


---

### Description

Align factor loading matrices across solutions using the Hungarian algorithm to locate optimal matches. faAlign will match the factors of F2 (the input matrix) to those in F1 (the target matrix) to minimize a least squares discrepancy function or to maximize factor congruence coefficients (i.e., vector cosines).

### Usage

```
faAlign(F1, F2, Phi2 = NULL, MatchMethod = "LS")
```

### Arguments

F1	target Factor Loadings Matrix.
F2	input Factor Loadings Matrix. F2 will be aligned with the target matrix, F1.
Phi2	optional factor correlation matrix for F2 (default = NULL).
MatchMethod	"LS" (Least Squares) or "CC" (congruence coefficients).

### Value

F2	re-ordered and reflected loadings of F2.
Phi2	reordered and reflected factor correlations.
FactorMap	a 2 x k matrix (where k is the number of columns of F1) structured such that row 1: the original column order of F2; row 2: the sorted column order of F2.
UniqueMatch	(logical) indicates whether a unique match was found.
MatchMethod	"LS" (least squares) or "CC" (congruence coefficients, i.e., cosines).
CC	Congruence coefficients for the matched factors.
LS	Root-mean-squared-deviations (least squares criterion) for the matched factors.

### Note

The Hungarian algorithm is implemented with the clue (Cluster Ensembles, Hornik, 2005) package. See Hornik K (2005). A CLUE for CLUster Ensembles. *Journal of Statistical Software*, 14(12). doi: 10.18637/jss.v014.i12 (URL: <http://doi.org/10.18637/jss.v014.i12>).

### Author(s)

Niels Waller

## References

- Kuhn, H. W. (1955). The Hungarian Method for the assignment problem. *Naval Research Logistics Quarterly*, 2, 83-97.
- Kuhn, H. W. (1956). Variants of the Hungarian method for assignment problems. *Naval Research Logistics Quarterly*, 3, 253-258.
- Papadimitriou, C. & Steiglitz, K. (1982). *Combinatorial Optimization: Algorithms and Complexity*. Englewood Cliffs: Prentice Hall.

## See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

## Examples

```
# This example demonstrates the computation of
# non-parametric bootstrap confidence intervals
# for rotated factor loadings.

library(GPArotation)

data(HS9Var)

HS9 <- HS9Var[HS9Var$school == "Grant-White",7:15]

# Compute an R matrix for the HSVar9 Mental Abilities Data
R.HS9 <- cor(HS9)

varnames <- c( "vis.per", "cubes",
               "lozenges", "paragraph.comp",
               "sentence.comp", "word.mean",
               "speed.add", "speed.count.dots",
               "speed.discr")

# Extract and rotate a 3-factor solution
# via unweighted least squares factor extraction
# and oblimin rotation.

NFac <- 3
NVar <- 9
B <- 200      # Number of bootstrap samples
NSubj <- nrow(HS9)

# Unrotated 3 factor uls solution
F3.uls <- fals(R = R.HS9, nfactors = NFac)

# Rotate via oblimin
```

```

F3.rot <- oblimin(F3.uls$loadings,
                 gam = 0,
                 normalize = FALSE)

F3.loadings <- F3.rot$loadings
F3.phi <- F3.rot$Phi

# Reflect factors so that salient loadings are positive
Dsgn <- diag(sign(colSums(F3.loadings^3)))
F3.loadings <- F3.loadings %**% Dsgn
F3.phi <- Dsgn %**% F3.phi %**% Dsgn

rownames(F3.loadings) <- varnames
colnames(F3.loadings) <- paste0("f", 1:3)
colnames(F3.phi) <- rownames(F3.phi) <- paste0("f", 1:3)

cat("\nOblimin rotated factor loadings for 9 Mental Abilities Variables")
print( round(F3.loadings, 2))

cat("\nFactor correlation matrix")
print( round( F3.phi, 2))

# Declare variables to hold bootstrap output
Flist <- Philist <- as.list(rep(0, B))
UniqueMatchVec <- rep(0, B)
rows <- 1:NSubj

# Analyze bootstrap samples and record results
for(i in 1:B){
  cat("\nWorking on sample ", i)
  set.seed(i)

  # Create bootstrap samples
  bsRows <- sample(rows, NSubj, replace= TRUE)
  Fuls <- fals(R = cor(HS9[bsRows, ]), nfactores = NFac)
  # rotated loadings
  Fboot <- oblimin(Fuls$loadings,
                  gam = 0,
                  normalize = FALSE)

  out <- faAlign(F1 = F3.loadings,
                 F2 = Fboot$loadings,
                 MatchMethod = "LS")

  Flist[[i]] <- out$F2 # aligned version of Fboot$loadings
  UniqueMatchVec[i] <- out$UniqueMatch
}

cat("\nNumber of Unique Matches: ",
    100*round(mean(UniqueMatchVec),2), "%\n")

```

```

# Make a 3D array from list of matrices
arr <- array( unlist(Flist) , c(NVar, NFac, B) )

# Get quantiles of factor elements over third dimension (samples)
F95 <- apply( arr , 1:2 , quantile, .975 )
F05 <- apply( arr , 1:2 , quantile, .025 )
Fse <- apply( arr , 1:2, sd )

cat("\nUpper Bound 95% CI\n")
print( round(F95,3))
cat("\n\nLower Bound 95% CI\n")
print( round(F05,3))

# plot distribution of bootstrap estimates
# for example element
hist(arr[5,1,], xlim=c(.4,1),
      main = "Bootstrap Distribution for F[5,1]",
      xlab = "F[5,1]")

print(round( F3.loadings, 2))
cat("\nStandard Errors")
print( round( Fse, 2))

```

---

fals

*Unweighted least squares factor analysis*


---

## Description

Unweighted least squares factor analysis

## Usage

```
fals(R, nfactores, TreatHeywood = TRUE)
```

## Arguments

R	Input correlation matrix.
nfactores	Number of factors to extract.
TreatHeywood	If TreatHeywood = TRUE then a penalized least squares function is used to bound the commonality estimates below 1.0. Default(TreatHeywood = TRUE).

## Value

loadings	Unrotated factor loadings. If a Heywood case is present in the initial solution then the model is re-estimated via non-iterated principal axes with $\max(r_{ij}^2)$ as fixed communality ( $h_2$ ) estimates.
h2	Vector of final commonality estimates.

uniqueness	Vector of factor uniquenesses, i.e. (1 - h2).
Heywood	(logical) TRUE if a Heywood case was produced in the LS solution.
TreatHeywood	(logical) Value of the TreatHeywood argument.
converged	(logical) TRUE if all values of the gradient are sufficiently close to zero.
MaxAbsGrad	The maximum absolute value of the gradient at the solution.

**Author(s)**

Niels Waller

**See Also**

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

**Examples**

```
Rbig <- fungible::rcor(120)
out1 <- fals(R = Rbig,
             nfactors = 2,
             TreatHeywood = TRUE)
```

---

faMain

*Automatic Factor Rotation from Random Configurations with Bootstrap Standard Errors*

---

**Description**

This function conducts factor rotations (using the **GPArotation** package) from a user-specified number of random (orthogonal) starting configurations. Based on the resulting complexity function value, the function determines the number of local minima and, among these local solutions, will find the "global minimum" (i.e., the minimized complexity value from the finite number of solutions). See Details below for an elaboration on the global minimum. This function can also return bootstrap standard errors of the factor solution.

**Usage**

```
faMain(X = NULL, R = NULL, n = NULL, numFactors = NULL,
       facMethod = "fals", urLoadings = NULL, rotate = "oblimin",
       targetMatrix = NULL, bootstrapSE = FALSE, numBoot = 1000,
       CIlevel = 0.95, Seed = 1, digits = NULL, faControl = NULL,
       rotateControl = NULL, ...)
```

**Arguments**

X	(Matrix) A raw data matrix (or data frame).
R	(Matrix) A correlation matrix.
n	(Numeric) Sample size associated with the correlation matrix. Defaults to n = NULL.
numFactors	(Numeric) The number of factors to extract for subsequent rotation.
facMethod	(Character) The method used for factor extraction ( <b>faX</b> ). The supported options are "fals" for unweighted least squares, "fam1" for maximum likelihood, "fapa" for iterated principal axis factoring, "faregLS" for regularized least squares, "faregML" for regularized maximum likelihood, and "pca" for principal components analysis. The default method is "fals". <ul style="list-style-type: none"> <li>• <b>"fals"</b>: Factors are extracted using the unweighted least squares estimation procedure using the <b>fals</b> function.</li> <li>• <b>"fam1"</b>: Factors are extracted using the maximum likelihood estimation procedure using the <b>factanal</b> function.</li> <li>• <b>"fapa"</b>: Factors are extracted using the iterated principal axis factoring estimation procedure using the <b>fapa</b> function.</li> <li>• <b>"faregLS"</b>: Factors are extracted using regularized least squares factor analysis using the <b>fareg</b> function.</li> <li>• <b>"faregML"</b>: Factors are extracted using regularized maximum likelihood factor using the <b>fareg</b> function.</li> <li>• <b>"pca"</b>: Principal components are extracted.</li> </ul>
urLoadings	(Matrix) An unrotated factor-structure matrix to be rotated.
rotate	(Character) Designate which rotation algorithm to apply. The following are available rotation options: "oblimin", "quartimin", "targetT", "targetQ", "oblimax", "entropy", "quartimax", "varimax", "simplimax", "bentlerT", "bentlerQ", "tandemI", "tandemII", "geominT", "geominQ", "cfT", "cfQ", "infomaxT", "infomaxQ", "mccammon", "bifactorT", "bifactorQ", and "none". Defaults to rotate = "oblimin". See <b>GPArotation</b> package for more details. Note that rotations ending in "T" and "Q" represent orthogonal and oblique rotations, respectively.
targetMatrix	(Matrix) This argument serves two functions. First, if a user has requested either a "targetT" or "targetQ" rotation, then the target matrix is used to conduct a fully or partially specified target rotation. In the latter case, freely estimated factor loadings are designated by "NA" values and rotation will be conducted using Browne's (1972a, 1972b, 2001) method for a partially-specified target rotation. Second, if any other rotation option is chosen then all rotated loadings matrices (and assorted output) will be aligned (but not rotated) with the target solution.
bootstrapSE	(Logical) Computes bootstrap standard errors. All bootstrap samples are aligned to the global minimum solution. Defaults to bootstrapSE = FALSE (no standard errors).
numBoot	(Numeric) The number bootstraps. Defaults to numBoot = 1000.
CILevel	(Numeric) The confidence level (between 0 and 1) of the bootstrap confidence interval. Defaults to CILevel = .95.

- Seed (Numeric) Starting seed for reproducible bootstrap results and factor rotations. Defaults to Seed = 1.
- digits (Numeric) Rounds the values to the specified number of decimal places. Defaults to digits = NULL (no rounding).
- faControl (List) A list of optional parameters passed to the factor extraction (`faX`) function.
- **treatHeywood**: (Logical) In `fals`, if `treatHeywood` is true, a penalized least squares function is used to bound the communality estimates below 1.0. Defaults to `treatHeywood = TRUE`.
  - **nStart**: (Numeric) The number of starting values to be tried in `fam1`. Defaults to `nStart = 10`.
  - **start**: (Matrix) NULL or a matrix of starting values, each column giving an initial set of uniquenesses. Defaults to `start = NULL`.
  - **maxCommunality**: (Numeric) In `fam1`, set the maximum communality value for the estimated solution. Defaults to `maxCommunality = .995`.
  - **epsilon**: (Numeric) In `fapa`, the numeric threshold designating when the algorithm has converged. Defaults to `epsilon = 1e-4`.
  - **communality**: (Character) The method used to estimate the initial communality values in `fapa`. Defaults to `communality = 'SMC'`.
    - **"SMC"**: Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables.
    - **"maxr"**: Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.
    - **"unity"**: Initial communalities equal 1.0 for all variables.
  - **maxItr**: (Numeric) In `fapa`, the maximum number of iterations to reach convergence. Defaults to `maxItr = 15,000`.
- rotateControl (List) A list of control values to pass to the factor rotation algorithms.
- **numberStarts**: (Numeric) The number of random (orthogonal) starting configurations for the chosen rotation method (e.g., `oblimin`). The first rotation will always commence from the unrotated factors orientation. Defaults to `numberStarts = 10`.
  - **itemSort**: (Logical) If TRUE, sort the row order of all the following output such that variables loading on a common factor are grouped together for ease of interpretation: (a) the global minimum factor loadings, (b) indicator communalities, (c) factor-loading bootstrap standard errors, (d) factor-loading bootstrap confidence interval quantiles (both upper and lower), and (e) the array of all factor-loading bootstrap results. Defaults to `itemSort = FALSE`.
  - **gamma**: (Numeric) This is a tuning parameter (between 0 and 1, inclusive) for an `oblimin` rotation. See the **GPArotation** library's `oblimin` documentation for more details. Defaults to `gamma = 0` (i.e., a `quartimin` rotation).
  - **delta**: (Numeric) This is a tuning parameter for the `geomim` rotation. It adds a small number (default = .01) to the squared factor loadings before computing the geometric means in the discrepancy function.

- **kappa**: (Numeric) The main parameterization of the Crawford-Ferguson (CF) rotations (i.e., "cfT" and "cfQ" for orthogonal and oblique CF rotation, respectively). Defaults to  $\text{kappa} = 0$ .
- **k**: (Numeric) A specific parameter of the simplimax rotation. Defaults to  $k =$  the number of observed variables.
- **standardize**: (Character) The standardization routine used on the unrotated factor structure. The three options are "none", "Kaiser", and "CM". Defaults to `standardize = "none"`.
  - **"none"**: No standardization is applied to the unrotated factor structure.
  - **"Kaiser"**: Use a factor structure matrix that has been normed by Kaiser's method (i.e., normalize all rows to have a unit length).
  - **"CM"**: Use a factor structure matrix that has been normed by the Cureton-Mulaik method.
- **epsilon**: (Numeric) The rotational convergence criterion to use. Defaults to  $\text{epsilon} = 1e-5$ .
- **power**: (Numeric) Raise factor loadings the the n-th power in the `promaxQ` rotation. Defaults to `power = 4`.
- **maxItr**: (Numeric) The maximum number of iterations for the rotation algorithm. Defaults to `maxItr = 15000`.

...

Values to be passed to the `cor` function.

- **use**: (Character) A character string giving a method for computing correlations in the presence of missing values: "everything" (the default), "all.obs", "complete.obs", "na.or.complete", or "pairwise.complete.obs".
- **method**: (Character) A character string indicating which correlation coefficient is to be computed: "pearson" (the default), "kendall", or "spearman".
- **na.rm**: (Logical) Should missing values be removed (TRUE) or not (FALSE)?

## Details

- **Global Minimum**: This function uses several random starting configurations for factor rotations in an attempt to find the global minimum solution. However, this function is not guaranteed to find the global minimum. Furthermore, the global minimum solution need not be more psychologically interpretable than any of the local solutions (cf. Rozeboom, 1992). As is recommended, our function returns all local solutions so users can make their own judgements.
- **Finding clusters of local minima**: We find local-solution sets by sorting the rounded rotation discrepancy values (to the number of digits specified in the `epsilon` argument of the `rotateControl` list) into sets with equivalent values. For example, by default `epsilon = 1e-5`, and thus will only evaluate the discrepancy values to five significant digits. Any differences beyond that value will not effect the final sorting.

## Value

The `faMain` function will produce a lot of output in addition to the rotated factor pattern matrix and the factor correlations.

- **R**: (Matrix) Returns the correlation matrix, useful when raw data are supplied.

- **loadings**: (Matrix) The rotated factor solution with the lowest evaluated discrepancy function. This solution has the lowest discrepancy function *of the examined random starting configurations*. It is not guaranteed to find the "true" global minimum. Note that multiple (or even all) local solutions can have the same discrepancy functions.
- **Phi**: (Matrix) The factor correlations of the rotated factor solution with the lowest evaluated discrepancy function (see Details).
- **facIndeterminacy**: (Vector) A vector (with length equal to the number of factors) containing Guttman's (1955) index of factor indeterminacy for each factor.
- **h2**: (Vector) The vector of final communality estimates.
- **loadingsSE**: (Matrix) The matrix of factor-loading standard errors across the bootstrapped factor solutions. Each matrix element is the standard deviation of all bootstrapped factor loadings for that element position.
- **loadingsCIupper**: (Matrix) Contains the upper confidence interval of the bootstrapped factor loadings matrix. The confidence interval width is specified by the user.
- **loadingsCIlower**: (Matrix) Contains the lower confidence interval of the bootstrapped factor loadings matrix. The confidence interval width is specified by the user.
- **PhiSE**: (Matrix) The matrix of factor correlation standard errors across the bootstrapped factor solutions. Each matrix element is the standard deviation of all bootstrapped factor correlations for that element position.
- **PhiCIupper**: (Matrix) Contains the upper confidence interval of the bootstrapped factor correlation matrix. The confidence interval width is specified by the user.
- **PhiCIlower**: (Matrix) Contains the lower confidence interval of the bootstrapped factor correlation matrix. The confidence interval width is specified by the user.
- **facIndeterminacySE**: (Matrix) A row vector containing the standard errors of Guttman's (1955) factor indeterminacy indices across the bootstrap factor solutions.
- **localSolutions**: (List) A list containing all local solutions in ascending order of their factor loadings, rotation complexity values (i.e., the first solution is the "global" minimum). Each solution returns the
  - **loadings**: (Matrix) the factor loadings,
  - **Phi**: (Matrix) factor correlations,
  - **RotationComplexityValue**: (Numeric) the complexity value of the rotation algorithm,
  - **facIndeterminacy**: (Vector) A vector of factor indeterminacy indices for each common factor, and
  - **RotationConverged**: (Logical) convergence status of the rotation algorithm.
- **numLocalSets** (Numeric) How many sets of local solutions with the same discrepancy value were obtained.
- **localSolutionSets**: (List) A list containing the sets of unique local minima solutions. There is one list element for every unique local solution that includes (a) the factor loadings matrix, (b) the factor correlation matrix (if estimated), and (c) the discrepancy value of the rotation algorithm.
- **loadingsArray**: (Array) Contains an array of all bootstrapped factor loadings. The dimensions are factor indicators, factors, and the number of bootstrapped samples (representing the row, column, and depth, respectively).

- **PhiArray:** (Array) Contains an array of all bootstrapped factor correlations. The dimensions are the number of factors, the number of factors, and the number of bootstrapped samples (representing the row, column, and depth, respectively).
- **facIndeterminacyArray:** (Array) Contains an array of all bootstrap factor indeterminacy indices. The dimensions are 1, the number of factors, and the number of bootstrap samples (representing the row, column, and depth order, respectively).
- **faControl:** (List) A list of the control parameters passed to the factor extraction (**faX**) function.
- **faFit:** (List) A list of additional output from the factor extraction routines.
  - **facMethod:** (Character) The factor extraction routine.
  - **df:** (Numeric) Degrees of Freedom from the maximum likelihood factor extraction routine.
  - **n:** (Numeric) Sample size associated with the correlation matrix.
  - **objectiveFunc:** (Numeric) The evaluated objective function for the maximum likelihood factor extraction routine.
  - **RMSEA:** (Numeric) Root mean squared error of approximation from Steiger & Lind (1980). Note that bias correction is computed if the sample size is provided.
  - **testStat:** (Numeric) The significance test statistic for the maximum likelihood procedure. Cannot be computed unless a sample size is provided.
  - **pValue:** (Numeric) The p value associated with the significance test statistic for the maximum likelihood procedure. Cannot be computed unless a sample size is provided.
  - **gradient:** (Matrix) The solution gradient for the least squares factor extraction routine.
  - **maxAbsGradient:** (Numeric) The maximum absolute value of the gradient at the least squares solution.
  - **Heywood:** (Logical) TRUE if a Heywood case was produced.
  - **convergedX:** (Logical) TRUE if the factor **extraction** routine converged.
  - **convergedR:** (Logical) TRUE if the factor **rotation** routine converged (for the local solution with the minimum discrepancy value).
- **rotateControl:** (List) A list of the control parameters passed to the rotation algorithm.
- **itemOrder:** (Vector) The final item order if `itemSort = TRUE`.
- **unSpunSolution:** (List) A list of output parameters (e.g., loadings, Phi, etc) from the rotated solution that was obtained by rotating directly from the unrotated (i.e., unspun) common factor orientation.
- **Call:** (call) A copy of the function call.

#### Author(s)

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)
- The authors thank Allie Cooperman and Hoang Nguyen for their help implementing the standard error estimation and the Cureton-Mulaik standardization procedure.

## References

- Browne, M. W. (1972). Oblique rotation to a partially specified target. *British Journal of Mathematical and Statistical Psychology*, 25,(1), 207-212.
- Browne, M. W. (1972b). Orthogonal rotation to a partially specified target. *British Journal of Statistical Psychology*, 25,(1), 115-120.
- Browne, M. W. (2001). An overview of analytic rotation in exploratory factor analysis. *Multivariate Behavioral Research*, 36(1), 111-150.
- Cureton, E. E., & Mulaik, S. A. (1975). The weighted varimax rotation and the promax rotation. *Psychometrika*, 40(2), 183-195.
- Guttman, L. (1955). The determinacy of factor score matrices with implications for five other basic problems of common factor theory. *British Journal of Statistical Psychology*, 8(2), 65-81.
- Jung, S. & Takane, Y. (2008). Regularized common factor analysis. *New Trends in Psychometrics*, 141-149.
- Mansolf, M., & Reise, S. P. (2016). Exploratory bifactor analysis: The Schmid-Leiman orthogonalization and Jennrich-Bentler analytic rotations. *Multivariate Behavioral Research*, 51(5), 698-717.
- Rozeboom, W. W. (1992). The glory of suboptimal factor rotation: Why local minima in analytic optimization of simple structure are more blessing than curse. *Multivariate Behavioral Research*, 27(4), 585-599.
- Zhang, G. (2014). Estimating standard errors in exploratory factor analysis. *Multivariate Behavioral Research*, 49(4), 339-353.

## See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

## Examples

```
## Example 1

## Generate an orthogonal factor model
lambda <- matrix(c(.41, .00, .00,
                  .45, .00, .00,
                  .53, .00, .00,
                  .00, .66, .00,
                  .00, .38, .00,
                  .00, .66, .00,
                  .00, .00, .68,
                  .00, .00, .56,
                  .00, .00, .55),
                nrow = 9, ncol = 3, byrow = TRUE)

## Generate factor correlation matrix
Phi <- matrix(.50, nrow = 3, ncol = 3)
diag(Phi) <- 1

## Model-implied correlation matrix
```

```

R <- lambda %**% Phi %**% t(lambda)
diag(R) <- 1

## Load the MASS package to create multivariate normal data
library(MASS)

## Generate raw data to perfectly reproduce R
X <- mvrnorm(Sigma = R, mu = rep(0, nrow(R)), empirical = TRUE, n = 300)

## Not run:
## Execute 50 promax rotations from a least squares factor extraction
## Compute 100 bootstrap samples to compute standard errors and
## 80 percent confidence intervals
Out1 <- faMain(X
               = X,
               numFactors = 3,
               facMethod = "fals",
               rotate = "promaxQ",
               bootstrapSE = TRUE,
               numBoot = 100,
               CILevel = .80,
               faControl = list(treatHeywood = TRUE),
               rotateControl = list(numberStarts = 2,
                                   itemSort = TRUE,
                                   power = 4,
                                   standardize = "Kaiser"),
               digits = 2)
Out1[c("loadings", "Phi")]

## End(Not run)

## Example 2

## Load Thurstone's (in)famous box data
data(Thurstone, package = "GPArotation")

## Execute 5 oblimin rotations with Cureton-Mulaik standardization
Out2 <- faMain(urLoadings = box26,
               rotate = "oblimin",
               bootstrapSE = FALSE,
               rotateControl = list(numberStarts = 5,
                                   standardize = "CM",
                                   gamma = 0,
                                   epsilon = 1e-6),
               digits = 2)

Out2[c("loadings", "Phi")]

## Example 3

## Factor matrix from Browne 1972
lambda <- matrix(c(.664, .322, -.075,
                  .688, .248, .192,
                  .492, .304, .224,

```

```

      .837, -.291, .037,
      .705, -.314, .155,
      .820, -.377, -.104,
      .661, .397, .077,
      .457, .294, -.488,
      .765, .428, .009),
nrow = 9, ncol = 3, byrow = TRUE)

## Create partially-specified target matrix
Targ <- matrix(c(NA, 0, NA,
                NA, 0, 0,
                NA, 0, 0,
                NA, NA, NA,
                NA, NA, 0,
                NA, NA, NA,
                .7, NA, NA,
                0, NA, NA,
                .7, NA, NA),
              nrow = 9, ncol = 3, byrow = TRUE)

## Perform target rotation
Out3 <- faMain(urLoadings = lambda,
               rotate      = "targetT",
               targetMatrix = Targ,
               digits      = 3)$loadings

Out3

```

faMAP

*Velicer's minimum partial correlation method for determining the number of major components for a principal components analysis or a factor analysis*

## Description

Uses Velicer's MAP (i.e., matrix of partial correlations) procedure to determine the number of components from a matrix of partial correlations.

## Usage

```
faMAP(R, max.fac = 8, Print = TRUE, Plot = TRUE, ...)
```

## Arguments

R	input data in the form of a correlation matrix.
max.fac	maximum number of dimensions to extract.
Print	(logical) Print = TRUE will print complete results.
Plot	(logical) Plot = TRUE will plot the MAP values.
...	Arguments to be passed to the plot functions (see par).

**Value**

MAP	Minimum partial correlations
MAP4	Minimum partial correlations
fm	average of the squared partial correlations after the first m components are partialled out.
fm4	see Velicer, Eaton, & Fava, 2000.
PlotAvgSq	A saved object of the original MAP plot (based on the average squared partial r's.)
PlotAvg4th	A saved object of the revised MAP plot (based on the average 4th power of the partial r's.)

**Author(s)**

Niels Waller

**References**

Velicer, W. (1976). Determining the number of components from the matrix of partial correlations. *Psychometrika*, 41(3):321–327.

Velicer, W. F., Eaton, C. A., & Fava, J. L. (2000). Construct explication through factor or component analysis: A review and evaluation of alternative procedures for determining the number of factors or components. In R. D. Goffin & E. Helmes (Eds.). *Problems and Solutions in Human Assessment: Honoring Douglas N. Jackson at Seventy* (pp. 41-71). Boston, MA: Kluwer Academic.

**Examples**

```
# Harman's data (1967, p 80)
# R = matrix(c(
# 1.000, .846, .805, .859, .473, .398, .301, .382,
# .846, 1.000, .881, .826, .376, .326, .277, .415,
# .805, .881, 1.000, .801, .380, .319, .237, .345,
# .859, .826, .801, 1.000, .436, .329, .327, .365,
# .473, .376, .380, .436, 1.000, .762, .730, .629,
# .398, .326, .319, .329, .762, 1.000, .583, .577,
# .301, .277, .237, .327, .730, .583, 1.000, .539,
# .382, .415, .345, .365, .629, .577, .539, 1.000), 8,8)

F <- matrix(c( .4, .1, .0,
               .5, .0, .1,
               .6, .03, .1,
               .4, -.2, .0,
               0, .6, .1,
               .1, .7, .2,
               .3, .7, .1,
               0, .4, .1,
               0, 0, .5,
               .1, -.2, .6,
               .1, .2, .7,
```

```

      -.2, .1, .7),12,3)

R <- F %*% t(F)
diag(R) <- 1

famaP(R, max.fac = 8, Print = TRUE, Plot = TRUE)

```

---

fapa

---

*Iterated Principal Axis Factor Analysis (fapa)*


---

## Description

This function applies the iterated principal axis factoring method to extract an unrotated factor structure matrix.

## Usage

```
fapa(R, numFactors = NULL, epsilon = 1e-04, communality = "SMC",
     maxItr = 15000, digits = NULL)
```

## Arguments

R	(Matrix) A correlation matrix to be analyzed.
numFactors	(Numeric) The number of factors to extract.
epsilon	(Numeric) A numeric threshold to designate whether the function has converged. The default value is 1e-4.
communality	(Character) The routine requires an initial estimate of the communality values. There are three options (see below) with "SMC" (i.e., squared multiple correlation) being the default. <ul style="list-style-type: none"> <li>• <b>"SMC"</b>: Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables. The following equation is employed to find the squared multiple correlation: <math>1 - 1/\text{diag}(R^{-1})</math>.</li> <li>• <b>"maxr"</b>: Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.</li> <li>• <b>"unity"</b>: Initial communalities equal 1.0 for all variables.</li> </ul>
maxItr	(Numeric) The maximum number of iterations to reach convergence. The default is 15,000.
digits	(Scalar) The number of digits with which to round all output.

## Details

- **Initial communality estimate:** The choice of the initial communality estimate can impact the resulting principal axis factor solution.
  - **Impact on the Estimated Factor Structure:** According to Widaman and Herringer (1985), the initial communality estimate does not have much bearing on the resulting solution *when a stringent convergence criterion is used*. In their analyses, a convergence criterion of .001 (i.e., slightly less stringent than the default of 1e-4) is sufficiently stringent to produce virtually identical communality estimates irrespective of the initial estimate used. Based on their findings, it is not recommended to use a convergence criterion lower than 1e-3.
  - **Impact on the Iteration Procedure:** The initial communality estimates have little impact on the *final factor structure* but they can impact the iterated procedure. It is possible that poor communality estimates produce a non-positive definite correlation matrix (i.e., eigenvalues  $\leq 0$ ) whereas different communality estimates result in a converged solution. If the fapa procedure fails to converge due to a non-positive definite matrix, try using different communality estimates before changing the convergence criterion.

## Value

The main output is the matrix of unrotated factor loadings.

- **loadings:** (Matrix) A matrix of unrotated factor loadings extracted via iterated principal axis factoring.
- **h2:** (Vector) A vector containing the resulting communality values.
- **iterations:** (Numeric) The number of iterations required to converge.
- **converged:** (Logical) TRUE if the iterative procedure converged.
- **faControl:** (List) A list of the control parameters used to generate the factor structure.
  - **epsilon:** (Numeric) The convergence criterion used for evaluating each iteration.
  - **communality:** (Character) The method for estimating the initial communality values.
  - **maxItr:** (Numeric) The maximum number of allowed iterations to reach convergence.

## Author(s)

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)

## References

Widaman, K. F., & Herringer, L. G. (1985). Iterative least squares estimates of communality: Initial estimate need not affect stabilized value. *Psychometrika*, 50(4), 469-477.

## See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fareg](#), [orderFactors](#), [promaxQ](#)

**Examples**

```

## Generate an example factor structure matrix
lambda <- matrix(c(.62, .00, .00,
                  .54, .00, .00,
                  .41, .00, .00,
                  .00, .31, .00,
                  .00, .58, .00,
                  .00, .62, .00,
                  .00, .00, .38,
                  .00, .00, .43,
                  .00, .00, .37),
                nrow = 9, ncol = 3, byrow = TRUE)

## Find the model implied correlation matrix
R <- lambda %*% t(lambda)
diag(R) <- 1

## Extract factors using the fapa function
Out1 <- fapa(R          = R,
             numFactors = 3,
             communality = "SMC")

## Call fapa through the factExtract function
Out2 <- faX(R          = R,
            numFactors = 3,
            facMethod  = "fapa",
            faControl  = list(communality = "maxr",
                              epsilon    = 1e-4))

## Check for equivalence of the two results
all.equal(Out1$loadings, Out2$loadings)

```

---

fareg

*Regularized Factor Analysis*


---

**Description**

This function applies the regularized factoring method to extract an unrotated factor structure matrix.

**Usage**

```
fareg(R, numFactors = 1, facMethod = "rls")
```

**Arguments**

R	(Matrix) A correlation matrix to be analyzed.
numFactors	(Integer) The number of factors to extract. Default: numFactors = 1.
facMethod	(Character) "rls" for regularized least squares estimation or "rml" for regularized maximum likelihood estimation. Default: facMethod = "rls".

**Value**

The main output is the matrix of unrotated factor loadings.

- **loadings**: (Matrix) A matrix of unrotated factor loadings.
- **h2**: (Vector) A vector of estimated communality values.
- **L**: (Numeric) Value of the estimated penalty parameter.
- **Heywood** (Logical) TRUE if a Heywood case is detected (this should never happen).

**Author(s)**

Niels G. Waller (nwaller@umn.edu)

**References**

Jung, S. & Takane, Y. (2008). Regularized common factor analysis. *New trends in psychometrics*, 141-149.

**See Also**

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [orderFactors](#), [promaxQ](#)

**Examples**

```
data("HW")

# load first HW data set

RHW <- cor(x = HW$HW6)

# Compute principal axis factor analysis
fapaOut <- faMain(R = RHW,
                 numFactors = 3,
                 facMethod = "fapa",
                 rotate = "oblimin",
                 faControl = list(treatHeywood = FALSE))

fapaOut$faFit$Heywood
round(fapaOut$h2, 2)
```

```

# Conduct a regularized factor analysis
regOut <- fareg(R = RHW,
              numFactors = 3,
              facMethod = "rls")
regOut$L
regOut$Heywood

# rotate regularized loadings and align with
# population structure
regOutRot <- faMain(urLoadings = regOut$loadings,
                  rotate = "oblimin")

# Align
FHW <- faAlign(HW$popLoadings, fapaOut$loadings)$F2
Freg <- faAlign(HW$popLoadings, regOutRot$loadings)$F2

AllSolutions <- round(cbind(HW$popLoadings, Freg, FHW),2)
colnames(AllSolutions) <- c("F1", "F2", "F3", "Fr1", "Fr2", "Fr3",
                          "Fhw1", "Fhw2", "Fhw3")
AllSolutions

rmsdHW <- rmsd(HW$popLoadings, FHW,
              IncludeDiag = FALSE,
              Symmetric = FALSE)

rmsdReg <- rmsd(HW$popLoadings, Freg,
              IncludeDiag = FALSE,
              Symmetric = FALSE)

cat("\nrmsd HW = ", round(rmsdHW,3),
    "\nrmsd reg = ", round(rmsdReg,3))

```

---

faSort

*Sort a factor loadings matrix*


---

### Description

faSort takes an unsorted factor pattern or structure matrix and returns a sorted matrix with (possibly) reflected columns. Sorting is done such that variables that load on a common factor are grouped together for ease of interpretation.

### Usage

```
faSort(fmat, phi = NULL, salient = 0.25, reflect = TRUE)
```

**Arguments**

fmat	factor loadings (pattern or structure) matrix.
phi	factor correlation matrix. Default = NULL. If reflect = TRUE then phi will be corrected to match the new factor orientations.
salient	factor markers with loadings $\geq$ abs(salient) will be saved in the markers list. Note that a variable can be a marker of more than one factor.
reflect	(logical) if reflect = TRUE then the factors will be reflected such that salient loadings are mostly positive.

**Value**

loadings	sorted factor loadings matrix.
phi	reflected factor correlation matrix when phi is given as an argument.
markers	A list of factor specific markers with loadings $\geq$ abs(salient). Markers are sorted by the absolute value of the salient factor loadings.
sortOrder	sorted row numbers.
SEmat	The SEmat is a so-called Start-End matrix that lists the first (start) and last (end) row for each factor in the sorted pattern matrix.

**Author(s)**

Niels Waller

**See Also**

[fals](#)

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

**Examples**

```
set.seed(123)
F <- matrix( c( .5, 0,
                .6, 0,
                0, .6,
                .6, 0,
                0, .5,
                .7, 0,
                0, .7,
                0, .6), nrow = 8, ncol = 2, byrow=TRUE)

Rex1 <- F %*% t(F); diag(Rex1) <- 1

Items <- c("1. I am often tense.\n",
           "2. I feel anxious much of the time.\n",
           "3. I am a naturally curious individual.\n",
           "4. I have many fears.\n",
```

```

      "5. I read many books each year.\n",
      "6. My hands perspire easily.\n",
      "7. I have many interests.\n",
      "8. I enjoy learning new words.\n")

exampleOut <- fals(R = Rex1, nfactors = 2)

# Varimax rotation
Fload <- varimax(exampleOut$loadings)$loadings[]

# Add some row labels
rownames(Fload) <- paste0("V", 1:nrow(Fload))

cat("\nUnsorted fator loadings\n")
print(round( Fload, 2) )

# Sort items and reflect factors
out1 <- faSort(fmat = Fload,
              salient = .25,
              reflect = TRUE)

FloadSorted <- out1$loadings

cat("\nSorted fator loadings\n")
print(round( FloadSorted, 2) )

# Print sorted items
cat("\n Items sorted by Factor\n")
cat("\n",Items[out1$sortOrder])

```

---

faStandardize

*Standardize the Unrotated Factor Loadings*


---

### Description

This function standardizes the unrotated factor loadings using two methods: Kaiser's normalization and Cureton-Mulaik standardization.

### Usage

```
faStandardize(method, lambda)
```

### Arguments

method (Character) The method used for standardization. There are three option: "none", "Kaiser", and "CM".

- **"none"**: No standardization is conducted on the unrotated factor loadings matrix

- **"Kaiser"**: The rows of the unrotated factor loadings matrix are rescaled to have unit-lengths.
- **"CM"**: Apply the Cureton-Mulaik standardization to the unrotated factor loadings matrix.

lambda (Matrix) The unrotated factor loadings matrix (or data frame).

### Value

The resulting output can be used to standardize the factor loadings as well as providing the inverse matrix used to unstandardize the factor loadings after rotating the factor solution.

- **Dv**: (Matrix) A diagonal weight matrix used to standardize the unrotated factor loadings. Pre-multiplying the loadings matrix by the diagonal weight matrix (i.e., Dv
- **DvInv**: (Matrix) The inverse of the diagonal weight matrix used to standardize. To unstandardize the ultimate rotated solution, pre-multiply the rotated factor loadings by the inverse of Dv (i.e., DvInv
- **lambda**: (Matrix) The standardized, unrotated factor loadings matrix.
- **unstdLambda**: (Matrix) The original, unstandardized, unrotated factor loadings matrix. (DvInv

### References

Browne, M. W. (2001). An overview of analytic rotation in exploratory factor analysis. *Multivariate Behavioral Research*, 36(1), 111-150.

Cureton, E. E., & Mulaik, S. A. (1975). The weighted varimax rotation and the promax rotation. *Psychometrika*, 40(2), 183-195.

### See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

---

faX

*Factor Extraction (faX) Routines*

---

### Description

This function can be used to extract an unrotated factor structure matrix using the following algorithms: (a) unweighted least squares ("fals"); (b) maximum likelihood ("faml"); (c) iterated principal axis factoring ("fapa"); and (d) principal components analysis ("pca").

### Usage

```
faX(R, n = NULL, numFactors = NULL, facMethod = "fals",
     faControl = NULL, digits = NULL)
```

**Arguments**

R	(Matrix) A correlation matrix used for factor extraction.
n	(Numeric) Sample size associated with the correlation matrix. Defaults to n = NULL.
numFactors	(Numeric) The number of factors to extract for subsequent rotation.
facMethod	(Character) The method used for factor extraction. The supported options are "fals" for unweighted least squares, "fam1" for maximum likelihood, "fapa" for iterated principal axis factoring, and "pca" for principal components analysis. The default method is "fals". <ul style="list-style-type: none"> <li>• <b>"fals"</b>: Factors are extracted using the unweighted least squares estimation procedure using the <code>fals</code> function.</li> <li>• <b>"fam1"</b>: Factors are extracted using the maximum likelihood estimation procedure using the <code>factanal</code> function.</li> <li>• <b>"faregLS"</b>: Factors are extracted using regularized least squares factor analysis using the <code>fareg</code> function.</li> <li>• <b>"faregML"</b>: Factors are extracted using regularized maximum likelihood factor using the <code>fareg</code> function.</li> <li>• <b>"fapa"</b>: Factors are extracted using the iterated principal axis factoring estimation procedure using the <code>fapa</code> function.</li> <li>• <b>"pca"</b>: Principal components are extracted.</li> </ul>
faControl	(List) A list of optional parameters passed to the factor extraction ( <code>faX</code> ) function. <ul style="list-style-type: none"> <li>• <b>treatHeywood</b>: (Logical) In <code>fals</code>, if <code>treatHeywood</code> is true, a penalized least squares function is used to bound the communality estimates below 1.0. Defaults to <code>treatHeywood = TRUE</code>.</li> <li>• <b>nStart</b>: (Numeric) The number of starting values to be tried in <code>fam1</code>. Defaults to <code>nStart = 10</code>.</li> <li>• <b>start</b>: (Matrix) NULL or a matrix of starting values, each column giving an initial set of uniquenesses. Defaults to <code>start = NULL</code>.</li> <li>• <b>maxCommunality</b>: (Numeric) In <code>fam1</code>, set the maximum communality value for the estimated solution. Defaults to <code>maxCommunality = .995</code>.</li> <li>• <b>epsilon</b>: (Numeric) In <code>fapa</code>, the numeric threshold designating when the algorithm has converged. Defaults to <code>epsilon = 1e-4</code>.</li> <li>• <b>communality</b>: (Character) The method used to estimate the initial communality values in <code>fapa</code>. Defaults to <code>communality = 'SMC'</code>. <ul style="list-style-type: none"> <li>– <b>"SMC"</b>: Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables.</li> <li>– <b>"maxr"</b>: Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.</li> <li>– <b>"unity"</b>: Initial communalities equal 1.0 for all variables.</li> </ul> </li> <li>• <b>maxItr</b>: (Numeric) In <code>fapa</code>, the maximum number of iterations to reach convergence. Defaults to <code>maxItr = 15,000</code>.</li> </ul>
digits	(Numeric) Rounds the values to the specified number of decimal places. Defaults to <code>digits = NULL</code> (no rounding).

## Details

- **Initial communality estimate:** According to Widaman and Herringer (1985), the initial communality estimate does not have much bearing on the resulting solution *when the a stringent convergence criterion is used*. In their analyses, a convergence criterion of .001 (i.e., slightly less stringent than the default of 1e-4) is sufficiently stringent to produce virtually identical communality estimates irrespective of the initial estimate used. It should be noted that all four methods for estimating the initial communality in Widaman and Herringer (1985) are the exact same used in this function. Based on their findings, it is not recommended to use a convergence criterion lower than 1e-3.

## Value

This function returns a list of output relating to the extracted factor loadings.

- **loadings:** (Matrix) An unrotated factor structure matrix.
- **h2:** (Vector) Vector of final communality estimates.
- **faFit:** (List) A list of additional factor extraction output.
  - **facMethod:** (Character) The factor extraction routine.
  - **df:** (Numeric) Degrees of Freedom from the maximum likelihood factor extraction routine.
  - **n:** (Numeric) Sample size associated with the correlation matrix.
  - **objectiveFunc:** (Numeric) The evaluated objective function for the maximum likelihood factor extraction routine.
  - **RMSEA:** (Numeric) Root mean squared error of approximation from Steiger & Lind (1980). Note that bias correction is computed if the sample size is provided.
  - **testStat:** (Numeric) The significance test statistic for the maximum likelihood procedure. Cannot be computed unless a sample size is provided.
  - **pValue:** (Numeric) The p value associated with the significance test statistic for the maximum likelihood procedure. Cannot be computed unless a sample size is provided.
  - **gradient:** (Matrix) The solution gradient for the least squares factor extraction routine.
  - **maxAbsGradient:** (Numeric) The maximum absolute value of the gradient at the least squares solution.
  - **Heywood:** (Logical) TRUE if a Heywood case was produced.
  - **converged:** (Logical) TRUE if the least squares or principal axis factor extraction routine converged.

## Author(s)

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)

## References

Jung, S. & Takane, Y. (2008). Regularized common factor analysis. *New trends in psychometrics*, 141-149.

Steiger, J. H., & Lind, J. (1980). Paper presented at the annual meeting of the Psychometric Society. *Statistically-based tests for the number of common factors*.

Widaman, K. F., & Herringer, L. G. (1985). Iterative least squares estimates of communality: Initial estimate need not affect stabilized value. *Psychometrika*, 50(4), 469-477.

### See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

### Examples

```
## Generate an example factor structure matrix
lambda <- matrix(c(.62, .00, .00,
                  .54, .00, .00,
                  .41, .00, .00,
                  .00, .31, .00,
                  .00, .58, .00,
                  .00, .62, .00,
                  .00, .00, .38,
                  .00, .00, .43,
                  .00, .00, .37),
                nrow = 9, ncol = 3, byrow = TRUE)

## Find the model implied correlation matrix
R <- lambda %*% t(lambda)
diag(R) <- 1

## Extract (principal axis) factors using the factExtract function
Out1 <- faX(R          = R,
            numFactors = 3,
            facMethod  = "fapa",
            faControl  = list(communality = "maxr",
                              epsilon    = 1e-4))

## Extract (least squares) factors using the factExtract function
Out2 <- faX(R          = R,
            numFactors = 3,
            facMethod  = "fals",
            faControl  = list(treatHeywood = TRUE))
```

### Description

Estimate the coefficients of a filtered monotonic polynomial IRT model.

**Usage**

```
FMP(data, thetaInit, item, startvals, k = 0, eps = 1e-06)
```

**Arguments**

data	N(subjects)-by-p(items) matrix of 0/1 item response data.
thetaInit	Initial theta ( $\theta$ ) surrogates (e.g., calculated by <code>svdNorm</code> ).
item	Item number for coefficient estimation.
startvals	Start values for function minimization. Start values are in the gamma metric (see Liang & Browne, 2015)
k	Order of monotonic polynomial = $2k+1$ (see Liang & Browne, 2015). k can equal 0, 1, 2, or 3.
eps	Step size for gradient approximation, default = $1e-6$ . If a convergence failure occurs during function optimization reducing the value of eps will often produce a converged solution.

**Details**

As described by Liang and Browne (2015), the filtered polynomial model (FMP) is a quasi-parametric IRT model in which the IRF is a composition of a logistic function and a polynomial function,  $m(\theta)$ , of degree  $2k + 1$ . When  $k = 0$ ,  $m(\theta) = b_0 + b_1\theta$  (the slope intercept form of the 2PL). When  $k = 1$ ,  $2k + 1$  equals 3 resulting in  $m(\theta) = b_0 + b_1\theta + b_2\theta^2 + b_3\theta^3$ . Acceptable values of  $k = 0, 1, 2, 3$ . According to Liang and Browne, the "FMP IRF may be used to approximate any IRF with a continuous derivative arbitrarily closely by increasing the number of parameters in the monotonic polynomial" (2015, p. 2) The FMP model assumes that the IRF is monotonically increasing, bounded by 0 and 1, and everywhere differentiable with respect to theta (the latent trait).

**Value**

b	Vector of polynomial coefficients.
gamma	Polynomial coefficients in gamma metric (see Liang & Browne, 2015).
FHAT	Function value at convergence.
counts	Number of function evaluations during minimization (see <code>optim</code> documentation for further details).
AIC	Pseudo scaled Akaike Information Criterion (AIC). Candidate models that produce the smallest AIC suggest the optimal number of parameters given the sample size. Scaling is accomplished by dividing the non-scaled AIC by sample size.
BIC	Pseudo scaled Bayesian Information Criterion (BIC). Candidate models that produce the smallest BIC suggest the optimal number of parameters given the sample size. Scaling is accomplished by dividing the non-scaled BIC by sample size.
convergence	Convergence = 0 indicates that the optimization algorithm converged; convergence=1 indicates that the optimization failed to converge.

**Author(s)**

Niels Waller

**References**

Liang, L. & Browne, M. W. (2015). A quasi-parametric method for fitting flexible item response functions. *Journal of Educational and Behavioral Statistics*, 40, 5–34.

**Examples**

```
## Not run:
## In this example we will generate 2000 item response vectors
## for a k = 1 order filtered polynomial model and then recover
## the estimated item parameters with the FMP function.

k <- 1 # order of polynomial

NSubjects <- 2000

## generate a sample of 2000 item response vectors
## for a k = 1 FMP model using the following
## coefficients
b <- matrix(c(
  #b0    b1    b2    b3    b4    b5    b6    b7    k
  1.675, 1.974, -0.068, 0.053, 0, 0, 0, 0, 1,
  1.550, 1.805, -0.230, 0.032, 0, 0, 0, 0, 1,
  1.282, 1.063, -0.103, 0.003, 0, 0, 0, 0, 1,
  0.704, 1.376, -0.107, 0.040, 0, 0, 0, 0, 1,
  1.417, 1.413, 0.021, 0.000, 0, 0, 0, 0, 1,
  -0.008, 1.349, -0.195, 0.144, 0, 0, 0, 0, 1,
  0.512, 1.538, -0.089, 0.082, 0, 0, 0, 0, 1,
  0.122, 0.601, -0.082, 0.119, 0, 0, 0, 0, 1,
  1.801, 1.211, 0.015, 0.000, 0, 0, 0, 0, 1,
  -0.207, 1.191, 0.066, 0.033, 0, 0, 0, 0, 1,
  -0.215, 1.291, -0.087, 0.029, 0, 0, 0, 0, 1,
  0.259, 0.875, 0.177, 0.072, 0, 0, 0, 0, 1,
  -0.423, 0.942, 0.064, 0.094, 0, 0, 0, 0, 1,
  0.113, 0.795, 0.124, 0.110, 0, 0, 0, 0, 1,
  1.030, 1.525, 0.200, 0.076, 0, 0, 0, 0, 1,
  0.140, 1.209, 0.082, 0.148, 0, 0, 0, 0, 1,
  0.429, 1.480, -0.008, 0.061, 0, 0, 0, 0, 1,
  0.089, 0.785, -0.065, 0.018, 0, 0, 0, 0, 1,
  -0.516, 1.013, 0.016, 0.023, 0, 0, 0, 0, 1,
  0.143, 1.315, -0.011, 0.136, 0, 0, 0, 0, 1,
  0.347, 0.733, -0.121, 0.041, 0, 0, 0, 0, 1,
  -0.074, 0.869, 0.013, 0.026, 0, 0, 0, 0, 1,
  0.630, 1.484, -0.001, 0.000, 0, 0, 0, 0, 1),
  nrow=23, ncol=9, byrow=TRUE)
```

```

ex1.data<-genFMPData(NSubj = NSubjects, bParams = b, seed = 345)$data

## number of items in the data matrix
NItems <- ncol(ex1.data)

# compute (initial) surrogate theta values from
# the normed left singular vector of the centered
# data matrix
thetaInit <- svdNorm(ex1.data)

## earlier we defined k = 1
if(k == 0) {
  startVals <- c(1.5, 1.5)
  bmat <- matrix(0, NItems, 6)
  colnames(bmat) <- c(paste("b", 0:1, sep = ""), "FHAT", "AIC", "BIC", "convergence")
}
if(k == 1) {
  startVals <- c(1.5, 1.5, .10, .10)
  bmat <- matrix(0, NItems, 8)
  colnames(bmat) <- c(paste("b", 0:3, sep = ""), "FHAT", "AIC", "BIC", "convergence")
}
if(k == 2) {
  startVals <- c(1.5, 1.5, .10, .10, .10, .10)
  bmat <- matrix(0, NItems, 10)
  colnames(bmat) <- c(paste("b", 0:5, sep = ""), "FHAT", "AIC", "BIC", "convergence")
}
if(k == 3) {
  startVals <- c(1.5, 1.5, .10, .10, .10, .10, .10, .10)
  bmat <- matrix(0, NItems, 12)
  colnames(bmat) <- c(paste("b", 0:7, sep = ""), "FHAT", "AIC", "BIC", "convergence")
}

# estimate item parameters and fit statistics
for(i in 1:NItems){
  out <- FMP(data = ex1.data, thetaInit, item = i, startvals = startVals, k = k)
  Nb <- length(out$b)
  bmat[i,1:Nb] <- out$b
  bmat[i,Nb+1] <- out$FHAT
  bmat[i,Nb+2] <- out$AIC
  bmat[i,Nb+3] <- out$BIC
  bmat[i,Nb+4] <- out$convergence
}

# print output
print(bmat)

## End(Not run)

```

**Description**

Utility function for checking whether candidate FMP coefficients yield a monotonically increasing polynomial.

**Usage**

```
FMPMonotonicityCheck(b, lower = -20, upper = 20, PLOT = FALSE)
```

**Arguments**

b	A vector of 8 polynomial coefficients ( $b$ ) for $m(\theta) = b_0 + b_1\theta + b_2\theta^2 + b_3\theta^3 + b_4\theta^4 + b_5\theta^5 + b_6\theta^6 + b_7\theta^7$ .
lower, upper	$\theta$ bounds for monotonicity check.
PLOT	Logical (default = FALSE). If PLOT = TRUE the function will plot the original polynomial function for $\theta$ between lower and upper.

**Value**

increasing	Logical indicating whether function is monotonically increasing.
minDeriv	Minimum value of the derivative for the polynomial.
minTheta	Value of $\theta$ at derivative minimum.

**Author(s)**

Niels Waller

**Examples**

```
## A set of candidate coefficients for an FMP model.
## These coefficients fail the test and thus
## should not be used with genFMPdata to generate
## item response data that are consistent with an
## FMP model.
b <- c(1.21, 1.87, -1.02, 0.18, 0.18, 0, 0, 0)
FMPMonotonicityCheck(b)
```

---

fungible

*Generate Fungible Regression Weights*

---

**Description**

Generate fungible weights for OLS Regression Models.

**Usage**

```
fungible(R.X, rxy, r.yhata.yhatb, sets, print = TRUE)
```

**Arguments**

R.X	p x p Predictor correlation matrix.
rxy	p x 1 Vector of predictor-criterion correlations.
r.yhata.yhatb	Correlation between least squares (yhatb) and alternate-weight (yhata) composites.
sets	Number of returned sets of fungible weights.
print	Logical, if TRUE then print 5-point summaries of alternative weights.

**Value**

a	Number of sets x p matrix of fungible weights.
k	Number of sets x p matrix of k weights.
b	p x 1 vector of LS weights.
u	p x 1 vector of u weights.
r.yhata.yhatb	Correlation between yhata and yhatb.
r.y.yhatb	Correlation between y and yhatb.
cov.a	Expected covariance matrix for a.
cor.a	Expected correlation matrix for a.

**Author(s)**

Niels Waller

**References**

Waller, N. (2008). Fungible weights in multiple regression. *Psychometrika*, 73, 69–703.

**Examples**

```
## Predictor correlation matrix
R.X <- matrix(c(1.00, .56, .77,
               .56, 1.00, .73,
               .77, .73, 1.00), 3, 3)

## vector of predictor-criterion correlations
rxy <- c(.39, .34, .38)

## OLS standardized regression coefficients
b <- solve(R.X) %*% rxy
```

```

## Coefficient of determination (Rsq)
OLSRSQ <- t(b) %*% R.X %*% b

## theta controls the correlation between
## yhatb: predicted criterion scores using OLS coefficients
## yhata: predicted criterion scores using alternate weights
theta <- .01

## desired correlation between yhata and yhatb
r.yhata.yhatb <- sqrt( 1 - (theta)/OLSRSQ)

## number of returned sets of fungible weight vectors
Nsets <- 50

output <- fungible(R.X, rxy, r.yhata.yhatb, sets = Nsets, print = TRUE)

```

---

fungibleExtrema

*Locate Extrema of Fungible Regression Weights*


---

## Description

Locate extrema of fungible regression weights.

## Usage

```
fungibleExtrema(R.X, rxy, r.yhata.yhatb, Nstarts = 100, MaxMin = "Max")
```

## Arguments

R.X	p x p Predictor variable correlation matrix.
rxy	p x 1 Vector of predictor-criterion correlations.
r.yhata.yhatb	Correlation between least squares (yhatb) and alternate-weight (yhata) composites.
Nstarts	Maximum number of (max) minimizations from random starting configurations.
MaxMin	Character: "Max" = maximize cos(a,b); "Min" = minimize cos(a,b).

## Value

cos.ab	cosine between OLS and alternate weights.
a	extrema of fungible weights.
k	k weights.
z	z weights: a normalized random vector.
b	OLS weights.
u	p x 1 vector of u weights.
r.yhata.yhatb	Correlation between yhata and yhatb.
r.y.yhatb	Correlation between y and yhatb.
gradient	Gradient of converged solution.

**Author(s)**

Niels Waller and Jeff Jones

**References**

- Koopman, R. F. (1988). On the sensitivity of a composite to its weights. *Psychometrika*, 53(4), 547–552.
- Waller, N. & Jones, J. (2009). Locating the extrema of fungible regression weights in multiple regression. *Psychometrika*, 74, 589–602.

**Examples**

```
## Not run:
## Example
## This is Koopman's Table 2 Example

R.X <- matrix(c(1.00, .69, .49, .39,
               .69, 1.00, .38, .19,
               .49, .38, 1.00, .27,
               .39, .19, .27, 1.00),4,4)

b <- c(.39, .22, .02, .43)
rxy <- R.X %*% b

OLSRSQ <- t(b) %*% R.X %*% b

## theta <- .02
## r.yhata.yhatb <- sqrt( 1 - (theta)/OLSRSQ)

r.yhata.yhatb <- .90
set.seed(5)
output <- fungibleExtrema(R.X, rxy, r.yhata.yhatb, Nstarts = 500,
                          MaxMin = "Min")

## Scale to replicate Koopman
a <- output$a
a.old <- a
aRa <- t(a) %*% R.X %*% a

## Scale a such that a' R a = .68659
## vc = variance of composite
vc <- aRa
## sf = scale factor
sf <- .68659/vc
a <- as.numeric(sqrt(sf)) * a
cat("\nKoopman Scaling\n")
print(round(a,2))
```

```
## End(Not run)
```

---

 fungibleL

*Generate Fungible Logistic Regression Weights*


---

## Description

Generate fungible weights for Logistic Regression Models.

## Usage

```
fungibleL(X, y, Nsets = 1000, method = "LLM", RsqDelta = NULL,
  rLaLb = NULL, s = 0.3, Print = TRUE)
```

## Arguments

X	An n by nvar matrix of predictor scores without the leading column of ones.
y	An n by 1 vector of dichotomous criterion scores.
Nsets	The desired number of fungible coefficient vectors.
method	Character: "LLM" = Log-Likelihood method. "EM" = Ellipsoid Method. Default: method = "LLM".
RsqDelta	The desired decrement in the pseudo-R-squared - used when method = "LLM".
rLaLb	The desired correlation between the logits - used when method = "EM".
s	Scale factor for random deviates. s controls the range of random start values for the optimization routine. Recommended $0 \leq s < 1$ . Default: s = 0.3.
Print	Boolean (TRUE/FALSE) for printing output summary.

## Details

fungibleL provides two methods for evaluating parameter sensitivity in logistic regression models by computing fungible logistic regression weights. For additional information on the underlying theory of these methods see Jones and Waller (in press).

## Value

model	A glm model object.
call	The function call to glm().
ftable	A data frame with the mle estimates and the minimum and maximum fungible coefficients.
lnLML	The maximum likelihood log likelihood value.
lnLf	The decremented, fungible log likelihood value.
pseudoRsq	The pseudo R-squared.
fungibleRsq	The fungible pseudo R-squared.

fungiblea        The Nsets by Nvar + 1 matrix of fungible (alternate) coefficients.  
 rLaLb            The correlation between the logits.  
 maxPosCoefChange  
                   The maximum positive change in a single coefficient holding all other coefficients constant.  
 maxNegCoefChange  
                   The maximum negative change in a single coefficient holding all other coefficients constant.

### Author(s)

Jeff Jones and Niels Waller

### References

Jones, J. A. & Waller, N. G. (in press). Fungible weights in logistic regression. *Psychological Methods*.

### Examples

```
# Example: Low Birth Weight Data from Hosmer Jr, D. W. & Lemeshow, S.(2000).
# low : low birth rate (0 >= 2500 grams, 1 < 2500 grams)
# race: 1 = white, 2 = black, 3 = other
# ftv : number of physician visits during the first trimester

library(MASS)
attach(birthwt)

race <- factor(race, labels = c("white", "black", "other"))
predictors <- cbind(lwt, model.matrix(~ race)[, -1])

# compute mle estimates
BWght.out <- glm(low ~ lwt + race, family = "binomial")

# compute fungible coefficients
fungible.LLM <- fungibleL(X = predictors, y = low, method = "LLM",
                        Nsets = 10, RsqDelta = .005, s = .3)

# Compare with Table 2.3 (page 38) Hosmer Jr, D. W. & Lemeshow, S.(2000).
# Applied logistic regression. New York, Wiley.

print(summary(BWght.out))
print(fungible.LLM$call)
print(fungible.LLM$ftable)
cat("\nMLE log likelihood = ", fungible.LLM$LML,
    "\nfungible log likelihood = ", fungible.LLM$Lf)
cat("\nPseudo Rsq = ", round(fungible.LLM$pseudoRsq, 3))
cat("\nfungible Pseudo Rsq = ", round(fungible.LLM$fungibleRsq, 3))
```

```

fungible.EM <- fungibleL(X = predictors, y = low, method = "EM" ,
                        Nsets = 10, rLaLb = 0.99)

print(fungible.EM$call)
print(fungible.EM$ftable)

cat("\nrLaLb = ", round(fungible.EM$rLaLb, 3))

```

---

fungibleR

*Generate Fungible Correlation Matrices*


---

### Description

Generate fungible correlation matrices. For a given vector of standardized regression coefficients, Beta, and a user-define R-squared value, Rsq, find predictor correlation matrices, R, such that  $\text{Beta}' R \text{Beta} = \text{Rsq}$ . The size of the smallest eigenvalue ( $L_p$ ) of R can be defined.

### Usage

```
fungibleR(R, Beta, Lp = 0, eps = 1e-08, Print.Warnings = TRUE)
```

### Arguments

R	A $p \times p$ predictor correlation matrix.
Beta	A $p \times 1$ vector of standardized regression coefficients.
Lp	Controls the size of the smallest eigenvalue of RstarLp.
eps	Convergence criterion.
Print.Warnings	Logical, default = TRUE. When TRUE, convergence failures are printed.

### Value

R	Any input correlation matrix that satisfies $\text{Beta}' R \text{Beta} = \text{Rsq}$ .
Beta	Input vector of std reg coefficients.
Rstar	A random fungible correlation matrix.
RstarLp	A fungible correlation matrix with a fixed minimum eigenvalue (RstarLp can be PD, PSD, or ID).
s	Scaling constant for Rstar.
sLp	Scaling constant for RstarLp.
Delta	Vector in the null space of $\text{vecp}(\text{Beta} \text{Beta}')$ .
Q	Left null space of Beta.
FrobNorm	Frobenius norm $\ R - Rstar\ _F$ .
FrobNormLp	Frobenius norm $\ R - RstarLp\ _F$ given random Delta.
converged	An integer code. 0 indicates successful completion.

**Author(s)**

Niels Waller

**References**

Waller, N. (2016). Fungible Correlation Matrices: A method for generating nonsingular, singular, and improper correlation matrices for Monte Carlo research. *Multivariate Behavioral Research*.

**Examples**

```

library(fungible)

## ===== Example 1 =====
## Generate 5 random PD fungible R matrices
## that are consistent with a user-defined predictive
## structure: B' Rxx B = .30

set.seed(246)
## Create a 5 x 5 correlation matrix, R, with all r_ij = .25
R.ex1 <- matrix(.25, 5, 5)
diag(R.ex1) <- 1

## create a 5 x 1 vector of standardized regression coefficients,
## Beta.ex1
Beta.ex1 <- c(-.4, -.2, 0, .2, .4)
cat("\nModel Rsq = ", t(Beta.ex1) %*% R.ex1 %*% Beta.ex1)

## Generate fungible correlation matrices, Rstar, with smallest
## eigenvalues > 0.

Rstar.list <- list(rep(99,5))
i <- 0
while(i <= 5){
  out <- fungibleR(R = R.ex1, Beta = Beta.ex1, Lp = 1e-8, eps = 1e-8,
    Print.Warnings = TRUE)
  if(out$converged==0){
    i <- i + 1
    Rstar.list[[i]] <- out$Rstar
  }
}

## Check Results
cat("\n *** Check Results ***")
for(i in 1:5){
  cat("\n\n\n+++++")
  cat("\nRstar", i, "\n")
  print(round(Rstar.list[[i]], 2),)
  cat("\neigenvalues of Rstar", i, "\n")
  print(eigen(Rstar.list[[i]])$values)
  cat("\nBeta' Rstar", i, "Beta = ",

```

```

    t(Beta.ex1) %*% Rstar.list[[i]] %*% Beta.ex1)
}

## ===== Example 2 =====
## Generate a PD fungible R matrix with a fixed smallest
## eigenvalue (Lp).

## Create a 5 x 5 correlation matrix, R, with all r_ij = .5
R <- matrix(.5, 5, 5)
diag(R) <- 1

## create a 5 x 1 vector of standardized regression coefficients, Beta,
## such that Beta_i = .1 for all i
Beta <- rep(.1, 5)

## Generate fungible correlation matrices (a) Rstar and (b) RstarLp.
## Set Lp = 0.12345678 so that the smallest eigenvalue (Lp) of RstarLp
## = 0.12345678
out <- fungibleR(R, Beta, Lp = 0.12345678, eps = 1e-10, Print.Warnings = TRUE)

## print R
cat("\nR: a user-specified seed matrix")
print(round(out$R,3))

## Rstar
cat("\nRstar: A random fungible correlation matrix for R")
print(round(out$Rstar,3))

cat("\nCoefficient of determination when using R\n")
print( t(Beta) %*% R %*% Beta )

cat("\nCoefficient of determination when using Rstar\n")
print( t(Beta) %*% out$Rstar %*% Beta)

## Eigenvalues of R
cat("\nEigenvalues of R\n")
print(round(eigen(out$R)$values, 9))

## Eigenvalues of Rstar
cat("\nEigenvalues of Rstar\n")
print(round(eigen(out$Rstar)$values, 9))

## What is the Frobenius norm (Euclidean distance) between
## R and Rstar
cat("\nFrobenious norm ||R - Rstar||\n")
print( out$FrobNorm)

## RstarLp is a random fungible correlation matrix with
## a fixed smallest eigenvalue of 0.12345678
cat("\nRstarLp: a random fungible correlation matrix with a user-defined
smallest eigenvalue\n")

```

```

print(round(out$RstarLp, 3))

## Eigenvalues of RstarLp
cat("\nEigenvalues of RstarLp")
print(eigen(out$RstarLp)$values, digits = 9)

cat("\nCoefficient of determination when using RstarLp\n")
print( t(Beta) %*% out$RstarLp %*% Beta)

## Check function convergence
if(out$converged) print("Falied to converge")

## ===== Example 3 =====
## This examples demonstrates how fungibleR can be used
## to generate improper correlation matrices (i.e., pseudo
## correlation matrices with negative eigenvalues).
library(fungible)

## We desire an improper correlation matrix that
## is close to a user-supplied seed matrix. Create an
## interesting seed matrix that reflects a Big Five
## factor structure.

set.seed(123)
minCrossLoading <- -.2
maxCrossLoading <- .2
F1 <- c(rep(.6,5),runif(20,minCrossLoading, maxCrossLoading))
F2 <- c(runif(5,minCrossLoading, maxCrossLoading), rep(.6,5),
        runif(15,minCrossLoading, maxCrossLoading))
F3 <- c(runif(10,minCrossLoading,maxCrossLoading), rep(.6,5),
        runif(10,minCrossLoading,maxCrossLoading) )
F4 <- c(runif(15,minCrossLoading,maxCrossLoading), rep(.6,5),
        runif(5,minCrossLoading,maxCrossLoading))
F5 <- c(runif(20,minCrossLoading,maxCrossLoading), rep(.6,5))
FacMat <- cbind(F1,F2,F3,F4,F5)
R.bfi <- FacMat %*% t(FacMat)
diag(R.bfi) <- 1

## Set Beta to a null vector to inform fungibleR that we are
## not interested in placing constraints on the predictive structure
## of the fungible R matrices.
Beta <- rep(0, 25)

## We seek a NPD fungible R matrix that is close to the bfi seed matrix.
## To find a suitable matrix we generate a large number (e.g., 50000)
## fungible R matrices. For illustration purposes I will set Nmatrices
## to a smaller number: 10.
Nmatrices<-10

## Initialize a list to contain the Nmatrices fungible R objects
RstarLp.list <- as.list( rep(0, Nmatrices) )

```

```

## Initialize a vector for the Nmatrices Frobeius norms ||R - RstarLp||
FrobLp.vec <- rep(0, Nmatrices)

## Constraint the smallest eigenvalue of RStarLp by setting
## Lp = -.1 (or any suitably chosen user-defined value).

## Generate Nmatrices fungibleR matrices and identify the NPD correlation
## matrix that is "closest" (has the smallest Frobenious norm) to the bfi
## seed matrix.
BestR.i <- 0
BestFrob <- 99
i <- 0

set.seed(1)
while(i < Nmatrices){
  out<-fungibleR(R = R.bfi, Beta, Lp = -.1, eps=1e-10)
  ## retain solution if algorithm converged
  if(out$converged == 0)
  {
    i<- i + 1
    ## print progress
    cat("\nGenerating matrix ", i, " Current minimum ||R - RstarLp|| = ",BestFrob)
    tmp <- FrobLp.vec[i] <- out$FrobNormLp #Frobenious Norm ||R - RstarLp||
    RstarLp.list[[i]]<-out$RstarLp
    if( tmp < BestFrob )
    {
      BestR.i <- i      # matrix with lowest ||R - RstarLp||
      BestFrob <- tmp  # value of lowest ||R - RstarLp||
    }
  }
}

# CloseR is an improper correlation matrix that is close to the seed matrix.
CloseR<-RstarLp.list[[BestR.i]]

plot(1:25, eigen(R.bfi)$values,
     type = "b",
     lwd = 2,
     main = "Scree Plots for R and RstarLp",
     cex.main = 1.5,
     ylim = c(-.2,6),
     ylab = "Eigenvalues",
     xlab = "Dimensions")
points(1:25,eigen(CloseR)$values,
      type = "b",
      lty = 2,
      lwd = 2,
      col = "red")
abline(h = 0, col = "grey")
legend(legend=c(expression(paste(lambda[i]~" of R",sep = ""))),

```

```

      expression(paste(lambda[i]~" of RstarLp", sep = ""))),
lty=c(1,2),
x = 17,y = 5.75,
cex = 1.5,
col=c("black","red"),
text.width = 5.5,
lwd = 2)

```

---

FUP	<i>Estimate the coefficients of a filtered unconstrained polynomial IRT model</i>
-----	---

---

### Description

Estimate the coefficients of a filtered unconstrained polynomial IRT model.

### Usage

```
FUP(data, thetaInit, item, startvals, k = 0)
```

### Arguments

data	N(subjects)-by-p(items) matrix of 0/1 item response data.
thetaInit	Initial theta surrogates (e.g., calculated by <a href="#">svdNorm</a> ).
item	item number for coefficient estimation.
startvals	start values for function minimization.
k	order of monotonic polynomial = 2k+1 (see Liang & Browne, 2015).

### Value

b	Vector of polynomial coefficients.
FHAT	Function value at convergence.
counts	Number of function evaluations during minimization (see <a href="#">optim</a> documentation for further details).
AIC	Pseudo scaled Akaike Information Criterion (AIC). Candidate models that produce the smallest AIC suggest the optimal number of parameters given the sample size. Scaling is accomplished by dividing the non-scaled AIC by sample size.
BIC	Pseudo scaled Bayesian Information Criterion (BIC). Candidate models that produce the smallest BIC suggest the optimal number of parameters given the sample size. Scaling is accomplished by dividing the non-scaled BIC by sample size.
convergence	Convergence = 0 indicates that the optimization algorithm converged; convergence=1 indicates that the optimization failed to converge.

**Author(s)**

Niels Waller

**References**

Liang, L. & Browne, M. W. (2015). A quasi-parametric method for fitting flexible item response functions. *Journal of Educational and Behavioral Statistics*, 40, 5–34.

**Examples**

```
## Not run:
NSubjects <- 2000

## generate sample k=1 FMP data
b <- matrix(c(
  #b0  b1  b2  b3  b4  b5 b6 b7 k
  1.675, 1.974, -0.068, 0.053, 0, 0, 0, 0, 1,
  1.550, 1.805, -0.230, 0.032, 0, 0, 0, 0, 1,
  1.282, 1.063, -0.103, 0.003, 0, 0, 0, 0, 1,
  0.704, 1.376, -0.107, 0.040, 0, 0, 0, 0, 1,
  1.417, 1.413, 0.021, 0.000, 0, 0, 0, 0, 1,
-0.008, 1.349, -0.195, 0.144, 0, 0, 0, 0, 1,
  0.512, 1.538, -0.089, 0.082, 0, 0, 0, 0, 1,
  0.122, 0.601, -0.082, 0.119, 0, 0, 0, 0, 1,
  1.801, 1.211, 0.015, 0.000, 0, 0, 0, 0, 1,
-0.207, 1.191, 0.066, 0.033, 0, 0, 0, 0, 1,
-0.215, 1.291, -0.087, 0.029, 0, 0, 0, 0, 1,
  0.259, 0.875, 0.177, 0.072, 0, 0, 0, 0, 1,
-0.423, 0.942, 0.064, 0.094, 0, 0, 0, 0, 1,
  0.113, 0.795, 0.124, 0.110, 0, 0, 0, 0, 1,
  1.030, 1.525, 0.200, 0.076, 0, 0, 0, 0, 1,
  0.140, 1.209, 0.082, 0.148, 0, 0, 0, 0, 1,
  0.429, 1.480, -0.008, 0.061, 0, 0, 0, 0, 1,
  0.089, 0.785, -0.065, 0.018, 0, 0, 0, 0, 1,
-0.516, 1.013, 0.016, 0.023, 0, 0, 0, 0, 1,
  0.143, 1.315, -0.011, 0.136, 0, 0, 0, 0, 1,
  0.347, 0.733, -0.121, 0.041, 0, 0, 0, 0, 1,
-0.074, 0.869, 0.013, 0.026, 0, 0, 0, 0, 1,
  0.630, 1.484, -0.001, 0.000, 0, 0, 0, 0, 1),
  nrow=23, ncol=9, byrow=TRUE)

# generate data using the above item parameters
ex1.data<-genFMPData(NSubj = NSubjects, bParams = b, seed = 345)$data

NItems <- ncol(ex1.data)

# compute (initial) surrogate theta values from
# the normed left singular vector of the centered
# data matrix
thetaInit <- svdNorm(ex1.data)
```

```

# Choose model
k <- 1 # order of polynomial = 2k+1

# Initialize matrices to hold output
if(k == 0) {
  startVals <- c(1.5, 1.5)
  bmat <- matrix(0,NItems,6)
  colnames(bmat) <- c(paste("b", 0:1, sep = ""),"FHAT", "AIC", "BIC", "convergence")
}

if(k == 1) {
  startVals <- c(1.5, 1.5, .10, .10)
  bmat <- matrix(0,NItems,8)
  colnames(bmat) <- c(paste("b", 0:3, sep = ""),"FHAT", "AIC", "BIC", "convergence")
}

if(k == 2) {
  startVals <- c(1.5, 1.5, .10, .10, .10, .10)
  bmat <- matrix(0,NItems,10)
  colnames(bmat) <- c(paste("b", 0:5, sep = ""),"FHAT", "AIC", "BIC", "convergence")
}

if(k == 3) {
  startVals <- c(1.5, 1.5, .10, .10, .10, .10, .10, .10)
  bmat <- matrix(0,NItems,12)
  colnames(bmat) <- c(paste("b", 0:7, sep = ""),"FHAT", "AIC", "BIC", "convergence")
}

# estimate item parameters and fit statistics
for(i in 1:NItems){
  out<-FUP(data = ex1.data,thetaInit = thetaInit, item = i, startvals = startVals, k = k)
  Nb <- length(out$b)
  bmat[i,1:Nb] <- out$b
  bmat[i,Nb+1] <- out$FHAT
  bmat[i,Nb+2] <- out$AIC
  bmat[i,Nb+3] <- out$BIC
  bmat[i,Nb+4] <- out$convergence
}

# print results
print(bmat)

## End(Not run)

```

**Description**

Generate item response data for or 1, 2, 3 or 4-parameter IRT Models.

**Usage**

```
gen4PMDData(NSubj = NULL, abcdParams, D = 1.702, seed = NULL,
  theta = NULL, thetaMN = 0, thetaVar = 1)
```

**Arguments**

NSubj	the desired number of subject response vectors.
abcdParams	a p(items)-by-4 matrix of IRT item parameters: a = discrimination, b = difficulty, c = lower asymptote, and d = upper asymptote.
D	Scaling constant to place the IRF on the normal ogive or logistic metric. Default = 1.702 (normal ogive metric)
seed	Optional seed for the random number generator.
theta	Optional vector of latent trait scores. If theta = NULL (the default value) then gen4PMDData will simulate theta from a normal distribution.
thetaMN	Mean of simulated theta distribution. Default = 0.
thetaVar	Variance of simulated theta distribution. Default = 1

**Value**

data	N(subject)-by-p(items) matrix of item response data.
theta	Latent trait scores.
seed	Value of the random number seed.

**Author(s)**

Niels Waller

**Examples**

```
## Generate simulated 4PM data for 2,000 subjects
# 4PM Item parameters from MMPI-A CYN scale

Params<-matrix(c(1.41, -0.79, .01, .98, #1
  1.19, -0.81, .02, .96, #2
  0.79, -1.11, .05, .94, #3
  0.94, -0.53, .02, .93, #4
  0.90, -1.02, .04, .95, #5
  1.00, -0.21, .02, .84, #6
  1.05, -0.27, .02, .97, #7
  0.90, -0.75, .04, .73, #8
  0.80, -1.42, .06, .98, #9
  0.71, 0.13, .05, .94, #10
```

```

1.01, -0.14, .02, .81, #11
0.63, 0.18, .18, .97, #12
0.68, 0.18, .02, .87, #13
0.60, -0.14, .09, .96, #14
0.85, -0.71, .04, .99, #15
0.83, -0.07, .05, .97, #16
0.86, -0.36, .03, .95, #17
0.66, -0.64, .04, .77, #18
0.60, 0.52, .04, .94, #19
0.90, -0.06, .02, .96, #20
0.62, -0.47, .05, .86, #21
0.57, 0.13, .06, .93, #22
0.77, -0.43, .04, .97),23,4, byrow=TRUE)

data <- gen4PMDData(NSubj=2000, abcdParams = Params, D = 1.702,
  seed = 123, thetaMN = 0, thetaVar = 1)$data

cat("\nClassical item difficulties for simulated data")
print( round( apply(data,2,mean),2) )

```

genCorr

*Generate Correlation Matrices with User-Defined Eigenvalues***Description**

Uses the Marsaglia and Olkin (1984) algorithm to generate correlation matrices with user-defined eigenvalues.

**Usage**

```
genCorr(eigenval, seed = "rand")
```

**Arguments**

eigenval	A vector of eigenvalues that must sum to the order of the desired correlation matrix. For example: if you want a correlation matrix of order 4, then you need 4 eigenvalues that sum to 4. A warning message will display if <code>sum(eigenval) != length(eigenval)</code>
seed	Either a user supplied seed for the random number generator or 'rand' for a function generated seed. Default seed='rand'.

**Value**

Returns a correlation matrix with the eigen-structure specified by eigenval.

**Author(s)**

Jeff Jones

## References

- Jones, J. A. (2010). GenCorr: An R routine to generate correlation matrices from a user-defined eigenvalue structure. *Applied Psychological Measurement*, 34, 68-69.
- Marsaglia, G., & Olkin, I. (1984). Generating correlation matrices. *SIAM J. Sci. and Stat. Comput.*, 5, 470-475.

## Examples

```
## Example
## Generate a correlation matrix with user-specified eigenvalues
set.seed(123)
R <- genCorr(c(2.5, 1, 1, .3, .2))

print(round(R, 2))

#>      [,1] [,2] [,3] [,4] [,5]
#> [1,]  1.00  0.08 -0.07 -0.07  0.00
#> [2,]  0.08  1.00  0.00 -0.60  0.53
#> [3,] -0.07  0.00  1.00  0.51 -0.45
#> [4,] -0.07 -0.60  0.51  1.00 -0.75
#> [5,]  0.00  0.53 -0.45 -0.75  1.00

print(eigen(R)$values)

#[1] 2.5 1.0 1.0 0.3 0.2
```

---

GenerateBoxData

*Generate Thurstone's Box Data From length, width, and height box measurements*

---

## Description

Generate data for Thurstone's 20 variable and 26 variable Box Study From length, width, and height box measurements.

## Usage

```
GenerateBoxData(XYZ, BoxStudy = 20, Reliability = 0.75,
  ModApproxErrVar = 0.1, SampleSize = NULL, NMinorFac = 50,
  epsTKL = 0.2, SeedErrorFactors = 1, SeedMinorFactors = 2,
  PRINT = FALSE, LB = FALSE, LBVal = 1, Constant = 0)
```

**Arguments**

XYZ	(Matrix) Length, width, and height measurements for N boxes. The Amazon Box data can be accessed by calling <code>data(AmxBboxes)</code> . The Thurstone Box data (20 hypothetical boxes) can be accessed by calling <code>data(Thurstone20Boxes)</code> .
BoxStudy	(Integer) If <code>BoxStudy = 20</code> then data will be generated for Thurstone's classic 20 variable box problem. If <code>BoxStudy = 26</code> then data will be generated for Thurstone's 26 variable box problem. Default: <code>BoxStudy = 20</code> .
Reliability	(Scalar [0, 1]) The common reliability value for each measured variable. Default: <code>Reliability = .75</code> .
ModApproxErrVar	(Scalar [0, 1]) The proportion of reliable variance (for each variable) that is due to all minor common factors. Thus, if $x$ (i.e., error free length) has variance $\text{var}(x)$ and <code>ModApproxErrVar = .10</code> , then $\text{var}(e.ma)/\text{var}(x + e.ma) = .10$ .
SampleSize	(Integer) Specifies the number of boxes to be sampled from the population. If <code>SampleSize = NULL</code> then measurements will be generated for the original input box sizes.
NMinorFac	(Integer) The number of minor factors to use while generating model approximation error. Default: <code>NMinorFac = 50</code> .
epsTKL	(Numeric [0, 1]) A parameter of the Tucker, Koopman, and Linn (1969) algorithm that controls the spread of the influence of the minor factors. Default: <code>epsTKL = .20</code> .
SeedErrorFactors	(Integer) Starting seed for the error-factor scores.
SeedMinorFactors	(Integer) Starting seed for the minor common-factor scores.
PRINT	(Logical) If <code>PRINT = TRUE</code> then the computed reliabilites will be printed. Default: <code>PRINT = FALSE</code> . Setting <code>PRINT</code> to <code>TRUE</code> can be useful when <code>LB = TRUE</code> .
LB	(lower bound; logical) If <code>LB = TRUE</code> then minimum box measurements will be set to <code>LBVal</code> (inches) if they fall below 0 after adding measurement error. If <code>LB = FALSE</code> then negative attribute values will not be modified. This argument has no effect on data that include model approximation error.
LBVal	(Numeric) If <code>LB = TRUE</code> then values in <code>BoxDataE</code> will be bounded from below at <code>LBVal</code> . This can be used to avoid negative or very small box measurements.
Constant	(Numeric) Optional value to add to all box measurements. Default: <code>Constant = 0</code> .

**Details**

This function can be used with the Amazon boxes dataset (`data(AmzBoxes)`) or with any collection of user-supplied scores on three variables. The Amazon Boxes data were downloaded from the BoxDimensions website: (<https://www.boxdimensions.com/>). These data contain length ( $x$ ), width ( $y$ ), and height ( $z$ ) measurements for 98 Amazon shipping boxes. In his classical monograph on Multiple Factor Analysis (Thurstone, 1947) Thurstone describes two data sets (one that he created from fictitious data and a second data set that he created from actual box measurements) that were used to illustrate topics in factor analysis. The first (fictitious) data set is known as the Thurstone Box problem (see Kaiser and Horst, 1975). To create his data for the Box problem, Thurstone

constructed 20 nonlinear combinations of fictitious length, width, and height measurements. **Box20** variables:

1.  $x^2$
2.  $y^2$
3.  $z^2$
4.  $xy$
5.  $xz$
6.  $yz$
7.  $\sqrt{x^2 + y^2}$
8.  $\sqrt{x^2 + z^2}$
9.  $\sqrt{y^2 + z^2}$
10.  $2x + 2y$
11.  $2x + 2z$
12.  $2y + 2z$
13.  $\log(x)$
14.  $\log(y)$
15.  $\log(z)$
16.  $xyz$
17.  $\sqrt{x^2 + y^2 + z^2}$
18.  $\exp(x)$
19.  $\exp(y)$
20.  $\exp(z)$

The second Thurstone Box problem contains measurements on the following 26 functions of length, width, and height. **Box26** variables:

1.  $x$
2.  $y$
3.  $z$
4.  $xy$
5.  $xz$
6.  $yz$
7.  $x^2 * y$
8.  $x * y^2$
9.  $x^2 * z$
10.  $x * z^2$
11.  $y^2 * z$
12.  $y * z^2$
13.  $x/y$

14.  $y/x$
15.  $x/z$
16.  $z/x$
17.  $y/z$
18.  $z/y$
19.  $2x + 2y$
20.  $2x + 2z$
21.  $2y + 2z$
22.  $\sqrt{x^2 + y^2}$
23.  $\sqrt{x^2 + z^2}$
24.  $\sqrt{y^2 + z^2}$
25.  $xyz$
26.  $\sqrt{x^2 + y^2 + z^2}$

#### Value

- **XYZ** The length (x), width (y), and height (z) measurements for the sampled boxes. If SampleSize = NULL then XYZ contains the x, y, z values for the original 98 boxes.
- **BoxData** Error free box measurements.
- **BoxDataE** Box data with added measurement error.
- **BoxDataEME** Box data with added (reliable) model approximation and (unreliable) measurement error.
- **Rel.E** Classical reliabilities for the scores in BoxDataE.
- **Rel.EME** Classical reliabilities for the scores in BoxDataEME.
- **NMinorFac** Number of minor common factors used to generate BoxDataEME.
- **epsTKL** Minor factor spread parameter for the Tucker, Koopman, Linn algorithm.
- **SeedErrorFactors** Starting seed for the error-factor scores.
- **SeedMinorFactors** Starting seed for the minor common-factor scores.

#### Author(s)

Niels G. Waller (nwaller@umn.edu)

#### References

- Kaiser, H. F. and Horst, P. (1975). A score matrix for Thurstone's box problem. *Multivariate Behavioral Research*, 10(1), 17-26.
- Thurstone, L. L. (1947). *Multiple Factor Analysis*. Chicago: University of Chicago Press.
- Tucker, L. R., Koopman, R. F., and Linn, R. L. (1969). Evaluation of factor analytic research procedures by means of simulated correlation matrices. *Psychometrika*, 34(4), 421-459.

**See Also**

Other Factor Analysis Routines: [BiFAD](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

**Examples**

```
data(AmzBoxes)
BoxList <- GenerateBoxData (XYZ = AmzBoxes[,2:4],
                           BoxStudy = 20,
                           Reliability = .75,
                           ModApproxErrVar = .10,
                           SampleSize = 300,
                           NMinorFac = 50,
                           epsTKL = .20,
                           SeedErrorFactors = 1,
                           SeedMinorFactors = 2,
                           PRINT = FALSE,
                           LB = FALSE,
                           LBVal = 1,
                           Constant = 0)

BoxData <- BoxList$BoxData

RBoxes <- cor(BoxData)
out <- faMain(R = RBoxes,
              numFactors = 3,
              facMethod = "fals",
              rotate = "geominQ",
              rotateControl = list(numberStarts = 100,
                                   standardize = "CM"))

round(out$loadings, 2)
```

---

genFMPData	<i>Generate item response data for a filtered monotonic polynomial IRT model</i>
------------	--

---

**Description**

Generate item response data for the filtered polynomial IRT model.

**Usage**

```
genFMPData(NSubj, bParams, theta = NULL, thetaMN = 0, thetaVar = 1,
           seed)
```

**Arguments**

NSubj	the desired number of subject response vectors.
bParams	a p(items)-by-9 matrix of polynomial coefficients and model designations. Columns 1 - 8 hold the polynomial coefficients; column 9 holds the value of k.
theta	A user-supplied vector of latent trait scores. Default theta = NULL.
thetaMN	If theta = NULL genFMPdata will simulate random normal deviates from a population with mean thetaMN and variance thetaVar.
thetaVar	If theta = NULL genFMPData will simulate random normal deviates from a population with mean thetaMN and variance thetaVar.
seed	initial seed for the random number generator.

**Value**

theta	theta values used for data generation
data	N(subject)-by-p(items) matrix of item response data.
seed	Value of the random number seed.

**Author(s)**

Niels Waller

**Examples**

```
# The following code illustrates data generation for
# an FMP of order 3 (i.e., 2k+1)

# data will be generated for 2000 examinees
NSubjects <- 2000

## Example item paramters, k=1 FMP
b <- matrix(c(
  #b0  b1  b2  b3  b4  b5 b6 b7 k
  1.675, 1.974, -0.068, 0.053, 0, 0, 0, 0, 1,
  1.550, 1.805, -0.230, 0.032, 0, 0, 0, 0, 1,
  1.282, 1.063, -0.103, 0.003, 0, 0, 0, 0, 1,
  0.704, 1.376, -0.107, 0.040, 0, 0, 0, 0, 1,
  1.417, 1.413, 0.021, 0.000, 0, 0, 0, 0, 1,
  -0.008, 1.349, -0.195, 0.144, 0, 0, 0, 0, 1,
  0.512, 1.538, -0.089, 0.082, 0, 0, 0, 0, 1,
  0.122, 0.601, -0.082, 0.119, 0, 0, 0, 0, 1,
  1.801, 1.211, 0.015, 0.000, 0, 0, 0, 0, 1,
  -0.207, 1.191, 0.066, 0.033, 0, 0, 0, 0, 1,
  -0.215, 1.291, -0.087, 0.029, 0, 0, 0, 0, 1,
  0.259, 0.875, 0.177, 0.072, 0, 0, 0, 0, 1,
  -0.423, 0.942, 0.064, 0.094, 0, 0, 0, 0, 1,
  0.113, 0.795, 0.124, 0.110, 0, 0, 0, 0, 1,
```

```

1.030, 1.525, 0.200, 0.076, 0, 0, 0, 0, 1,
0.140, 1.209, 0.082, 0.148, 0, 0, 0, 0, 1,
0.429, 1.480, -0.008, 0.061, 0, 0, 0, 0, 1,
0.089, 0.785, -0.065, 0.018, 0, 0, 0, 0, 1,
-0.516, 1.013, 0.016, 0.023, 0, 0, 0, 0, 1,
0.143, 1.315, -0.011, 0.136, 0, 0, 0, 0, 1,
0.347, 0.733, -0.121, 0.041, 0, 0, 0, 0, 1,
-0.074, 0.869, 0.013, 0.026, 0, 0, 0, 0, 1,
0.630, 1.484, -0.001, 0.000, 0, 0, 0, 0, 1),
nrow=23, ncol=9, byrow=TRUE)

# generate data using the above item paramters
data<-genFMPData(NSubj = NSubjects, bParams=b, seed=345)$data

```

---

HS9Var

*9 Variables from the Holzinger and Swineford (1939) Dataset*


---

### Description

Mental abilities data on seventh- and eighth-grade children from the classic Holzinger and Swineford (1939) dataset.

### Format

A data frame with 301 observations on the following 15 variables.

**id** subject identifier  
**sex** gender  
**ageyr** age, year part  
**agemo** age, month part  
**school** school name (Pasteur or Grant-White)  
**grade** grade  
**x1** Visual perception  
**x2** Cubes  
**x3** Lozenges  
**x4** Paragraph comprehension  
**x5** Sentence completion  
**x6** Word meaning  
**x7** Speeded addition  
**x8** Speeded counting of dots  
**x9** Speeded discrimination straight and curved capitals

**Source**

These data were retrieved from the lavaan package. The complete data for all 26 tests are available in the MBESS package.

**References**

Holzinger, K., and Swineford, F. (1939). A study in factor analysis: The stability of a bifactor solution. Supplementary Educational Monograph, no. 48. Chicago: University of Chicago Press.

Joreskog, K. G. (1969). A general approach to confirmatory maximum likelihood factor analysis. *Psychometrika*, 34, 183-202.

**Examples**

```
data(HS9Var)
head(HS9Var)
```

---

HW

*Six data sets that yield a Heywood case*

---

**Description**

Six data sets that yield a Heywood case in a 3-factor model.

**Usage**

```
data(HW)
```

**Format**

Each data set is a matrix with 150 rows and 12 variables:

Each data set (HW1, HW2, ... HW6) represents a hypothetical sample of 150 subjects from a population 3-factor model. The population factor loadings are given in HW\$popLoadings.

**Examples**

```
data(HW)

# Compute a principal axis factor analysis
# on the first data set
RHW <- cor(HW$HW1)
fapaOut <- faMain(R = RHW,
                 numFactors = 3,
                 facMethod = "fapa",
                 rotate = "oblimin",
                 faControl = list(treatHeywood = FALSE))
```

```
fapaOut$faFit$Heywood
round(fapaOut$h2, 2)
```

---

irf

---

*Plot item response functions for polynomial IRT models.*


---

### Description

Plot model-implied (and possibly empirical) item response function for polynomial IRT models.

### Usage

```
irf(data, bParams, item, plotERF = TRUE, thetaEAP = NULL,
     minCut = -3, maxCut = 3, NCuts = 9)
```

### Arguments

data	N(subjects)-by-p(items) matrix of 0/1 item response data.
bParams	p(items)-by-9 matrix. The first 8 columns of the matrix should contain the FMP or FUP polynomial coefficients for the p items. The 9th column contains the value of k for each item (where the item specific order of the polynomial is $2k+1$ ).
item	The IRF for item will be plotted.
plotERF	A logical that determines whether to plot discrete values of the empirical response function.
thetaEAP	If plotERF=TRUE, the user must supply previously calculated eap trait estimates to thetaEAP.
minCut, maxCut	If plotERF=TRUE, the program will (attempt to) plot NCuts points of the empirical response function between trait values of minCut and maxCut Default minCut = -3. Default maxCut = 3.
NCuts	Desired number of bins for the empirical response function.

### Author(s)

Niels Waller

### Examples

```
NSubjects <- 2000
NItems <- 15

itmParameters <- matrix(c(
  # b0 b1 b2 b3 b4 b5, b6, b7, k
```

```

-1.05, 1.63, 0.00, 0.00, 0.00, 0, 0, 0, 0, #1
-1.97, 1.75, 0.00, 0.00, 0.00, 0, 0, 0, 0, #2
-1.77, 1.82, 0.00, 0.00, 0.00, 0, 0, 0, 0, #3
-4.76, 2.67, 0.00, 0.00, 0.00, 0, 0, 0, 0, #4
-2.15, 1.93, 0.00, 0.00, 0.00, 0, 0, 0, 0, #5
-1.25, 1.17, -0.25, 0.12, 0.00, 0, 0, 0, 1, #6
 1.65, 0.01, 0.02, 0.03, 0.00, 0, 0, 0, 1, #7
-2.99, 1.64, 0.17, 0.03, 0.00, 0, 0, 0, 1, #8
-3.22, 2.40, -0.12, 0.10, 0.00, 0, 0, 0, 1, #9
-0.75, 1.09, -0.39, 0.31, 0.00, 0, 0, 0, 1, #10
-1.21, 9.07, 1.20, -0.01, -0.01, 0.01, 0, 0, 2, #11
-1.92, 1.55, -0.17, 0.50, -0.01, 0.01, 0, 0, 2, #12
-1.76, 1.29, -0.13, 1.60, -0.01, 0.01, 0, 0, 2, #13
-2.32, 1.40, 0.55, 0.05, -0.01, 0.01, 0, 0, 2, #14
-1.24, 2.48, -0.65, 0.60, -0.01, 0.01, 0, 0, 2), #15
15, 9, byrow=TRUE)

```

```

ex1.data<-genFMPData(NSubj = NSubjects, bParams = itmParameters,
                    seed = 345)$data

```

```

## compute initial theta surrogates
thetaInit <- svdNorm(ex1.data)

```

```

## For convenience we assume that the item parameter
## estimates equal their population values. In practice,
## item parameters would be estimated at this step.
itmEstimates <- itmParameters

```

```

## calculate eap estimates for mixed models
thetaEAP <- eap(data = ex1.data, bParams = itmEstimates, NQuad = 21,
               priorVar = 2,
               mintheta = -4, maxtheta = 4)

```

```

## plot irf and erf for item 1
irf(data = ex1.data, bParams = itmEstimates,
    item = 1,
    plotERF = TRUE,
    thetaEAP)

```

```

## plot irf and erf for item 12
irf(data = ex1.data, bParams = itmEstimates,
    item = 12,
    plotERF = TRUE,
    thetaEAP)

```

**Description**

Compute basic descriptives for binary item analysis

**Usage**

```
itemDescriptives(X, digits = 3)
```

**Arguments**

X                    a matrix of binary (0/1) item responses.  
digits                number of digits to print.

**Value**

alpha                Coefficient alpha for the total scale.  
means                item means.  
standard deviations                item standard deviations.  
pt. biserial correlations                corrected item-total point biserial correlations.  
biserial correlations                corrected item-total point biserial correlations.  
corrected.alpha                corrected (leave item out) alpha coefficients.

**Author(s)**

Niels Waller

**Examples**

```
## Example 1: generating binary data to match
## an existing binary data matrix
##
## Generate correlated scores using factor
## analysis model
##  $X \leftarrow Z * L' + U * D$ 
## Z is a vector of factor scores
## L is a factor loading matrix
## U is a matrix of unique factor scores
## D is a scaling matrix for U

Nsubj <- 2000
L <- matrix( rep(.707,5), nrow = 5, ncol = 1)
Z <- as.matrix(rnorm(Nsubj))
U <- matrix(rnorm(Nsubj * 5), nrow = Nsubj, ncol = 5)
tmp <- sqrt(1 - L^2)
D <- matrix(0, 5, 5)
```

```

diag(D) <- tmp
X <- Z %*% t(L) + U*%D

cat("\nCorrelation of continuous scores\n")
print(round(cor(X),3))

thresholds <- c(.2,.3,.4,.5,.6)

Binary<-matrix(0,Nsubj,5)
for(i in 1:5){
  Binary[X[,i]<=thresholds[i],i]<-1
}

cat("\nCorrelation of Binary scores\n")
print(round(cor(Binary),3))

## Now use 'bigen' to generate binary data matrix with
## same correlations as in Binary

z <- bigen(data = Binary, n = 5000)

cat("\n\nnames in returned object\n")
print(names(z))

cat("\nCorrelation of Simulated binary scores\n")
print(round( cor(z$data), 3))

cat("Observed thresholds of simulated data:\n")
cat( apply(z$data, 2, mean) )

itemDescriptives(z$data)

```

---

kurt

---

*Calculate Univariate Kurtosis for a Vector or Matrix*


---

### Description

Calculate univariate kurtosis for a vector or matrix (algorithm G2 in Joanes & Gill, 1998).

### Usage

```
kurt(x)
```

### Arguments

x                    Either a vector or matrix of numeric values.

**Value**

Kurtosis for each column in `x`.

**Author(s)**

Niels Waller

**References**

Joanes, D. N. & Gill, C. A. (1998). Comparing measures of sample skewness and kurtosis. *The Statistician*, 47, 183-189.

**See Also**

[skew](#)

**Examples**

```
x <- matrix(rnorm(1000), 100, 10)
print(kurt(x))
```

---

monte

*Simulate Clustered Data with User-Defined Properties*

---

**Description**

Function for simulating clustered data with user defined characteristics such as: within cluster indicator correlations, within cluster indicator skewness values, within cluster indicator kurtosis values, and cluster separations as indexed by each variable (indicator validities).

**Usage**

```
monte(seed = 123, nvar = 4, nclus = 3, clus.size = c(50, 50, 50),
      eta2 = c(0.619, 0.401, 0.941, 0.929), cor.list = NULL,
      random.cor = FALSE, skew.list = NULL, kurt.list = NULL,
      secor = NULL, compactness = NULL, sortMeans = TRUE)
```

**Arguments**

<code>seed</code>	Required: An integer to be used as the random number seed.
<code>nvar</code>	Required: Number of variables to simulate.
<code>nclus</code>	Required: Number of clusters to simulate. <i>Note</i> that number of clusters must be equal to or greater than 2.
<code>clus.size</code>	Required: Number of objects in each cluster.

eta2	Required: A vector of indicator validities that range from 0 to 1. Higher numbers produce clusters with greater separation on that indicator.
cor.list	Optional: A list of correlation matrices. There should be one correlation matrix for each cluster. The first correlation matrix will represent the indicator correlations within cluster 1. The second correlation matrix will represent the indicator correlations for cluster 2. Etc.
random.cor	Optional: Set to TRUE to generate a common within cluster correlation matrix.
skew.list	Optional: A list of within cluster indicator skewness values.
kurt.list	Optional: A list of within cluster indicator kurtosis values.
secor	Optional: If 'random.cor = TRUE' then 'secor' determines the standard error of the simulated within group correlation matrices.
compactness	Optional: A vector of cluster compactness parameters. The meaning of this option is explained Waller et al. (1999). Basically, 'compactness' allows users some control over cluster overlap without changing indicator validities. See the example below for an illustration.
sortMeans	Optional: A logical that determines whether the latent means will be sorted by taxon. Default = TRUE

### Value

data	The simulated data. The 1st column of 'data' denotes cluster membership.
lmn	The cluster indicator means.
f1	The factor loading matrix as described in Waller, et al. 1999.
fs	The unique values of the linearized factor scores.
call	The call.
nclus	Number of clusters.
nvar	Number of variables.
cor.list	The input within cluster correlation matrices.
skew.list	The input within cluster indicator skewness values.
kurt.list	The input within cluster indicator kurtosis values.
clus.size	The number of observations in each cluster.
eta2	Vector of indicator validities.
seed	The random number seed.

### Author(s)

Niels Waller

## References

- Fleishman, A. I. (1978). A method for simulating non-normal distributions. *Psychometrika*, *43*, 521-532.
- Vale, D. C., & Maurelli, V. A. (1983). Simulating multivariate nonnormal distributions. *Psychometrika*, *48*, 465-471.
- Waller, N. G., Underhill, J. M., & Kaiser, H. A. (1999). A method for generating simulated plas-modes and artificial test clusters with user-defined shape, size, and orientation. *Multivariate Behavioral Research*, *34*, 123-142.

## Examples

```
## Example 1
## Simulating Fisher's Iris data
# The original data were reported in:
# Fisher, R. A. (1936) The use of multiple measurements in taxonomic
#   problems. Annals of Eugenics, 7, Part II, 179-188.
#
# This example includes 3 clusters. Each cluster represents
# an Iris species: Setosa, Versicolor, and Virginica.
# On each species, four variables were measured: Sepal Length,
# Sepal Width, Petal Length, and Petal Width.
#
# The within species (cluster) correlations of the flower
# indicators are as follows:
#
# Iris Type 1:
#   [,1] [,2] [,3] [,4]
# [1,] 1.000 0.743 0.267 0.178
# [2,] 0.743 1.000 0.278 0.233
# [3,] 0.267 0.278 1.000 0.332
# [4,] 0.178 0.233 0.332 1.000
#
# Iris Type 2
#   [,1] [,2] [,3] [,4]
# [1,] 1.000 0.526 0.754 0.546
# [2,] 0.526 1.000 0.561 0.664
# [3,] 0.754 0.561 1.000 0.787
# [4,] 0.546 0.664 0.787 1.000
#
# Iris Type 3
#   [,1] [,2] [,3] [,4]
# [1,] 1.000 0.457 0.864 0.281
# [2,] 0.457 1.000 0.401 0.538
# [3,] 0.864 0.401 1.000 0.322
# [4,] 0.281 0.538 0.322 1.000
#
# 'monte' expects a list of correlation matrices
#
#create a list of within species correlations
```

```

data(iris)
cormat <- cm <- lapply(split(iris[,1:4], iris[,5]), cor)

# create a list of within species indicator
# skewness and kurtosis
sk.lst <- list(c(0.120, 0.041, 0.106, 1.254),
              c(0.105, -0.363, -0.607, -0.031),
              c(0.118, 0.366, 0.549, -0.129) )

kt.lst <- list(c(-0.253, 0.955, 1.022, 1.719),
              c(-0.533, -0.366, 0.048, -0.410),
              c( 0.033, 0.706, -0.154, -0.602) )

#Generate a new sample of iris data
my.iris <- monte(seed=123, nvar = 4, nclus = 3, cor.list = cormat,
               clus.size = c(50, 50, 50),
               eta2=c(0.619, 0.401, 0.941, 0.929),
               random.cor = FALSE,
               skew.list = sk.lst,
               kurt.list = kt.lst,
               secor = .3, compactness=c(1, 1, 1),
               sortMeans = TRUE)

summary(my.iris)
plot(my.iris)

# Now generate a new data set with the sample indicator validities
# as before but with different cluster compactness values.

my.iris2<-monte(seed = 123, nvar = 4, nclus = 3,
               cor.list = cormat, clus.size = c(50, 50, 50),
               eta2 = c(0.619, 0.401, 0.941, 0.929), random.cor = FALSE,
               skew.list = sk.lst ,kurt.list = kt.lst,
               secor = .3,
               compactness=c(2, .5, .5),
               sortMeans = TRUE)

summary(my.iris2)

# Notice that cluster 1 has been blow up whereas clusters 2 and 3 have been shrunk.
plot(my.iris2)

### Now compare your original results with the actual
## Fisher iris data
library(lattice)
data(iris)
super.sym <- trellis.par.get("superpose.symbol")
splom(~iris[1:4], groups = Species, data = iris,

```

```

#panel = panel.superpose,
key = list(title = "Three Varieties of Iris",
           columns = 3,
           points = list(pch = super.sym$pch[1:3],
                        col = super.sym$col[1:3]),
           text = list(c("Setosa", "Versicolor", "Virginica")))

```

```
##### EXAMPLE 2 #####
```

```

## Example 2
## Simulating data for Taxometric
## Monte Carlo Studies.
##
## In this four part example we will
## generate two group mixtures
## (Complement and Taxon groups)
## under four conditions.
##
## In all conditions
## base rate (BR) = .20
## 3 indicators
## indicator validities = .50
## (This means that 50 percent of the total
## variance is due to the mixture.)
##
##
## Condition 1:
## All variables have a slight degree
## of skewness (.10) and kurtosis (.10).
## Within group correlations = 0.00.
##
##
## Condition 2:
## In this conditon we generate data in which the
## complement and taxon distributions differ in shape.
## In the complement group all indicators have
## skewness values of 1.75 and kurtosis values of 3.75.
## In the taxon group all indicators have skewness values
## of .50 and kurtosis values of 0.
## As in the previous condition, all within group
## correlations (nuisance covariance) are 0.00.
##
##
## Conditon 3:
## In this condition we retain all previous
## characteristics except that the within group
## indicator correlations now equal .80
## (they can differ between groups).
##
##
## Conditon 4:

```

```

## In this final condition we retain
## all previous data characteristics except that
## the variances of the indicators in the complement
## class are now 5 times the indicator variances
## in the taxon class (while maintaining indicator skewness,
## kurtosis, correlations, etc.).

##-----

library(lattice)

#####
##      Condition 1
#####
in.nvar <- 3 ##Number of variables
in.nclus <-2 ##Number of taxa
in.seed <- 123
BR <- .20     ## Base rate of higher taxon

## Within taxon indicator skew and kurtosis
in.skew.list <- list(c(.1, .1, .1),c(.1, .1, .1))
in.kurt.list <- list(c(.1, .1, .1),c(.1, .1, .1))

## Indicator validities
in.eta2 <- c(.50, .50, .50)

## Groups sizes for Population
BigN <- 100000
in.clus.size <- c(BigN*(1-BR), BR * BigN)

## Generate Population of scores with "monte"
sample.data <- monte(seed = in.seed,
                    nvar=in.nvar,
                    nclus = in.nclus,
                    clus.size = in.clus.size,
                    eta2 = in.eta2,
                    skew.list = in.skew.list,
                    kurt.list = in.kurt.list)

output <- summary(sample.data)

z <- data.frame(sample.data$data[sample(1:BigN, 600, replace=FALSE),])
z[,2:4] <- scale(z[,2:4])
names(z) <- c("id","v1","v2","v3")

#trellis.device()
trellis.par.set( col.whitebg() )
print(
  cloud(v3 ~ v1 * v2,

```

```

    groups = as.factor(id),data=z,
    subpanel = panel.superpose,
    zlim=c(-4, 4),
    xlim=c(-4, 4),
    ylim=c(-4, 4),
    main="",
    screen = list(z = 20, x = -70)),
    position=c(.1, .5, .5, 1), more = TRUE)

#####
##      Condition 2
#####

## Within taxon indicator skew and kurtosis
in.skew.list <- list(c(1.75, 1.75, 1.75),c(.50, .50, .50))
in.kurt.list <- list(c(3.75, 3.75, 3.75),c(0, 0, 0))

## Generate Population of scores with "monte"
sample.data <- monte(seed = in.seed,
                    nvar = in.nvar,
                    nclus = in.nclus,
                    clus.size = in.clus.size,
                    eta2 = in.eta2,
                    skew.list = in.skew.list,
                    kurt.list = in.kurt.list)

output <- summary(sample.data)

z <- data.frame(sample.data$data[sample(1:BigN, 600, replace=FALSE),])
z[,2:4] <- scale(z[, 2:4])
names(z) <-c("id", "v1", "v2", "v3")

print(
  cloud(v3 ~ v1 * v2,
        groups = as.factor(id), data = z,
        subpanel = panel.superpose,
        zlim = c(-4, 4),
        xlim = c(-4, 4),
        ylim = c(-4, 4),
        main="",
        screen = list(z = 20, x = -70)),
        position = c(.5, .5, 1, 1), more = TRUE)

#####
##      Condition 3
#####

## Set within group correlations to .80
cormat <- matrix(.80, 3, 3)

```

```

diag(cormat) <- rep(1, 3)
in.cor.list <- list(cormat, cormat)

## Generate Population of scores with "monte"
sample.data <- monte(seed = in.seed,
                    nvar = in.nvar,
                    nclus = in.nclus,
                    clus.size = in.clus.size,
                    eta2 = in.eta2,
                    skew.list = in.skew.list,
                    kurt.list = in.kurt.list,
                    cor.list = in.cor.list)

output <- summary(sample.data)

z <- data.frame(sample.data$data[sample(1:BigN, 600,
                                       replace = FALSE), ])
z[,2:4] <- scale(z[, 2:4])
names(z) <- c("id", "v1", "v2", "v3")

##trellis.device()
##trellis.par.set( col.whitebg() )
print(
  cloud(v3 ~ v1 * v2,
        groups = as.factor(id),data=z,
        subpanel = panel.superpose,
        zlim = c(-4, 4),
        xlim = c(-4, 4),
        ylim = c(-4, 4),
        main="",
        screen = list(z = 20, x = -70)),
  position = c(.1, .0, .5, .5), more = TRUE)

#####
##      Condition 4
#####

## Change compactness so that variance of
## complement indicators is 5 times
## greater than variance of taxon indicators

v <- ( 2 * sqrt(5))/(1 + sqrt(5))
in.compactness <- c(v, 2-v)

## Generate Population of scores with "monte"
sample.data <- monte(seed = in.seed,
                    nvar = in.nvar,
                    nclus = in.nclus,
                    clus.size = in.clus.size,
                    eta2 = in.eta2,
                    skew.list = in.skew.list,
                    kurt.list = in.kurt.list,

```

```

cor.list = in.cor.list,
compactness = in.compactness)

output <- summary(sample.data)

z <- data.frame(sample.data$data[sample(1:BigN, 600, replace = FALSE), ])
z[, 2:4] <- scale(z[, 2:4])
names(z) <- c("id", "v1", "v2", "v3")
print(
  cloud(v3 ~ v1 * v2,
        groups = as.factor(id), data=z,
        subpanel = panel.superpose,
        xlim = c(-4, 4),
        ylim = c(-4, 4),
        main="",
        screen = list(z = 20, x = -70)),
  position = c(.5, .0, 1, .5), more = TRUE)

```

---

monte1

*Simulate Multivariate Non-normal Data by Vale & Maurelli (1983)  
Method*


---

### Description

Function for simulating multivariate nonnormal data by the methods described by Fleishman (1978) and Vale & Maurelli (1983).

### Usage

```
monte1(seed, nvar, nsub, cormat, skewvec, kurtvec)
```

### Arguments

seed	An integer to be used as the random number seed.
nvar	Number of variables to simulate.
nsub	Number of simulated subjects (response vectors).
cormat	The desired correlation matrix.
skewvec	A vector of indicator skewness values.
kurtvec	A vector of indicator kurtosis values.

### Value

data	The simulated data.
call	The call.
nsub	Number of subjects.

nvar	Number of variables.
cormat	The desired correlation matrix.
skewvec	The desired indicator skewness values.
kurtvec	The desired indicator kurtosis values.
seed	The random number seed.

### Author(s)

Niels Waller

### References

- Fleishman, A. I (1978). A method for simulating non-normal distributions. *Psychometrika*, 43, 521-532.
- Vale, D. C., & Maurelli, V. A. (1983). Simulating multivariate nonnormal distributions. *Psychometrika*, 48, 465-471.

### See Also

[monte](#), [summary.monte](#), [summary.monte1](#)

### Examples

```
## Generate dimensional data for 4 variables.
## All correlations = .60; all variable
## skewness = 1.75;
## all variable kurtosis = 3.75

cormat <- matrix(.60,4,4)
diag(cormat) <- 1

nontaxon.dat <- monte1(seed = 123, nsub = 100000, nvar = 4, skewvec = rep(1.75, 4),
                      kurtvec = rep(3.75, 4), cormat = cormat)

print(cor(nontaxon.dat$data), digits = 3)
print(apply(nontaxon.dat$data, 2, skew), digits = 3)
print(apply(nontaxon.dat$data, 2, kurt), digits = 3)
```

---

`normalCor`*Compute Normal-Theory Covariances for Correlations*

---

**Description**

Compute normal-theory covariances for correlations

**Usage**

```
normalCor(R, Nobs)
```

**Arguments**

R                    a  $p \times p$  matrix of correlations.

Nobs                Number of observations.

**Value**

A normal-theory covariance matrix of correlations.

**Author(s)**

Jeff Jones and Niels Waller

**References**

Nel, D.G. (1985). A matrix derivation of the asymptotic covariance matrix of sample correlation coefficients. *Linear algebra and its applications*, 67, 137–145.

**See Also**

[adfCor](#)

**Examples**

```
data(Harman23.cor)
normalCor(Harman23.cor$cov, Nobs = 305)
```

---

normF	<i>Compute the Frobenius norm of a matrix</i>
-------	---

---

**Description**

A function to compute the Frobenius norm of a matrix

**Usage**

```
normF(X)
```

**Arguments**

X                    A matrix.

**Value**

The Frobenius norm of X.

**Author(s)**

Niels Waller

**Examples**

```
data(BadRLG)
out <- smoothLG(R = BadRLG, Penalty = 50000)
cat("\nGradient at solution:", out$gr, "\n")
cat("\nNearest Correlation Matrix\n")
print( round(out$RLG,8) )
cat("\nFrobenius norm of (NPD - PSD) matrix\n")
print(normF(BadRLG - out$RLG ))
```

---

Omega	<i>Compute Omega hierarchical</i>
-------	-----------------------------------

---

**Description**

This function computes McDonald's Omega hierarchical to determine the proportions of variance (for a given test) associated with the latent factors and with the general factor.

**Usage**

```
Omega(lambda, genFac = 1, digits = NULL)
```

**Arguments**

lambda	(Matrix) A factor pattern matrix to be analyzed.
genFac	(Scalar, Vector) Which column(s) contains the general factor(s). The default value is the first column.
digits	(Scalar) The number of digits to round all output to.

**Details**

- **Omega Hierarchical:** For a reader-friendly description (with some examples), see the Rodriguez et al., (2016) *Psychological Methods* article. Most of the relevant equations and descriptions are found on page 141.

**Value**

- **omegaTotal:** (Scalar) The total reliability of the latent, common factors for the given test.
- **omegaGeneral:** (Scalar) The proportion of total variance that is accounted for by the general factor(s).

**Author(s)**

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)

**References**

- McDonald, R. P. (1999). *Test theory: A unified approach*. Mahwah, NJ: Erlbaum.
- Rodriguez, A., Reise, S. P., & Haviland, M. G. (2016). Evaluating bifactor models: Calculating and interpreting statistical indices. *Psychological Methods, 21*(2), 137.
- Zinbarg, R.E., Revelle, W., Yovel, I., & Li, W. (2005). Cronbach's Alpha, Revelle's Beta, McDonald's Omega: Their relations with each and two alternative conceptualizations of reliability. *Psychometrika, 70*, 123-133. <https://personality-project.org/revelle/publications/zinbarg.revelle.pmet.05.pdf>

**Examples**

```
## Create a bifactor structure
bifactor <- matrix(c(.21, .49, .00, .00,
                    .12, .28, .00, .00,
                    .17, .38, .00, .00,
                    .23, .00, .34, .00,
                    .34, .00, .52, .00,
                    .22, .00, .34, .00,
                    .41, .00, .00, .42,
                    .46, .00, .00, .47,
                    .48, .00, .00, .49),
                  nrow = 9, ncol = 4, byrow = TRUE)

## Compute Omega
Out1 <- Omega(lambda = bifactor)
```

---

orderFactors	<i>Order factor-loadings matrix by the sum of squared factor loadings</i>
--------------	---

---

### Description

Order the columns of a factor loadings matrix in descending order based on the sum of squared factor loadings.

### Usage

```
orderFactors(Lambda, PhiMat, salient = 0.29, reflect = TRUE)
```

### Arguments

Lambda	(Matrix) Factor loadings matrix to be reordered.
PhiMat	(Matrix, NULL) Factor correlation matrix to be reordered.
salient	(Numeric) Indicators with loadings < salient will be suppressed when computing the factor sum of squares values. Defaults to salient = .29.
reflect	(Logical) If true, negatively-keyed factors will be reflected. Defaults to reflect = TRUE.

### Value

Returns the sorted factor loading and factor correlation matrices.

- **Lambda:** (Matrix) The sorted factor loadings matrix.
- **Phi:** (Matrix) The sorted factor correlation matrix.

### See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [promaxQ](#)

### Examples

```
## Not run:
Loadings <-
  matrix(c(.49, .41, .00, .00,
           .73, .45, .00, .00,
           .47, .53, .00, .00,
           .54, .00, .66, .00,
           .60, .00, .38, .00,
           .55, .00, .66, .00,
           .39, .00, .00, .68,
           .71, .00, .00, .56,
           .63, .00, .00, .55),
         nrow = 9, ncol = 4, byrow = TRUE)
```

```
fungible::orderFactors(Lambda = Loadings,
                      PhiMat = NULL)$Lambda

## End(Not run)
```

---

plot.monte *Plot Method for Class Monte*

---

### Description

plot method for class "monte"

### Usage

```
## S3 method for class 'monte'
plot(x, ...)
```

### Arguments

x An object of class 'monte', usually, a result of a call to monte.  
 ... Optional arguments passed to plotting function.

### Value

The function plot.monte creates a scatter plot of matrices plot (a splom plot). Cluster membership is denoted by different colors in the plot.

### Examples

```
#plot(monte.object)
```

---

promaxQ *Conduct an Oblique Promax Rotation*

---

### Description

This function is an extension of the [promax](#) function. This function will extract the unrotated factor loadings (with three algorithm options, see [faX](#)) if they are not provided. The factor intercorrelations (Phi) are also computed within this function.

### Usage

```
promaxQ(R = NULL, urLoadings = NULL, facMethod = "fals",
        numFactors = NULL, power = 4, standardize = "Kaiser",
        epsilon = 1e-04, maxItr = 15000, digits = NULL, faControl = NULL)
```

**Arguments**

R	(Matrix) A correlation matrix.
urLoadings	(Matrix) An unrotated factor-structure matrix to be rotated.
facMethod	(Character) The method used for factor extraction ( <b>faX</b> ). The supported options are "fals" for unweighted least squares, "fam1" for maximum likelihood, "fapa" for iterated principal axis factoring, "faregLS" for regularized least squares, "faregML" for regularized maximum likelihood, and "pca" for principal components analysis. The default method is "fals". <ul style="list-style-type: none"> <li>• <b>"fals"</b>: Factors are extracted using the unweighted least squares estimation procedure using the <b>fals</b> function.</li> <li>• <b>"fam1"</b>: Factors are extracted using the maximum likelihood estimation procedure using the <b>factanal</b> function.</li> <li>• <b>"fapa"</b>: Factors are extracted using the iterated principal axis factoring estimation procedure using the <b>fapa</b> function.</li> <li>• <b>"faregLS"</b>: Factors are extracted using regularized least squares factor analysis using the <b>fareg</b> function.</li> <li>• <b>"faregML"</b>: Factors are extracted using regularized maximum likelihood factor using the <b>fareg</b> function.</li> <li>• <b>"pca"</b>: Principal components are extracted.</li> </ul>
numFactors	(Scalar) The number of factors to extract if the lambda matrix is not provided.
power	(Scalar) The power with which to raise factor loadings for minimizing trivial loadings. The default value is 4.
standardize	(Character) Which standardization routine is applied to the unrotated factor structure. The three options are "none", "Kaiser", and "CM". The default option is "Kaiser" as is recommended by Kaiser and others. See <b>faStandardize</b> for more details. <ul style="list-style-type: none"> <li>• <b>"none"</b>: Do <i>not</i> rotate the normalized factor structure matrix.</li> <li>• <b>"Kaiser"</b>: Use a factor structure matrix that has been normed by Kaiser's method (i.e., normalize all rows to have a unit length).</li> <li>• <b>"CM"</b>: Use a factor structure matrix that has been normed by the Cureton-Mulaik method.</li> </ul>
epsilon	(Scalar) The convergence criterion used for evaluating the varimax rotation. The default value is 1e-4 (i.e., .0001).
maxItr	(Scalar) The maximum number of iterations allowed for computing the varimax rotation. The default value is 15,000 iterations.
digits	(Numeric) Rounds the values to the specified number of decimal places. Defaults to digits = NULL (no rounding).
faControl	(List) A list of optional parameters passed to the factor extraction ( <b>faX</b> ) function. <ul style="list-style-type: none"> <li>• <b>treatHeywood</b>: (Logical) In <b>fals</b>, if <b>treatHeywood</b> is true, a penalized least squares function is used to bound the communality estimates below 1.0. Defaults to <b>treatHeywood</b> = TRUE.</li> <li>• <b>nStart</b>: (Numeric) The number of starting values to be tried in <b>fam1</b>. Defaults to <b>nStart</b> = 10.</li> </ul>

- **start:** (Matrix) NULL or a matrix of starting values, each column giving an initial set of uniquenesses. Defaults to start = NULL.
- **maxCommunality:** (Numeric) In faml, set the maximum communality value for the estimated solution. Defaults to maxCommunality = .995.
- **epsilon:** (Numeric) In fapa, the numeric threshold designating when the algorithm has converged. Defaults to epsilon = 1e-4.
- **communality:** (Character) The method used to estimate the initial communality values in fapa. Defaults to communality = 'SMC'.
  - "SMC": Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables.
  - "maxr": Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.
  - "unity": Initial communalities equal 1.0 for all variables.
- **maxItr:** (Numeric) In fapa, the maximum number of iterations to reach convergence. Defaults to maxItr = 15,000.

## Details

- **Varimax Standardization:** When conducting the varimax rotation, it is recommended to standardize the factor loadings using Kaiser's normalization (i.e., rescaling the factor indicators [rows] so that the vectors have unit length). The standardization/normalization occurs by pre-multiplying the unrotated factor structure,  $\mathbf{A}$ , by the inverse of  $\mathbf{H}$ , where  $\mathbf{H}^2$  is a diagonal matrix with the communality estimates on the diagonal. A varimax rotation is then applied to the normalized, unrotated factor structure. Then, the varimax-rotated factor structure is rescaled to its original metric by pre-multiplying the varimax factor structure by  $\mathbf{H}$ . For details, see Mulaik (2009).
- **Oblique Procrustes Rotation of the Varimax Solution:** According to Hendrickson & White (1964), an unrestricted (i.e., oblique) Procrustes rotation is applied to the orthogonal varimax solution. Specifically, a target matrix is generated by raising the varimax factor loadings to the user-specified power (typically, power = 4) (must retain the signs of the original factor loadings). This should quickly diminish trivial factor loadings while retaining larger factor loadings. The Procrustes rotation takes the varimax solution and rotates it toward the promax-generated target matrix. For a modern description of this approach, see Mulaik (2009, ch. 12, p. 342-343).
- **Choice of a Power:** Changing the power in which varimax factor loadings are raised will change the target matrix in the oblique Procrustes rotation. After raising factor loadings to some power, there will be a larger discrepancy between high and low loadings than before (e.g., squaring factor loadings of .6 and .7 yields loadings of .36 and .49 and cubing yields loadings of .216 and .343). Furthermore, increasing the power will increase the number of near-zero loadings, resulting in larger factor intercorrelations. Many (cf. Gorsuch, 1983; Hendrickson & White, 1964; Mulaik, 2009) advocate for raising varimax loadings to the fourth power (the default) but some (e.g., Gorsuch) advocate for trying power = 2 and power = 6 to see if there is an improvement in the simple structure without overly inflating factor correlations.

**Value**

A list of the following elements are produced:

- **loadings**: (Matrix) The oblique, promax-rotated, factor-pattern matrix.
- **vmaxLoadings**: (Matrix) The orthogonal, varimax-rotated, factor-structure matrix used as the input matrix for the promax rotation.
- **rotMatrix**: (Matrix) The (rescaled) transformation matrix used in an attempt to minimize the Euclidean distance between the varimax loadings and the generated promax target matrix (cf. Hendrickson & White, 1964; Mulaik, 2009, p. 342-343, eqn. 12.44).
- **Phi**: (Matrix) The factor correlation matrix associated with the promax solution. Phi is found by taking the inverse of the inner product of the (rescaled) rotation matrix (rotMatrix) with itself (i.e.,  $solve(T'T)$ , where T is the (rescaled) rotation matrix).
- **vmaxDiscrepancy**: (Scalar) The value of the minimized varimax discrepancy function. promax does not have a rotational criterion but the varimax rotation does.
- **convergence**: (Logical) Whether the varimax rotation converged.
- **Table**: (Matrix) The table returned from [GPForth](#) from the [GPARotation](#) package.
- **rotateControl**: (List) A list containing (a) the power parameter used, (b) whether the varimax rotation used Kaiser normalization, (c) the varimax epsilon convergence criterion, and (d) the maximum number of iterations specified.
  - **power**: The power in which the varimax-rotated factor loadings are raised.
  - **standardize**: Which standardization routine was used.
  - **epsilon**: The convergence criterion set for the varimax rotation.
  - **maxItr**: The maximum number of iterations allowed for reaching convergence in the varimax rotation.

**Author(s)**

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)

**References**

- Gorsuch, R. L. (1983). *Factor Analysis*, 2nd. Hillsdale, NJ: LEA.
- Hendrickson, A. E., & White, P. O. (1964). Promax: A quick method for rotation to oblique simple structure. *British Journal of Statistical Psychology*, 17(1), 65-70.
- Mulaik, S. A. (2009). *Foundations of Factor Analysis*. Chapman and Hall/CRC.

**See Also**

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#)

**Examples**

```

## Generate an orthogonal factor model
lambda <- matrix(c(.41, .00, .00,
                  .45, .00, .00,
                  .53, .00, .00,
                  .00, .66, .00,
                  .00, .38, .00,
                  .00, .66, .00,
                  .00, .00, .68,
                  .00, .00, .56,
                  .00, .00, .55),
                nrow = 9, ncol = 3, byrow = TRUE)

## Model-implied correlation (covariance) matrix
R <- lambda %*% t(lambda)

## Unit diagonal elements
diag(R) <- 1

## Start from just a correlation matrix
Out1 <- promaxQ(R
               = R,
               facMethod = "fals",
               numFactors = 3,
               power = 4,
               standardize = "Kaiser")$loadings

## Iterate the promaxQ rotation using the rotate function
Out2 <- faMain(R
              = R,
              facMethod = "fals",
              numFactors = 3,
              rotate = "promaxQ",
              rotateControl = list(power = 4,
                                   standardize = "Kaiser"))$loadings

## Align the factors to have the same orientation
Out1 <- faAlign(F1 = Out2,
               F2 = Out1)$F2

## Show the equivalence of factor solutions from promaxQ and rotate
all.equal(Out1, Out2, check.attributes = FALSE)

```

---

r2d

*Convert Radians to Degrees*


---

**Description**

Convert radian measure to degrees.

**Usage**

```
r2d(radian)
```

**Arguments**

radian            Radian measure of an angle

**Value**

                  Degree measure of an angle

**Examples**

```
r2d(.5*pi)
```

---

rarc

*Rotate Points on the Surface on an N-Dimensional Ellipsoid*

---

**Description**

Rotate between two points on the surface on an n-dimensional ellipsoid. The hyper-ellipsoid is composed of all points, B, such that  $B' Rxx B = Rsq$ . Vector B contains standardized regression coefficients.

**Usage**

```
rarc(Rxx, Rsq, b1, b2, Npoints)
```

**Arguments**

Rxx            Predictor correlation matrix.  
 Rsq            Model coefficient of determination.  
 b1            First point on ellipsoid. If b1 and b2 are scalars then choose scaled eigenvectors v[b1] and v[b2] as the start and end vectors.  
 b2            Second point on ellipsoid. If b1 and b2 are scalars then choose scaled eigenvectors v[b1] and v[b2] as the start and end vectors.  
 Npoints       Generate "Npoints" +1 OLS coefficient vectors between b1 and b2.

**Value**

b            N+1 sets of OLS coefficient vectors between b1 and b2.

**Author(s)**

Niels Waller and Jeff Jones.

## References

Waller, N. G. & Jones, J. A. (2011). Investigating the performance of alternate regression weights by studying all possible criteria in regression models with a fixed set of predictors. *Psychometrika*, 76, 410-439.

## Examples

```
## Example
## GRE/GPA Data
##-----##
R <- Rxx <- matrix(c(1.00, .56, .77,
                    .56, 1.00, .73,
                    .77, .73, 1.00), 3, 3)

## GPA validity correlations
rxy <- c(.39, .34, .38)
b <- solve(Rxx) %>% rxy

Rsq <- t(b) %>% Rxx %>% b
N <- 200

b <- rarc(Rxx = R, Rsq, b1 = 1, b2 = 3, Npoints = N)

## compute validity vectors
r <- Rxx %>% b
N <- N + 1
Rsq.r <- Rsq.unit <- rep(0, N)

for(i in 1:N){
  ## eval performance of unit weights
  Rsq.unit[i] <- (t(sign(r[,i])) %>% r[,i])^2 /
                (t(sign(r[,i])) %>% R %>% sign(r[,i]))

  ## eval performance of correlation weights
  Rsq.r[i] <- (t(r[,i]) %>% r[,i])^2 / (t(r[,i]) %>% R %>% r[,i])
}

cat("\nAverage relative performance of unit weights across elliptical arc:",
    round(mean(Rsq.unit)/Rsq,3) )
cat("\n\nAverage relative performance of r weights across elliptical arc:",
    round(mean(Rsq.r)/Rsq,3) )

plot(seq(0, 90, length = N), Rsq.r, typ = "l",
      ylim = c(0, .20),
      xlim = c(0, 95),
      lwd = 3,
      ylab = expression(R^2),
      xlab = expression(paste("Degrees from ",b[1]," in the direction of ",b[2])),
      cex.lab = 1.25, lab = c(10, 5, 5))
```

```

points(seq(0, 90, length = N), Rsq.unit,
       type = "l",
       lty = 2, lwd = 3)
legend(x = 0, y = .12,
       legend = c("r weights", "unit weights"),
       lty = c(1, 2),
       lwd = c(4, 3),
       cex = 1.5)

```

---

rcone

*Generate a Cone of Regression Coefficient Vectors*


---

### Description

Compute a cone of regression vectors with a constant R-squared around a target vector.

### Usage

```
rcone(R, Rsq, b, axis1, axis2, deg, Npoints = 360)
```

### Arguments

R	Predictor correlation matrix.
Rsq	Coefficient of determination.
b	Target vector of OLS regression coefficients.
axis1	1st axis of rotation plane.
axis2	2nd axis of rotation plane.
deg	All vectors b.i will be 'deg' degrees from b.
Npoints	Number of rotation vectors, default = 360.

### Value

b.i	Npoints values of b.i
-----	-----------------------

### Author(s)

Niels Waller and Jeff Jones

### References

Waller, N. G. & Jones, J. A. (2011). Investigating the performance of alternate regression weights by studying all possible criteria in regression models with a fixed set of predictors. *Psychometrika*, 76, 410-439.

**Examples**

```

R <- matrix(.5, 4, 4)
diag(R) <- 1

Npoints <- 1000
Rsq <- .40
NumDeg <- 20
V <- eigen(R)$vectors

## create b parallel to v[,3]
## rotate in the 2 - 4 plane
b <- V[,3]
bsq <- t(b) %*% R %*% b
b <- b * sqrt(Rsq/bsq)
b.i <- rcone(R, Rsq,b, V[,2], V[,4], deg = NumDeg, Npoints)

t(b.i[,1]) %*% R %*% b.i[,1]
t(b.i[,25]) %*% R %*% b.i[,25]

```

---

rcor

---

*Generate Random PSD Correlation Matrices*


---

**Description**

Generate random PSD correlation matrices.

**Usage**

```
rcor(Nvar)
```

**Arguments**

Nvar                    An integer that determines the order of the random correlation matrix.

**Details**

rcor generates random PSD correlation matrices by (1) generating Nvar squared random normal deviates, (2) scaling the deviates to sum to Nvar, and then (3) placing the scaled values into a diagonal matrix L. Next, (4) an Nvar x Nvar orthogonal matrix, Q, is created by performing a QR decomposition of a matrix, M, that contains random normal deviates. (5) A PSD covariance matrix, C, is created from  $Q L Q^T$  and then (6) scaled to a correlation metric.

**Value**

A random correlation matrix.

**Author(s)**

Niels Waller

**See Also**

[genCorr](#)

**Examples**

```
R <- rcor(4)
print( R )
```

---

rellipsoid	<i>Generate Uniformly Spaced OLS Regression Coefficients that Yield a User-Supplied R-Squared Value</i>
------------	---

---

**Description**

Given predictor matrix R, generate OLS regression coefficients that yield a user-supplied R-Squared value. These regression coefficient vectors will be uniformly spaced on the surface of a (hyper) ellipsoid.

**Usage**

```
rellipsoid(R, Rsq, Npoints)
```

**Arguments**

R	A $p \times p$ predictor correlation matrix.
Rsq	A user-supplied R-squared value.
Npoints	Desired number of generated regression vectors.

**Value**

b	A $p \times Npoints$ matrix of regression coefficients
---	--

**Author(s)**

Niels Waller and Jeff Jones.

**References**

Waller, N. G. and Jones, J. A. (2011). Investigating the performance of alternate regression weights by studying all possible criteria in regression models with a fixed set of predictors. *Psychometrika*, 76, 410-439.

**Examples**

```
## generate uniformly distributed regression vectors
## on the surface of a 14-dimensional ellipsoid
N <- 10000
Rsq <- .21

# Correlations from page 224 WAIS-III manual
# The Psychological Corporation (1997).
wais3 <- matrix(
  c(1, .76, .58, .43, .75, .75, .42, .54, .41, .57, .64, .54, .50, .53,
    .76, 1, .57, .36, .69, .71, .45, .52, .36, .63, .68, .51, .47, .54,
    .58, .57, 1, .45, .65, .60, .47, .48, .43, .59, .60, .49, .56, .47,
    .43, .36, .45, 1, .37, .40, .60, .30, .32, .34, .35, .28, .35, .29,
    .75, .69, .65, .37, 1, .70, .44, .54, .34, .59, .62, .54, .45, .50,
    .75, .71, .60, .40, .70, 1, .42, .51, .44, .53, .60, .50, .52, .44,
    .42, .45, .47, .60, .44, .42, 1, .46, .49, .47, .43, .27, .50, .42,
    .54, .52, .48, .30, .54, .51, .46, 1, .45, .50, .58, .55, .53, .56,
    .41, .36, .43, .32, .34, .44, .49, .45, 1, .47, .49, .41, .70, .38,
    .57, .63, .59, .34, .59, .53, .47, .50, .47, 1, .63, .62, .58, .66,
    .64, .68, .60, .35, .62, .60, .43, .58, .49, .63, 1, .59, .50, .59,
    .54, .51, .49, .28, .54, .50, .27, .55, .41, .62, .59, 1, .48, .53,
    .50, .47, .56, .35, .45, .52, .50, .53, .70, .58, .50, .48, 1, .51,
    .53, .54, .47, .29, .50, .44, .42, .56, .38, .66, .59, .53, .51, 1),
  nrow = 14, ncol = 14)

R <- wais3[1:6,1:6]
b <- rellipsoid(R, Rsq, Npoints = N)
b <- b$b
#
plot(b[1,],b[2,])
```

---

restScore

*Plot an ERF using rest scores*


---

**Description**

Plot an empirical response function using rest scores.

**Usage**

```
restScore(data, item, NCuts = 10)
```

**Arguments**

data	N(subjects)-by-p(items) matrix of 0/1 item response data.
item	Generate a rest score plot for item item.
NCuts	Divide the rest scores into NCuts bins of equal width.

**Value**

A restscore plot with 95% confidence interval bars for the conditional probability estimates.

`item`            The item number.  
`bins`            A vector of bin limits and bin sample sizes.  
`binProb`        A vector of bin conditional probabilities.

**Author(s)**

Niels Waller

**Examples**

```

NSubj <- 2000

#generate sample k=1 FMP data
b <- matrix(c(
  #b0  b1  b2  b3  b4  b5 b6 b7 k
  1.675, 1.974, -0.068, 0.053, 0, 0, 0, 0, 1,
  1.550, 1.805, -0.230, 0.032, 0, 0, 0, 0, 1,
  1.282, 1.063, -0.103, 0.003, 0, 0, 0, 0, 1,
  0.704, 1.376, -0.107, 0.040, 0, 0, 0, 0, 1,
  1.417, 1.413, 0.021, 0.000, 0, 0, 0, 0, 1,
-0.008, 1.349, -0.195, 0.144, 0, 0, 0, 0, 1,
  0.512, 1.538, -0.089, 0.082, 0, 0, 0, 0, 1,
  0.122, 0.601, -0.082, 0.119, 0, 0, 0, 0, 1,
  1.801, 1.211, 0.015, 0.000, 0, 0, 0, 0, 1,
-0.207, 1.191, 0.066, 0.033, 0, 0, 0, 0, 1,
-0.215, 1.291, -0.087, 0.029, 0, 0, 0, 0, 1,
  0.259, 0.875, 0.177, 0.072, 0, 0, 0, 0, 1,
-0.423, 0.942, 0.064, 0.094, 0, 0, 0, 0, 1,
  0.113, 0.795, 0.124, 0.110, 0, 0, 0, 0, 1,
  1.030, 1.525, 0.200, 0.076, 0, 0, 0, 0, 1,
  0.140, 1.209, 0.082, 0.148, 0, 0, 0, 0, 1,
  0.429, 1.480, -0.008, 0.061, 0, 0, 0, 0, 1,
  0.089, 0.785, -0.065, 0.018, 0, 0, 0, 0, 1,
-0.516, 1.013, 0.016, 0.023, 0, 0, 0, 0, 1,
  0.143, 1.315, -0.011, 0.136, 0, 0, 0, 0, 1,
  0.347, 0.733, -0.121, 0.041, 0, 0, 0, 0, 1,
-0.074, 0.869, 0.013, 0.026, 0, 0, 0, 0, 1,
  0.630, 1.484, -0.001, 0.000, 0, 0, 0, 0, 1),
  nrow=23, ncol=9, byrow=TRUE)

data<-genFMPData(NSubj = NSubj, bParam = b, seed = 345)$data

## generate a rest score plot for item 12.
## the grey horizontal lines in the plot
## represent pseudo asymptotes that
## are significantly different from the
## (0,1) boundaries

```

```
restScore(data, item = 12, NCuts = 9)
```

---

rGivens

*Generate Correlation Matrices with Specified Eigenvalues*


---

### Description

rGivens generates correlation matrices with user-specified eigenvalues via a series of Givens rotations by methods described in Bendel & Mickey (1978) and Davis & Higham (2000).

### Usage

```
rGivens(eigs, Seed = NULL)
```

### Arguments

eigs	A vector of eigenvalues that must sum to the order of the desired correlation matrix. A fatal error will occur if $\text{sum}(\text{eigs}) \neq \text{length}(\text{eigs})$ .
Seed	Either a user supplied seed for the random number generator or 'NULL' for a function generated seed. Default Seed = 'NULL'.

### Value

R	A correlation matrix with desired spectrum.
Frob	The Frobenius norm of the difference between the initial and final matrices with the desired spectrum.
convergence	(Logical) TRUE if rGivens converged to a feasible solution, otherwise FALSE.

### References

Bendel, R. B. & Mickey, M. R. (1978). Population correlation matrices for sampling experiments, *Commun. Statist. Simulation Comput.*, B7, pp. 163-182.

Davies, P. I. & Higham, N. J. (2000). Numerically stable generation of correlation matrices and their factors, *BIT*, 40 (2000), pp. 640-651.

### Examples

```
## Example
## Generate a correlation matrix with user-specified eigenvalues

out <- rGivens(c(2.5, 1, 1, .3, .2), Seed = 123)

#> eigen(out$R)$values
#[1] 2.5 1.0 1.0 0.3 0.2
```

```

print(out)
#$R
#           [,1]      [,2]      [,3]      [,4]      [,5]
#[1,]  1.0000000 -0.1104098 -0.24512327  0.46497370  0.2392817
#[2,] -0.1104098  1.0000000  0.33564370 -0.46640155 -0.7645915
#[3,] -0.2451233  0.3356437  1.00000000 -0.02935466 -0.2024926
#[4,]  0.4649737 -0.4664016 -0.02935466  1.00000000  0.6225880
#[5,]  0.2392817 -0.7645915 -0.20249261  0.62258797  1.0000000
#
#$Frob
#[1] 2.691613
#
##$S0
#           [,1]      [,2]      [,3]      [,4]      [,5]
#[1,]  1.0349665  0.22537748 -0.46827121 -0.10448336 -0.24730565
#[2,]  0.2253775  0.31833805 -0.23208078  0.06591368 -0.14504161
#[3,] -0.4682712 -0.23208078  2.28911499  0.05430754  0.06964858
#[4,] -0.1044834  0.06591368  0.05430754  0.94884439 -0.14439623
#[5,] -0.2473056 -0.14504161  0.06964858 -0.14439623  0.40873606
#
#$convergence
#[1] TRUE

```

---

rMAP

*Generate Correlation Matrices with Specified Eigenvalues*


---

### Description

rMAP uses the method of alternating projections (MAP) to generate correlation matrices with specified eigenvalues.

### Usage

```
rMAP(eigenval, eps = 1e-12, maxits = 5000, Seed = NULL)
```

### Arguments

eigenval	A vector of eigenvalues that must sum to the order of the desired correlation matrix. A fatal error will occur if $\text{sum}(\text{eigenval}) \neq \text{length}(\text{eigenval})$ .
eps	Convergence criterion. Default = 1e-12.
maxits	Maximm number of iterations of MAP.
Seed	Either a user supplied seed for the random number generator or 'NULL' for a function generated seed. Default Seed = 'NULL'.

**Value**

R                    A correlation matrix with the desired spectrum.  
 evals                Eigenvalues of the returned matrix, R.  
 convergence        (Logical) TRUE if MAP converged to a feasible solution, otherwise FALSE.

**Author(s)**

Niels Waller

**References**

Waller, N. G. (2016). Generating correlation matrices with specified eigenvalues using the method of alternating projections.

**Examples**

```
## Example
## Generate a correlation matrix with user-specified eigenvalues

R <- rMAP(c(2.5, 1, 1, .3, .2), Seed = 123)$R
print(R, 2)

#      [,1] [,2] [,3] [,4] [,5]
#[1,] 1.000 0.5355 -0.746 -0.0688 -0.545
#[2,] 0.535 1.0000 -0.671 -0.0016 -0.056
#[3,] -0.746 -0.6711 1.000 0.0608 0.298
#[4,] -0.069 -0.0016 0.061 1.0000 0.002
#[5,] -0.545 -0.0564 0.298 0.0020 1.000

eigen(R)$values
#[1] 2.5 1.0 1.0 0.3 0.2
```

---

rmsd

*Root Mean Squared Deviation of (A - B)*

---

**Description**

Calculates the root mean squared deviation of matrices A and B. If these matrices are symmetric (Symmetric = TRUE) then the calculation is based on the upper triangles of each matrix. When the matrices are symmetric, the diagonal of each matrix can be included or excluded from the calculation (IncludeDiag = FALSE)

**Usage**

```
rmsd(A, B, Symmetric = TRUE, IncludeDiag = FALSE)
```

**Arguments**

A	A possibly non square matrix.
B	A matrix of the same dimensions as matrix A.
Symmetric	Logical indicating whether A and B are symmetric matrices. (Default: Symmetric = TRUE)
IncludeDiag	Logical indicating whether to include the diagonals in the calculation. (Default: IncludeDiag = FALSE).

**Value**

Returns the root mean squared deviation of (A - B).

**Author(s)**

Niels Waller

**Examples**

```
A <- matrix(rnorm(9), nrow = 3)
B <- matrix(rnorm(9), nrow = 3)

( rmsd(A, B, Symmetric = FALSE, IncludeDiag = TRUE) )
```

---

RnpdMAP

---

*Generate Random NPD R matrices from a user-supplied population R*


---

**Description**

Generate a list of Random NPD (pseudo) R matrices with a user-defined fixed minimum eigenvalue from a user-supplied population R using the method of alternating projections.

**Usage**

```
RnpdMAP(Rpop, Lp = NULL, NNegEigs = 1, NSmoothPosEigs = 4,
  NSubjects = NULL, NSamples = 0, MaxIts = 15000, PRINT = FALSE,
  Seed = NULL)
```

**Arguments**

Rpop	input (PD or PSD) p x p Population correlation matrix.
Lp	desired minimum eigenvalue in the NPD matrices.
NNegEigs	number of eigenvalues < 0 in Rnpd.
NSmoothPosEigs	number of eigenvalues > 0 to smooth: the smallest NSmoothPosEigs > 0 be smoothed toward 0.

NSubjects	sample size (required when NSamples > 0) parameter used to generate sample correlation matrices. Default = NULL.
NSamples	generate NSamples sample R matrices. If NSamples = 0 the program will attempt to find Rnpd such that $\ R_{pop} - R_{npd}\ _2$ is minimized.
MaxIts	maximum number of projection iterations.
PRINT	(logical) If TRUE the program will print the iteration history for Lp. Default = NULL.
Seed	Optional seed for random number generation.

**Value**

Rpop	population (PD) correlation matrix.
R	sample correlation matrix.
Rnpd	NPD improper (pseudo) correlation matrix.
Lp	desired value of minimum eigenvalue.
minEig	observed value of minimum eigenvalue of Rnpd.
convergence	0 = converged; 1 = not converged in MaxIts iterations of the alternating projections algorithm.
feasible	logical) TRUE if $\max(\text{abs}(r_{ij})) \leq 1$ . If FALSE then one or more values in Rnpd > 1 in absolute value.
Seed	saved seed for random number generator.
prbs1	vector probabilities used to generate eigenvalues < 0.
prbs2	vector of probabilities used to smooth the smallest NSmoothPosEigs towards zero.

**Author(s)**

Niels G. Waller

**Examples**

```
library(MASS)

Nvar = 20
Nfac = 4
NSubj = 600
Seed = 123

set.seed(Seed)

## Generate a vector of classical item difficulties
p <- runif(Nvar)

cat("\nClassical Item Difficulties:\n")
```

```

print(rbind(1:Nvar,round(p,2)) )

summary(p)

## Convert item difficulties to quantiles
b <- qnorm(p)

## fnc to compute root mean squared standard deviation
RMSD <- function(A, B){
  sqrt(mean( ( A[lower.tri(A, diag = FALSE)] - B[lower.tri(B, diag = FALSE)] )^2))
}

## Generate vector of eigenvalues with clear factor structure
L <- eigGen(nDimensions = Nvar,
            nMajorFactors = Nfac,
            PrcntMajor = .60,
            threshold = .50)

## Generate a population R matrix with the eigenvalues in L
Rpop <- rGivens(eigs = L)$R

## Generate continuous data that will reproduce Rpop (exactly)
X <- mvrnorm(n = Nsubj, mu = rep(0, Nvar),
            Sigma = Rpop, empirical = TRUE)

if( any(colSums(X) == 0) ){
  stop("One or more variables have zero variance. Generate a new data set.")
}

## Cut X at thresholds given in b to produce binary data U
U <- matrix(0, nrow(X), ncol(X))
for(j in 1:Nvar){
  U[X[,j] <= b[j],j] <- 1
}

## Compute tetrachoric correlations
Rtet <- tetcor(U, Smooth = FALSE, PRINT = TRUE)$r
# Calculate eigenvalues of tetrachoric R matrix
Ltet <- eigen(Rtet)$values

if(Ltet[Nvar] >= 0) stop("Rtet is P(S)D")

## Simulate NPD R matrix with minimum eigenvalue equal to
# min(Ltet)
out <- RnpdMAP(Rpop,
              Lp = Ltet[Nvar],
              NNegEigs = Nvar/5,
              NSmoothPosEigs = Nvar/5,
              NSubjects = 150,

```

```

        NSamples = 1,
        MaxIts = 15000,
        PRINT = FALSE,
        Seed = Seed)

## RLP is a NPD pseudo R matrix with min eigenvalue = min(Ltet)
RLp <- out[[1]]$Rnpd

## Calculate eigenvalues of simulated NPD R matrix (Rnpd)
Lnpd <- eigen(RLp, only.values = TRUE)$values

## Scree plots for observed and simulated NPD R matrices.
ytop <- max(c(L,Lnpd,Ltet))
pointSize = .8
plot(1:Nvar, L, typ = "b", col = "darkgrey", lwd=3,
     lty=1,
     main =
       "Eigenvalues of Rpop, Tet R, and Sim Tet R:
       \nSimulated vs Observed npd Tetrachoric R Matrices",
     ylim = c(-1, ytop),
     xlab = "Dimensions",
     ylab = "Eigenvalues",
     cex = pointSize,cex.main = 1.2)
points(1:Nvar, Lnpd, typ="b",
      col = "red", lwd = 3, lty=2, cex=pointSize)
points(1:Nvar, Ltet, typ="b",
      col = "darkgreen", lwd = 3, lty = 3, cex= pointSize)

legend("topright",
      legend = c("eigs Rpop", "eigs Sim Rnpd", "eigs Emp Rnpd"),
      col = c("darkgrey", "red","darkgreen"),
      lty = c(1,2,3),
      lwd = c(4,4,4), cex = 1.5)

abline(h = 0, col = "grey", lty = 2, lwd = 4)

cat("\nRMSD(Rpop, Rtet) = ", round(rmsd(Rpop, Rtet), 3))
cat("\nRMSD(Rpop, RLp) = ", round(rmsd(Rpop, RLp), 3))

```

---

 SchmidLeiman

*Schmid-Leiman Orthogonalization to a (Rank-Deficient) Bifactor Structure*


---

### Description

The Schmid-Leiman (SL) procedure orthogonalizes a higher-order factor structure into a rank-deficient bifactor structure. The Schmid-Leiman method is a generalization of Thomson's orthogonalization routine.

**Usage**

```
SchmidLeiman(R, numFactors, facMethod = "fals", rotate = "oblimin",
  rescaleH2 = 0.98, digits = NULL, faControl = NULL,
  rotateControl = NULL)
```

**Arguments**

- |            |   |
|------------|---|
| R          | (Matrix) A correlation matrix.  |
| numFactors | (Vector) The number of latent factors at each level of analysis. For example, <code>c(3, 1)</code> estimates three latent factors in the first-order common factor model and one latent factor in the second-order common factor model (i.e., 3 group factors and 1 general factor). This function can orthogonalize up to (and including) a three-order factor solution.   |
| facMethod  | <p>(Character) The method used for factor extraction (<code>faX</code>). The supported options are "fals" for unweighted least squares, "fam1" for maximum likelihood, "fapa" for iterated principal axis factoring, "faregLS" for regularized least squares, "faregML" for regularized maximum likelihood, and "pca" for principal components analysis. The default method is "fals".</p> <ul style="list-style-type: none"> <li>• <b>"fals"</b>: Factors are extracted using the unweighted least squares estimation procedure using the <code>fals</code> function.</li> <li>• <b>"fam1"</b>: Factors are extracted using the maximum likelihood estimation procedure using the <code>factanal</code> function.</li> <li>• <b>"fapa"</b>: Factors are extracted using the iterated principal axis factoring estimation procedure using the <code>fapa</code> function.</li> <li>• <b>"faregLS"</b>: Factors are extracted using regularized least squares factor analysis using the <code>fareg</code> function.</li> <li>• <b>"faregML"</b>: Factors are extracted using regularized maximum likelihood factor using the <code>fareg</code> function.</li> <li>• <b>"pca"</b>: Principal components are extracted.</li> </ul> |
| rotate     | (Character) Designate which rotation algorithm to apply. See the <code>faMain</code> function for more details about possible rotations. Defaults to <code>rotate = "oblimin"</code> .  |
| rescaleH2  | (Numeric) If a Heywood case is detected at any level of the higher-order factor analyses, rescale the communality value to continue with the matrix algebra. When a Heywood case occurs, the uniquenesses (i.e., specific-factor variances) will be negative and the SL orthogonalization of the group factors is no longer correct.  |
| digits     | (Numeric) Rounds the values to the specified number of decimal places. Defaults to <code>digits = NULL</code> (no rounding).  |
| faControl  | <p>(List) A list of optional parameters passed to the factor extraction (<code>faX</code>) function.</p> <ul style="list-style-type: none"> <li>• <b>treatHeywood</b>: (Logical) In <code>fals</code>, if <code>treatHeywood</code> is true, a penalized least squares function is used to bound the communality estimates below 1.0. Defaults to <code>treatHeywood = TRUE</code>.</li> <li>• <b>nStart</b>: (Numeric) The number of starting values to be tried in <code>fam1</code>. Defaults to <code>nStart = 10</code>.</li> </ul>  |

- **start**: (Matrix) NULL or a matrix of starting values, each column giving an initial set of uniquenesses. Defaults to start = NULL.
- **maxCommunality**: (Numeric) In faml, set the maximum communality value for the estimated solution. Defaults to maxCommunality = .995.
- **epsilon**: (Numeric) In fapa, the numeric threshold designating when the algorithm has converged. Defaults to epsilon = 1e-4.
- **communality**: (Character) The method used to estimate the initial communality values in fapa. Defaults to communality = 'SMC'.
  - "SMC": Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables.
  - "maxr": Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.
  - "unity": Initial communalities equal 1.0 for all variables.
- **maxItr**: (Numeric) In fapa, the maximum number of iterations to reach convergence. Defaults to maxItr = 15,000.

rotateControl (List) A list of control values to pass to the factor rotation algorithms.

- **numberStarts**: (Numeric) The number of random (orthogonal) starting configurations for the chosen rotation method (e.g., oblimin). The first rotation will always commence from the unrotated factors orientation. Defaults to numberStarts = 10.
- **itemSort**: (Logical) If TRUE, sort the row order of all the following output such that variables loading on a common factor are grouped together for ease of interpretation: (a) the global minimum factor loadings, (b) indicator communalities, (c) factor-loading bootstrap standard errors, (d) factor-loading bootstrap confidence interval quantiles (both upper and lower), and (e) the array of all factor-loading bootstrap results. Defaults to itemSort = FALSE.
- **gamma**: (Numeric) This is a tuning parameter (between 0 and 1, inclusive) for an oblimin rotation. See the **GPARotation** library's oblimin documentation for more details. Defaults to gamma = 0 (i.e., a quartimin rotation).
- **delta**: (Numeric) This is a tuning parameter for the geomim rotation. It adds a small number (default = .01) to the squared factor loadings before computing the geometric means in the discrepancy function.
- **kappa**: (Numeric) The main parameterization of the Crawford-Ferguson (CF) rotations (i.e., "cfT" and "cfQ" for orthogonal and oblique CF rotation, respectively). Defaults to kappa = 0.
- **k**: (Numeric) A specific parameter of the simplimax rotation. Defaults to k = the number of observed variables.
- **standardize**: (Character) The standardization routine used on the unrotated factor structure. The three options are "none", "Kaiser", and "CM". Defaults to standardize = "none".
  - "none": No standardization is applied to the unrotated factor structure.
  - "Kaiser": Use a factor structure matrix that has been normed by Kaiser's method (i.e., normalize all rows to have a unit length).

- **"CM"**: Use a factor structure matrix that has been normed by the Cureton-Mulaik method.
- **epsilon**: (Numeric) The rotational convergence criterion to use. Defaults to  $\epsilon = 1e-5$ .
- **power**: (Numeric) Raise factor loadings the the n-th power in the [promaxQ](#) rotation. Defaults to  $\text{power} = 4$ .
- **maxItr**: (Numeric) The maximum number of iterations for the rotation algorithm. Defaults to  $\text{maxItr} = 15000$ .

### Value

- **L1**: (Matrix) The first-order (oblique) factor pattern matrix.
- **L2**: (Matrix) The second-order (oblique) factor pattern matrix.
- **L3**: (Matrix, NULL) The third-order (oblique) factor pattern matrix (if applicable).
- **Phi1**: (Matrix) The first-order factor correlation matrix.
- **Phi2**: (Matrix) The second-order factor correlation matrix.
- **Phi3**: (Matrix, NULL) The third-order factor pattern matrix (if applicable).
- **Usq1**: (Matrix) The first-order factor uniquenesses (variances).
- **Usq2**: (Matrix) The second-order factor uniquenesses (variances).
- **Usq3**: (Matrix, NULL) The third-order factor uniquenesses (variances) (if applicable).
- **B**: (Matrix) The resulting Schmid-Leiman transformation.
- **rotateControl**: (List) A list of the control parameters passed to the [faMain](#) function.
- **faControl**: (List) A list of optional parameters passed to the factor extraction ([faX](#)) function.

### Author(s)

- Casey Giordano (Giord023@umn.edu)
- Niels G. Waller (nwaller@umn.edu)

### References

- Abad, F. J., Garcia-Garzon, E., Garrido, L. E., & Barrada, J. R. (2017). Iteration of partially specified target matrices: application to the bi-factor case. *Multivariate Behavioral Research*, 52(4), 416-429.
- Giordano, C. & Waller, N. G. (under review). Recovering bifactor models: A comparison of seven methods.
- Schmid, J., & Leiman, J. M. (1957). The development of hierarchical factor solutions. *Psychometrika*, 22(1), 53-61.

### See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SLi](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

**Examples**

```

## Dataset used in Schmid & Leiman (1957) rounded to 2 decimal places
SLdata <-
  matrix(c(1.0, .72, .31, .27, .10, .05, .13, .04, .29, .16, .06, .08,
           .72, 1.0, .35, .30, .11, .06, .15, .04, .33, .18, .07, .08,
           .31, .35, 1.0, .42, .08, .04, .10, .03, .22, .12, .05, .06,
           .27, .30, .42, 1.0, .06, .03, .08, .02, .19, .11, .04, .05,
           .10, .11, .08, .06, 1.0, .32, .13, .04, .11, .06, .02, .03,
           .05, .06, .04, .03, .32, 1.0, .07, .02, .05, .03, .01, .01,
           .13, .15, .10, .08, .13, .07, 1.0, .14, .14, .08, .03, .04,
           .04, .04, .03, .02, .04, .02, .14, 1.0, .04, .02, .01, .01,
           .29, .33, .22, .19, .11, .05, .14, .04, 1.0, .45, .15, .17,
           .16, .18, .12, .11, .06, .03, .08, .02, .45, 1.0, .08, .09,
           .06, .07, .05, .04, .02, .01, .03, .01, .15, .08, 1.0, .42,
           .08, .08, .06, .05, .03, .01, .04, .01, .17, .09, .42, 1.0),
         nrow = 12, ncol = 12, byrow = TRUE)

Out1 <- SchmidLeiman(R           = SLdata,
                    numFactors = c(6, 3, 1),
                    digits      = 2)$B

## An orthogonalization of a two-order structure
bifactor <- matrix(c(.46, .57, .00, .00,
                    .48, .61, .00, .00,
                    .61, .58, .00, .00,
                    .46, .00, .55, .00,
                    .51, .00, .62, .00,
                    .46, .00, .55, .00,
                    .47, .00, .00, .48,
                    .50, .00, .00, .50,
                    .49, .00, .00, .49),
                  nrow = 9, ncol = 3, byrow = TRUE)

## Model-implied correlation (covariance) matrix
R <- bifactor %*% t(bifactor)

## Unit diagonal elements
diag(R) <- 1

Out2 <- SchmidLeiman(R           = R,
                    numFactors = c(3, 1),
                    rotate     = "oblimin",
                    digits      = 2)$B

```

**Description**

Computes Normal Theory and ADF Standard Errors and CIs for Standardized Regression Coefficients

**Usage**

```
seBeta(X = NULL, y = NULL, cov.x = NULL, cov.xy = NULL,
       var.y = NULL, Nobs = NULL, alpha = 0.05, estimator = "ADF",
       digits = 3)
```

**Arguments**

X	Matrix of predictor scores.
y	Vector of criterion scores.
cov.x	Covariance or correlation matrix of predictors.
cov.xy	Vector of covariances or correlations between predictors and criterion.
var.y	Criterion variance.
Nobs	Number of observations.
alpha	Desired Type I error rate; default = .05.
estimator	'ADF' or 'Normal' confidence intervals - requires raw X and raw y; default = 'ADF'.
digits	Number of significant digits to print; default = 3.

**Value**

cov.Beta	Normal theory or ADF covariance matrix of standardized regression coefficients.
se.Beta	standard errors for standardized regression coefficients.
alpha	desired Type-I error rate.
CI.Beta	Normal theory or ADF (1-alpha)% confidence intervals for standardized regression coefficients.
estimator	estimator = "ADF" or "Normal".

**Author(s)**

Jeff Jones and Niels Waller

**References**

Jones, J. A, and Waller, N. G. (2015). The Normal-Theory and Asymptotic Distribution-Free (ADF) covariance matrix of standardized regression coefficients: Theoretical extensions and finite sample behavior. *Psychometrika*, 80, 365-378.

**Examples**

```

library(MASS)

set.seed(123)

R <- matrix(.5, 3, 3)
diag(R) <- 1
X <- mvrnorm(n = 200, mu = rep(0, 3), Sigma = R, empirical = TRUE)
Beta <- c(.2, .3, .4)
y <- X%% Beta + .64 * scale(rnorm(200))
seBeta(X, y, Nobs = 200, alpha = .05, estimator = 'ADF')

# 95% CIs for Standardized Regression Coefficients:
#
#           lbound estimate ubound
# beta_1  0.104      0.223  0.341
# beta_2  0.245      0.359  0.473
# beta_3  0.245      0.360  0.476

```

seBetaCor

*Standard Errors and CIs for Standardized Regression Coefficients  
from Correlations*

**Description**

Computes Normal Theory and ADF Standard Errors and CIs for Standardized Regression Coefficients from Correlations

**Usage**

```
seBetaCor(R, rxy, Nobs, alpha = 0.05, digits = 3, covmat = "normal")
```

**Arguments**

R	A $p \times p$ predictor correlation matrix.
rxy	A $p \times 1$ vector of predictor-criterion correlations
Nobs	Number of observations.
alpha	Desired Type I error rate; default = .05.
digits	Number of significant digits to print; default = 3.
covmat	String = 'normal' (the default) or a $(p+1)p/2 \times (p+1)p/2$ covariance matrix of correlations. The default option computes an asymptotic covariance matrix under the assumption of multivariate normal data. Users can supply a covariance matrix under asymptotic distribution free (ADF) or elliptical distributions when available.

**Value**

cov.Beta	Covariance matrix of standardized regression coefficients.
se.Beta	Vector of standard errors for the standardized regression coefficients.
alpha	Type-I error rate.
CI.Beta	(1-alpha)% confidence intervals for standardized regression coefficients.

**Author(s)**

Jeff Jones and Niels Waller

**References**

- Jones, J. A, and Waller, N. G. (2013). The Normal-Theory and asymptotic distribution-free (ADF) covariance matrix of standardized regression coefficients: Theoretical extensions and finite sample behavior. Technical Report (052913)[TR052913]
- Nel, D.A.G. (1985). A matrix derivation of the asymptotic covariance matrix of sample correlation coefficients. *Linear Algebra and its Applications*, 67, 137-145.
- Yuan, K. and Chan, W. (2011). Biases and standard errors of standardized regression coefficients. *Psychometrika*, 76(4), 670–690.

**Examples**

```
R <- matrix(c(1.0000, 0.3511, 0.3661,
             0.3511, 1.0000, 0.4359,
             0.3661, 0.4359, 1.0000), 3, 3)

rxy <- c(0.5820, 0.6997, 0.7621)
Nobs <- 46
out <- seBetaCor(R = R, rxy = rxy, Nobs = Nobs)

# 95% CIs for Standardized Regression Coefficients:
#
#      lbound estimate ubound
# beta_1 0.107    0.263 0.419
# beta_2 0.231    0.391 0.552
# beta_3 0.337    0.495 0.653
```

---

seBetaFixed

*Covariance Matrix and Standard Errors for Standardized Regression Coefficients for Fixed Predictors*

---

**Description**

Computes Normal Theory Covariance Matrix and Standard Errors for Standardized Regression Coefficients for Fixed Predictors

**Usage**

```
seBetaFixed(X = NULL, y = NULL, cov.x = NULL, cov.xy = NULL,
            var.y = NULL, var.error = NULL, Nobs = NULL)
```

**Arguments**

X	Matrix of predictor scores.
y	Vector of criterion scores.
cov.x	Covariance or correlation matrix of predictors.
cov.xy	Vector of covariances or correlations between predictors and criterion.
var.y	Criterion variance.
var.error	Optional argument to supply the error variance: var(y - yhat).
Nobs	Number of observations.

**Value**

cov.Beta	Normal theory covariance matrix of standardized regression coefficients for fixed predictors.
se.Beta	Standard errors for standardized regression coefficients for fixed predictors.

**Author(s)**

Jeff Jones and Niels Waller

**References**

Yuan, K. & Chan, W. (2011). Biases and standard errors of standardized regression coefficients. *Psychometrika*, 76(4), 670-690.

**See Also**

[seBeta](#)

**Examples**

```
## We will generate some data and pretend that the Predictors are being held fixed

library(MASS)
R <- matrix(.5, 3, 3); diag(R) <- 1
Beta <- c(.2, .3, .4)

rm(list = ".Random.seed", envir = globalenv()); set.seed(123)
X <- mvrnorm(n = 200, mu = rep(0, 3), Sigma = R, empirical = TRUE)
y <- X %*% Beta + .64*scale(rnorm(200))

seBetaFixed(X, y)
```

```

# $covBeta
#           b1           b2           b3
# b1  0.003275127 -0.001235665 -0.001274303
# b2 -0.001235665  0.003037100 -0.001491736
# b3 -0.001274303 -0.001491736  0.002830157
#
# $seBeta
#           b1           b2           b3
# 0.05722872 0.05510989 0.05319922

## you can also supply covariances instead of raw data

seBetaFixed(cov.x = cov(X), cov.xy = cov(X, y), var.y = var(y), Nobs = 200)

# $covBeta
#           b1           b2           b3
# b1  0.003275127 -0.001235665 -0.001274303
# b2 -0.001235665  0.003037100 -0.001491736
# b3 -0.001274303 -0.001491736  0.002830157
#
# $seBeta
#           b1           b2           b3
# 0.05722872 0.05510989 0.05319922

```

---

skew

*Calculate Univariate Skewness for a Vector or Matrix*


---

## Description

Calculate univariate skewness for vector or matrix (algorithm G1 in Joanes & Gill, 1998).

## Usage

```
skew(x)
```

## Arguments

x                    Either a vector or matrix of numeric values.

## Value

Skewness for each column in x.

## Author(s)

Niels Waller

## References

Joanes, D. N. & Gill, C. A. (1998). Comparing measures of sample skewness and kurtosis. *The Statistician*, 47, 183-189.

## See Also

[kurt](#)

## Examples

```
x <- matrix(rnorm(1000), 100, 10)
skew(x)
```

---

SLi

*Conduct a Schmid-Leiman Iterated (SLi) Target Rotation*

---

## Description

Compute an iterated Schmid-Leiman target rotation (SLi). This algorithm applies Browne's partially-specified Procrustes target rotation to obtain a full-rank bifactor solution from a rank-deficient (Direct) Schmid-Leiman procedure. Note that the target matrix is automatically generated based on the salient argument. Note also that the algorithm will converge when the partially-specified target pattern in the n-th iteration is equivalent to the partially-specified target pattern in the (n-1)th iteration.

## Usage

```
SLi(R, SL = NULL, rotate = "geominQ", numFactors = NULL,
    facMethod = "fals", salient = 0.2, urLoadings = NULL,
    freelyEstG = TRUE, gFac = 1, maxSLiItr = 20, digits = NULL,
    rotateControl = NULL, faControl = NULL)
```

## Arguments

R	(Matrix) A correlation matrix
SL	(Matrix, NULL) A (rank-deficient) Schmid-Leiman (SL) bifactor solution (e.g., from a Schmid-Leiman or Direct Schmid-Leiman rotation). If NULL, the function will estimate the SL solution using the <a href="#">SchmidLeiman</a> function.
rotate	(Character) Designate which rotation algorithm to apply. See the <a href="#">faMain</a> function for more details about possible rotations. A geomin rotation is the default.
numFactors	(Vector) The number of latent factors at each level of analysis. For example, c(3, 1) estimates three latent factors in the first-order common factor model and one latent factor in the second-order common factor model (i.e., 3 group factors and 1 general factor).

facMethod	<p>(Character) The method used for factor extraction (<b>faX</b>). The supported options are "fals" for unweighted least squares, "faml" for maximum likelihood, "fapa" for iterated principal axis factoring, "faregLS" for regularized least squares, "faregML" for regularized maximum likelihood, and "pca" for principal components analysis. The default method is "fals".</p> <ul style="list-style-type: none"> <li>• <b>"fals"</b>: Factors are extracted using the unweighted least squares estimation procedure using the <code>fals</code> function.</li> <li>• <b>"faml"</b>: Factors are extracted using the maximum likelihood estimation procedure using the <code>factanal</code> function.</li> <li>• <b>"fapa"</b>: Factors are extracted using the iterated principal axis factoring estimation procedure using the <code>fapa</code> function.</li> <li>• <b>"faregLS"</b>: Factors are extracted using regularized least squares factor analysis using the <code>fareg</code> function.</li> <li>• <b>"faregML"</b>: Factors are extracted using regularized maximum likelihood factor using the <code>fareg</code> function.</li> <li>• <b>"pca"</b>: Principal components are extracted.</li> </ul>
salient	<p>(Numeric) A threshold parameter used to dichotomize factor loadings to create the target matrix. The default value is .20 (in absolute value) which is based on the Abad et al., 2017 application of this method.</p>
urLoadings	<p>(Matrix, NULL) A full-rank matrix of unrotated factor loadings to be rotated using the (automatically generated) target matrix. If specified as NULL, a full-rank matrix of factor loadings will be extracted using the <code>faX</code> function. An unweighted least squares ("fals") procedure is the default.</p>
freelyEstG	<p>(Logical) Specify whether the general factor loadings are freely estimated (in the partially-specified target matrix). If set to FALSE, only general factor loadings above the salient threshold will be estimated in the partially-specified target rotation.</p>
gFac	<p>(Numeric, Vector) The position of the general factor(s) to be estimated. Solutions with multiple general factors may be estimated. Must either (a) freely estimate all loadings on the general factors or (b) only freely estimate general factor loadings that are above the salient threshold. The default column position is 1.</p>
maxSLiItr	<p>(Numeric) The maximum number of iterations for the SLi procedure. Typically, 10 iterations is usually sufficient to converge (cf. Abad et al., 2017). The default is 20 iterations.</p>
digits	<p>(Numeric) The number of digits to round all output to. The default is no rounding.</p>
rotateControl	<p>(List) A list of control values to pass to the factor rotation algorithms.</p> <ul style="list-style-type: none"> <li>• <b>numberStarts</b>: (Numeric) The number of random (orthogonal) starting configurations for the chosen rotation method (e.g., oblimin). The first rotation will always commence from the unrotated factors orientation. Defaults to <code>numberStarts = 10</code>.</li> <li>• <b>itemSort</b>: (Logical) If TRUE, sort the row order of all the following output such that variables loading on a common factor are grouped together for</li> </ul>

ease of interpretation: (a) the global minimum factor loadings, (b) indicator communalities, (c) factor-loading bootstrap standard errors, (d) factor-loading bootstrap confidence interval quantiles (both upper and lower), and (e) the array of all factor-loading bootstrap results. Defaults to itemSort = FALSE.

- **gamma**: (Numeric) This is a tuning parameter (between 0 and 1, inclusive) for an oblimin rotation. See the **GPArotation** library's oblimin documentation for more details. Defaults to gamma = 0 (i.e., a quartimin rotation).
- **delta**: (Numeric) This is a tuning parameter for the geomin rotation. It adds a small number (default = .01) to the squared factor loadings before computing the geometric means in the discrepancy function.
- **kappa**: (Numeric) The main parameterization of the Crawford-Ferguson (CF) rotations (i.e., "cfT" and "cfQ" for orthogonal and oblique CF rotation, respectively). Defaults to kappa = 0.
- **k**: (Numeric) A specific parameter of the simplimax rotation. Defaults to k = the number of observed variables.
- **standardize**: (Character) The standardization routine used on the unrotated factor structure. The three options are "none", "Kaiser", and "CM". Defaults to standardize = "none".
  - "none": No standardization is applied to the unrotated factor structure.
  - "Kaiser": Use a factor structure matrix that has been normed by Kaiser's method (i.e., normalize all rows to have a unit length).
  - "CM": Use a factor structure matrix that has been normed by the Cureton-Mulaik method.
- **epsilon**: (Numeric) The rotational convergence criterion to use. Defaults to epsilon = 1e-5.
- **power**: (Numeric) Raise factor loadings the the n-th power in the **promaxQ** rotation. Defaults to power = 4.
- **maxItr**: (Numeric) The maximum number of iterations for the rotation algorithm. Defaults to maxItr = 15000.

faControl

(List) A list of optional parameters passed to the factor extraction (**faX**) function.

- **treatHeywood**: (Logical) In **fals**, if treatHeywood is true, a penalized least squares function is used to bound the communality estimates below 1.0. Defaults to treatHeywood = TRUE.
- **nStart**: (Numeric) The number of starting values to be tried in **fam1**. Defaults to nStart = 10.
- **start**: (Matrix) NULL or a matrix of starting values, each column giving an initial set of uniquenesses. Defaults to start = NULL.
- **maxCommunality**: (Numeric) In **fam1**, set the maximum communality value for the estimated solution. Defaults to maxCommunality = .995.
- **epsilon**: (Numeric) In **fapa**, the numeric threshold designating when the algorithm has converged. Defaults to epsilon = 1e-4.
- **communality**: (Character) The method used to estimate the initial communality values in **fapa**. Defaults to communality = 'SMC'.

- "SMC": Initial communalities are estimated by taking the squared multiple correlations of each indicator after regressing the indicator on the remaining variables.
- "maxr": Initial communalities equal the largest (absolute value) correlation in each column of the correlation matrix.
- "unity": Initial communalities equal 1.0 for all variables.
- **maxItr**: (Numeric) In `fapa`, the maximum number of iterations to reach convergence. Defaults to `maxItr = 15,000`.

### Value

This function iterates the Schmid-Leiman target rotation and returns several relevant output.

- **loadings**: (Matrix) The bifactor solution obtain from the SLi procedure.
- **iterations**: (Numeric) The number of iterations required for convergence
- **rotateControl**: (List) A list of the control parameters passed to the `faMain` function.
- **faControl**: (List) A list of optional parameters passed to the factor extraction (`faX`) function.

### Author(s)

- Casey Giordano ([Giord023@umn.edu](mailto:Giord023@umn.edu))
- Niels G. Waller ([nwaller@umn.edu](mailto:nwaller@umn.edu))

### References

- Abad, F. J., Garcia-Garzon, E., Garrido, L. E., & Barrada, J. R. (2017). Iteration of partially specified target matrices: Application to the bi-factor case. *Multivariate Behavioral Research*, 52(4), 416-429.
- Giordano, C. & Waller, N. G. (under review). Recovering bifactor models: A comparison of seven methods.
- Moore, T. M., Reise, S. P., Depaoli, S., & Haviland, M. G. (2015). Iteration of partially specified target matrices: Applications in exploratory and Bayesian confirmatory factor analysis. *Multivariate Behavioral Research*, 50(2), 149-161.
- Reise, S. P., Moore, T. M., & Haviland, M. G. (2010). Bifactor models and rotations: Exploring the extent to which multidimensional data yield univocal scale scores. *Journal of Personality Assessment*, 92(6), 544-559.
- Schmid, J., & Leiman, J. M. (1957). The development of hierarchical factor solutions. *Psychometrika*, 22(1), 53-61.

### See Also

Other Factor Analysis Routines: [BiFAD](#), [GenerateBoxData](#), [SchmidLeiman](#), [faAlign](#), [faMain](#), [faSort](#), [faStandardize](#), [faX](#), [fals](#), [fapa](#), [fareg](#), [orderFactors](#), [promaxQ](#)

**Examples**

```
## Generate a bifactor model
bifactor <- matrix(c(.35, .61, .00, .00,
                    .35, .61, .00, .00,
                    .35, .61, .00, .00,
                    .35, .00, .61, .00,
                    .35, .00, .61, .00,
                    .35, .00, .61, .00,
                    .35, .00, .00, .61,
                    .35, .00, .00, .61,
                    .35, .00, .00, .61),
                  nrow = 9, ncol = 4, byrow = TRUE)

## Model-implied correlation (covariance) matrix
R <- bifactor %*% t(bifactor)

## Unit diagonal elements
diag(R) <- 1

Out1 <- SLi(R          = R,
            numFactors = c(3, 1),
            digits      = 2)
```

---

smoothAPA

*Smooth a NPD R matrix to PD using the Alternating Projection Algorithm*


---

**Description**

Smooth a Non positive definite (NPD) correlation matrix to PD using the Alternating Projection Algorithm with Dykstra's correction via Theory described in Higham 2002.

**Usage**

```
smoothAPA(R, delta = 1e-06, fixR = NULL, Wghts = NULL,
          maxTries = 1000)
```

**Arguments**

R	A $p \times p$ indefinite matrix.
delta	Desired value of the smallest eigenvalue of smoothed matrix, RAPA. (Default = 1e-06).
fixR	User-supplied integer list that instructs the program to constrain elements in RAPA to equal corresponding elements in RAPA. For example if fixR = c(1,2) then smoothed matrix, RAPA[1:2,1:2] = R[1:2,1:2]. Default (fixR = NULL).
Wghts	A p-length vector of weights for differential variable weighting. Default (Wghts = NULL).

maxTries        Maximum number of iterations in the alternating projections algorithm. Default (maxTries = 1000).

### Value

RAPA            A smoothed matrix.  
 delta          User-supplied delta value.  
 Wghts          User-supplied weight vector.  
 fixR            User-supplied integer list that instructs the program to constrain elements in RAPA to equal corresponding elements in R.  
 convergence    A value of 0 indicates that the algorithm located a feasible solution. A value of 1 indicates that no feasible solution was located within maxTries.

### Author(s)

Niels Waller

### Examples

```
data(BadRKtB)

#####
## Replicate analyses in Table 2 of Knol and ten Berge (1989).
#####

## n1 = 0,1
out<-smoothAPA(R = BadRKtB, delta = .0, fixR = NULL, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

## n1 = 2
out<-smoothAPA(R = BadRKtB, fixR =c(1,2), delta=.0, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

## n1 = 4
out<-smoothAPA(R = BadRKtB, fixR = 1:4, delta=.0, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

## n1 = 5
out<-smoothAPA(R = BadRKtB, fixR = 1:5, delta=0, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
```

```

normF(S - BadRKtB)
eigen(S)$val

#####
## Replicate analyses in Table 3 of Knol and ten Berge (1989).
#####

## n1 = 0,1
out<-smoothAPA(R = BadRKtB, delta = .05, fixR = NULL, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

## n1 = 2
out<-smoothAPA(R = BadRKtB, fixR =c(1,2), delta=.05, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

## n1 = 4
out<-smoothAPA(R = BadRKtB, fixR = 1:4, delta=.05, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

## n1 = 5
out<-smoothAPA(R = BadRKtB, fixR = 1:5, delta=.05, Wghts = NULL, maxTries=1e06)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

#####
## This example illustrates differential variable weighting.
##
## Imagine a scenerio in which variables 1 & 2 were collected with
## 5 times more subjects than variables 4 - 6 then . . .
#####
## n1 = 2
out<-smoothAPA(R = BadRKtB, delta=.0, fixR = NULL, Wghts = c(5, 5, rep(1,4)), maxTries=1e5)
S <- out$RAPA
round(S - BadRKtB,3)
normF(S - BadRKtB)
eigen(S)$val

```

**Description**

Smooth a NPD correlation matrix to PD using the Bentler and Yuan method.

**Usage**

```
smoothBY(R, const = 0.98, eps = 0.001)
```

**Arguments**

R	Indefinite Matrix.
const	const is a user-defined parameter that is defined as k in Bentler and Yuan (2011). If $0 < \text{const} < 1$ , then const is treated as a fixed value. If const = 1 then the program will attempt to find the highest value of const such that R is positive (semi) definite.
eps	If const = 1 then the program will iteratively reduce const by eps until either (a) the program converges or (b) const $\leq 0$ .

**Value**

RBY	smoothed correlation matrix.
constant	The final value of const.
convergence	(Logical) a value of TRUE indicates that the function converged.
outStatus	Convergence state for Rcsdp::csdp function.
	0:
	Success. Problem solved to full accuracy
	1:
	Success. Problem is primal infeasible
	2:
	Success. Problem is dual infeasible
	3:
	Partial Success. Solution found but full accuracy was not achieved
	4:
	Failure. Maximum number of iterations reached
	5:
	Failure. Stuck at edge of primal feasibility

6:

Failure. Stuch at edge of dual infeasibility

7:

Failure. Lack of progress

8:

Failure. X or Z (or Newton system O) is singular

9:

Failure. Detected NaN or Inf values

g1b            Greatest lower bound reliability estimates.  
 eps            Default value (eps = 1E-03) or user-supplied value of eps.

### Author(s)

Code modified from that reported in Debelak, R. & Tran, U. S. (2011).

### References

Bentler, P. M. & Yuan, K. H. (2011). Positive definiteness via off-diagonal scaling of a symmetric indefinite matrix. *Psychometrika*, 76(1), 119–123.

Debelak, R. & Tran, U. S. (2013). Principal component analysis of smoothed tetrachoric correlation matrices as a measure of dimensionality. *Educational and Psychological Measurement*, 73(1), 63–77.

### Examples

```
data(BadRBY)

out<-smoothBY(R = BadRBY, const = .98)
cat("\nSmoothed Correlation Matrix\n")
print( round(out$RBY,8) )
cat("\nEigenvalues of smoothed matrix\n")
print( eigen(out$RBY)$val )
```

---

`smoothKB`*Smooth a Non PD Correlation Matrix*

---

**Description**

A function for smoothing a non-positive definite correlation matrix by the method of Knol and Berger (1991).

**Usage**

```
smoothKB(R, eps = 1e+08 * .Machine$double.eps)
```

**Arguments**

R	A non-positive definite correlation matrix.
eps	Small positive number to control the size of the non-scaled smallest eigenvalue of the smoothed R matrix. Default = $1E8 * .Machine\$double.eps$

**Value**

RKB	A Smoothed (positive definite) correlation matrix.
eps	Small positive number to control the size of the non-scaled smallest eigenvalue of the smoothed R matrix.

**Author(s)**

Niels Waller

**References**

Knol, D. L., & Berger, M. P. F., (1991). Empirical comparison between factor analysis and multidimensional item response models. *Multivariate Behavioral Research*, 26, 457-477.

**Examples**

```
data(BadRLG)

## RKB = smoothed R
RKB<-smoothKB(R=BadRLG, eps = 1E8 * .Machine$double.eps)$RKB
print(eigen(RKB)$values)
```

smoothLG

*Smooth NPD to Nearest PSD or PD Matrix***Description**

Smoothing an indefinite matrix to a PSD matrix via theory described by Lurie and Goldberg

**Usage**

```
smoothLG(R, start.val = NULL, Wghts = NULL, PD = FALSE,
         Penalty = 50000, eps = 1e-07)
```

**Arguments**

R	Indefinite Matrix.
start.val	Optional vector of start values for Cholesky factor of S.
Wghts	An optional matrix of weights such that the objective function minimizes $w_{ij}(r_{ij} - s_{ij})^2$ , where $w_{ij}$ is $Wghts[i,j]$ .
PD	Logical (default = FALSE). If PD = TRUE then the objective function will smooth the least squares solution to insure Positive Definiteness.
Penalty	A scalar weight to scale the Lagrangian multiplier. Default = 50000.
eps	A small value to add to zero eigenvalues if smoothed matrix must be PD. Default = 1e-07.

**Value**

RLG	Lurie Goldberg smoothed matrix.
RKB	Knol and Berger smoothed matrix.
convergence	0 = converged solution, 1 = convergence failure.
start.val	Vector of start values.
gr	Analytic gradient at solution.
Penalty	Scalar used to scale the Lagrange multiplier.
PD	User-supplied value of PD.
Wghts	Weights used to scale the squared euclidean distances.
eps	Value added to zero eigenvalue to produce PD matrix.

**Author(s)**

Niels Waller

**Examples**

```

data(BadRLG)

out<-smoothLG(R = BadRLG, Penalty = 50000)
cat("\nGradient at solution:", out$gr,"\n")
cat("\nNearest Correlation Matrix\n")
print( round(out$RLG,8) )

#####
## Rousseeuw Molenbergh example
data(BadRRM)

out <- smoothLG(R = BadRRM, PD=TRUE)
cat("\nGradient at solution:", out$gr,"\n")
cat("\nNearest Correlation Matrix\n")
print( round(out$RLG,8) )

## Weights for the weighted solution
W <- matrix(c(1, 1, .5,
              1, 1, 1,
              .5, 1, 1), nrow = 3, ncol = 3)
tmp <- smoothLG(R = BadRRM, PD = TRUE, eps=.001)
cat("\nGradient at solution:", out$gr,"\n")
cat("\nNearest Correlation Matrix\n")
print( round(out$RLG,8) )
print( eigen(out$RLG)$val )

## Rousseeuw Molenbergh
## non symmetric matrix
T <- matrix(c(.8, -.9, -.9,
              -1.2, 1.1, .3,
              -.8, .4, .9), nrow = 3, ncol = 3,byrow=TRUE)
out <- smoothLG(R = T, PD = FALSE, eps=.001)

cat("\nGradient at solution:", out$gr,"\n")
cat("\nNearest Correlation Matrix\n")
print( round(out$RLG,8) )

```

**Description**

summary method for class "monte"

**Usage**

```
## S3 method for class 'monte'
summary(object, digits = 3, compute.validities = FALSE,
        Total.stats = TRUE, ...)
```

**Arguments**

object	An object of class monte, usually, a result of a call to monte.
digits	Number of digits to print. Default = 3.
compute.validities	Logical: If TRUE then the program will calculate the indicator validities ( $\eta^2$ ) for the generated data.
Total.stats	Logical: If TRUE then the program will return the following statistics for the total sample: (1) indicator correlation matrix, (2) indicator skewness, (3) indicator kurtosis.
...	Optional arguments.

**Value**

Various descriptive statistics will be computed within groups including"

1. clus.size Number of objects within each group.
2. centroids Group centroids.
3. var.matrix Within group variances.
4. Ratio of within group variances (currently printed but not saved.
5. cor.list Expected within group correlations.
6. obs.cor Observed within group correlations.
7. skew.list Expected within group indicator skewness values.
8. obs.skew Observed within group indicator skewness values.
9. kurt.list Expected within group indicator kurtosis values.
10. obs.kurt Observed within group indicator kurtosis values.
11. validities Observed indicator validities.
12. Total.cor Total sample correlation matrix.
13. Total.skew Total sample indicator skewness.
14. Total.kurt Total sample indicator kurtosis.

**Examples**

```
## set up a 'monte' run for the Fisher iris data

sk.lst <- list(c(0.120, 0.041, 0.106, 1.254),
              c(0.105, -0.363, -0.607, -0.031),
              c(0.118, 0.366, 0.549, -0.129) ) #
```

```

kt.lst <- list(c(-0.253, 0.955, 1.022, 1.719),
              c(-0.533,-0.366, 0.048, -0.410),
              c( 0.033, 0.706, -0.154, -0.602))

cormat <- lapply(split(iris[,1:4],iris[,5]), cor)

my.iris <- monte(seed = 123, nvar = 4, nclus = 3, cor.list = cormat,
                clus.size = c(50, 50, 50),
                eta2 = c(0.619, 0.401, 0.941, 0.929),
                random.cor = FALSE,
                skew.list = sk.lst, kurt.list = kt.lst,
                secor = .3,
                compactness = c(1, 1, 1),
                sortMeans = TRUE)

summary(my.iris)

```

---

summary.monte1

*Summary Method for an Object of Class Monte1*


---

## Description

summary method for class "monte1"

## Usage

```
## S3 method for class 'monte1'
summary(object, digits = 3, ...)
```

## Arguments

object	An object of class monte1, usually, a result of a call to monte1.
digits	Number of significant digits to print in final results.
...	Additional argument affecting the summary produced.

## Value

Various descriptive statistics will be computed including"

1. Expected correlation matrix.
2. Observed correlation matrix.
3. Expected indicator skewness values.
4. Observed indicator skewness values.
5. Expected indicator kurtosis values.
6. Observed indicator kurtosis values.

**Examples**

```
## Generate dimensional data for 4 variables.
## All correlations = .60; all variable
## skewness = 1.75;
## all variable kurtosis = 3.75

cormat <- matrix(.60, 4, 4)
diag(cormat) <- 1

nontaxon.dat <- monte1(seed = 123, nsub = 100000, nvar = 4, skewvec = rep(1.75, 4),
                      kurtvec = rep(3.75, 4), cormat = cormat)

summary(nontaxon.dat)
```

svdNorm

*Compute theta surrogates via normalized SVD scores***Description**

Compute theta surrogates by calculating the normalized left singular vector of a (mean-centered) data matrix.

**Usage**

```
svdNorm(data)
```

**Arguments**

data            N(subjects)-by-p(items) matrix of 0/1 item response data.

**Value**

the normalized left singular vector of the mean centered data matrix.  
svdNorm will center the data automatically.

**Author(s)**

Niels Waller

**Examples**

```
NSubj <- 2000

## example item parameters for sample data: k=1 FMP
b <- matrix(c(
  #b0  b1  b2  b3  b4  b5 b6 b7 k
```

```

1.675, 1.974, -0.068, 0.053, 0, 0, 0, 0, 1,
1.550, 1.805, -0.230, 0.032, 0, 0, 0, 0, 1,
1.282, 1.063, -0.103, 0.003, 0, 0, 0, 0, 1,
0.704, 1.376, -0.107, 0.040, 0, 0, 0, 0, 1,
1.417, 1.413, 0.021, 0.000, 0, 0, 0, 0, 1,
-0.008, 1.349, -0.195, 0.144, 0, 0, 0, 0, 1,
0.512, 1.538, -0.089, 0.082, 0, 0, 0, 0, 1,
0.122, 0.601, -0.082, 0.119, 0, 0, 0, 0, 1,
1.801, 1.211, 0.015, 0.000, 0, 0, 0, 0, 1,
-0.207, 1.191, 0.066, 0.033, 0, 0, 0, 0, 1,
-0.215, 1.291, -0.087, 0.029, 0, 0, 0, 0, 1,
0.259, 0.875, 0.177, 0.072, 0, 0, 0, 0, 1,
-0.423, 0.942, 0.064, 0.094, 0, 0, 0, 0, 1,
0.113, 0.795, 0.124, 0.110, 0, 0, 0, 0, 1,
1.030, 1.525, 0.200, 0.076, 0, 0, 0, 0, 1,
0.140, 1.209, 0.082, 0.148, 0, 0, 0, 0, 1,
0.429, 1.480, -0.008, 0.061, 0, 0, 0, 0, 1,
0.089, 0.785, -0.065, 0.018, 0, 0, 0, 0, 1,
-0.516, 1.013, 0.016, 0.023, 0, 0, 0, 0, 1,
0.143, 1.315, -0.011, 0.136, 0, 0, 0, 0, 1,
0.347, 0.733, -0.121, 0.041, 0, 0, 0, 0, 1,
-0.074, 0.869, 0.013, 0.026, 0, 0, 0, 0, 1,
0.630, 1.484, -0.001, 0.000, 0, 0, 0, 0, 1),
nrow=23, ncol=9, byrow=TRUE)

```

```

# generate data using the above item paramters
data<-genFMPData(NSubj=NSubj, bParam=b, seed=345)$data

# compute (initial) surrogate theta values from
# the normed left singular vector of the centered
# data matrix
thetaInit<-svdNorm(data)

```

---

tetcor

---

*Compute ML Tetrachoric Correlations*


---

## Description

Compute ML tetrachoric correlations with optional bias correction and smoothing.

## Usage

```
tetcor(X, y = NULL, BiasCorrect = TRUE, stderr = FALSE,
       Smooth = TRUE, max.iter = 5000, PRINT = TRUE)
```

## Arguments

X Either a matrix or vector of (0/1) binary data.  
y An optional(if X is a matrix) vector of (0/1) binary data.

BiasCorrect	A logical that determines whether bias correction (Brown & Benedetti, 1977) is performed. Default = TRUE.
stderror	A logical that determines whether standard errors are calculated. Default = FALSE.
Smooth	A logical which determines whether the tetrachoric correlation matrix should be smoothed. A smoothed matrix is always positive definite.
max.iter	Maximum number of iterations. Default = 50.
PRINT	A logical that determines whether to print progress updates during calculations. Default = TRUE

### Value

If `stderror = FALSE`, `tetcor` returns a matrix of tetrachoric correlations. If `stderror = TRUE` then `tetcor` returns a list the first component of which is a matrix of tetrachoric correlations and the second component is a matrix of standard errors (see Hamdan, 1970).

### Author(s)

Niels Waller

### References

- Brown, M. B. & Benedetti, J. K. (1977). On the mean and variance of the tetrachoric correlation coefficient. *Psychometrika*, 42, 347–355.
- Divgi, D. R. (1979) Calculation of the tetrachoric correlation coefficient. *Psychometrika*, 44, 169-172.
- Hamdan, M. A. (1970). The equivalence of tetrachoric and maximum likelihood estimates of rho in 2 by 2 tables. *Biometrika*, 57, 212-215.

### Examples

```
## generate bivariate normal data
library(MASS)
set.seed(123)
rho <- .85
xy <- mvrnorm(100000, mu = c(0,0), Sigma = matrix(c(1, rho, rho, 1), ncol = 2))

# dichotomize at difficulty values
p1 <- .7
p2 <- .1
xy[,1] <- xy[,1] < qnorm(p1)
xy[,2] <- xy[,2] < qnorm(p2)

print( apply(xy,2,mean), digits = 2)
#[1] 0.700 0.099

tetcor(X = xy, BiasCorrect = TRUE,
       stderror = TRUE, Smooth = TRUE, max.iter = 5000)
```

```

# $r
# [,1]      [,2]
# [1,] 1.0000000 0.8552535
# [2,] 0.8552535 1.0000000
#
# $se
# [,1]      [,2]
# [1,] NA      0.01458171
# [2,] 0.01458171 NA
#
# $Warnings
# list()

```

---

tetcorQuasi	<i>Correlation between a Naturally and an Artificially Dichotomized Variable</i>
-------------	--

---

### Description

A function to compute Ulrich and Wirtz's correlation of a naturally and an artificially dichotomized variable.

### Usage

```
tetcorQuasi(x, y = NULL)
```

### Arguments

x                    An N x 2 matrix or an N x 1 vector of binary responses coded 0/1.  
y                    An optional (if x is a vector) vector of 0/1 responses.

### Value

A quasi tetrachoric correlation  
...

### Author(s)

Niels Waller

### References

Ulrich, R. & Wirtz, M. (2004). On the correlation of a naturally and an artificially dichotomized variable. *British Journal of Mathematical and Statistical Psychology*, 57, 235-252.

## Examples

```
set.seed(321)
Nsubj <- 5000

## Generate mvn data with rxy = .5
R <- matrix(c(1, .5, .5, 1), 2, 2)
X <- MASS::mvrnorm(n = Nsubj, mu = c(0, 0), Sigma = R, empirical = TRUE)

## dichotomize data
thresholds <- qnorm(c(.2, .3))
binaryData <- matrix(0, Nsubj, 2)

for(i in 1:2){
  binaryData[X[,i] <= thresholds[i],i] <- 1
}

## calculate Pearson correlation
cat("\nPearson r: ", round(cor(X)[1,2], 2))

## calculate Pearson Phi correlation
cat("\nPhi r: ", round(cor(binaryData)[1,2], 2))

## calculate tetrachoric correlation
cat("\nTetrachoric r: ", round(tetcor(binaryData)$r[1,2], 2))

## calculate Quasi-tetrachoric correlation
cat("\nQuasi-tetrachoric r: ", round(tetcorQuasi(binaryData), 2))
```

---

vcos

*Compute the Cosine Between Two Vectors*

---

## Description

Compute the cosine between two vectors.

## Usage

```
vcos(x, y)
```

## Arguments

x	A p x 1 vector.
y	A p x 1 vector.

## Value

Cosine between x and y

**Examples**

```
x <- rnorm(5)
y <- rnorm(5)
vcos(x, y)
```

---

**vnorm***Norm a Vector to Unit Length*

---

**Description**

Norm a vector to unit length.

**Usage**

```
vnorm(x)
```

**Arguments**

x                    An n by 1 vector.

**Value**

the scaled (i.e., unit length) input vector

**Author(s)**

Niels Waller

**Examples**

```
x <- rnorm(5)
v <- vnorm(x)
print(v)
```

# Index

## \*Topic **Statistics**

adfCor, 3  
adfCov, 5  
corSmooth, 19  
d2r, 21  
eigGen, 23  
faAlign, 28  
fals, 31  
kurt, 83  
normalCor, 94  
r2d, 102  
rcor, 106  
seBeta, 120  
seBetaCor, 122  
seBetaFixed, 123  
skew, 125  
smoothKB, 135  
tetcor, 141  
tetcorQuasi, 143  
vcos, 144

## \*Topic **Statistics**

faSort, 46

## \*Topic **datagen**

bigen, 13  
corSample, 18  
enhancement, 25  
genCorr, 71  
monte, 84  
monte1, 92  
rarc, 103  
rcone, 105  
rellipsoid, 107  
rGivens, 110  
rMAP, 111

## \*Topic **datasets**

AmzBoxes, 6  
Box20, 15  
Box26, 16  
HS9Var, 78

HW, 79

## \*Topic **fungible**

faAlign, 28  
fungible, 56  
fungibleExtrema, 58  
fungibleL, 60  
fungibleR, 62  
RnpdMAP, 113

## \*Topic **statistics**

BadRBY, 7  
BadRJN, 7  
BadRKtB, 8  
BadRLG, 8  
BadRRM, 9  
eap, 22  
erf, 26  
faMAP, 40  
FMP, 52  
FMPMonotonicityCheck, 56  
FUP, 67  
gen4PMPData, 69  
genFMPData, 76  
irf, 80  
itemDescriptives, 81  
normF, 95  
restScore, 108  
smoothAPA, 130  
smoothBY, 132  
smoothLG, 136  
svdNorm, 140  
vnorm, 145

## \*Topic **stats**

rmsd, 112

adfCor, 3, 94

adfCov, 5

AmzBoxes, 6

BadRBY, 7

BadRJN, 7

- BadRkTB, 8
- BadRLG, 8
- BadRRM, 9
- BiFAD, 9, 29, 32, 38, 43, 45, 47, 49, 52, 76, 97, 101, 119, 129
- bigen, 13
- Box20, 15
- Box26, 16
  
- cor, 35
- corSample, 18
- corSmooth, 19
- cosMat, 20
  
- d2r, 21
  
- eap, 22
- eigGen, 23
- enhancement, 25
- erf, 26
  
- faAlign, 12, 28, 32, 38, 43, 45, 47, 49, 52, 76, 97, 101, 119, 129
- factanal, 10, 33, 50, 99, 117, 127
- fals, 10, 12, 29, 31, 33, 38, 43, 45, 47, 49, 50, 52, 76, 97, 99, 101, 117, 119, 127, 129
- faMain, 10, 12, 29, 32, 32, 43, 45, 47, 49, 52, 76, 97, 101, 117, 119, 126, 129
- faMAP, 40
- fapa, 10, 12, 29, 32, 33, 38, 42, 45, 47, 49, 50, 52, 76, 97, 99, 101, 117, 119, 127, 129
- fareg, 10, 12, 29, 32, 33, 38, 43, 44, 47, 49, 50, 52, 76, 97, 99, 101, 117, 119, 127, 129
- faSort, 12, 29, 32, 38, 43, 45, 46, 49, 52, 76, 97, 101, 119, 129
- faStandardize, 12, 29, 32, 38, 43, 45, 47, 48, 52, 76, 97, 99, 101, 119, 129
- faX, 10–12, 29, 32–34, 37, 38, 43, 45, 47, 49, 49, 50, 76, 97–99, 101, 117, 119, 127–129
- FMP, 52
- FMPMonotonicityCheck, 55
- fungible, 56
- fungibleExtrema, 58
- fungibleL, 60
- fungibleR, 62
  
- FUP, 67
- gen4PMDData, 69
- genCorr, 71, 107
- GenerateBoxData, 12, 29, 32, 38, 43, 45, 47, 49, 52, 72, 97, 101, 119, 129
- genFMPData, 76
- GPForth, 101
  
- HS9Var, 78
- HW, 79
  
- irf, 80
- itemDescriptives, 81
  
- kurt, 83, 126
  
- monte, 84, 93
- monte1, 92
  
- normalCor, 94
- normF, 95
  
- Omega, 95
- orderFactors, 12, 29, 32, 38, 43, 45, 47, 49, 52, 76, 97, 101, 119, 129
  
- plot.monte, 98
- print.summary.monte (summary.monte), 137
- print.summary.monte1 (summary.monte1), 139
- promax, 98
- promaxQ, 11, 12, 29, 32, 35, 38, 43, 45, 47, 49, 52, 76, 97, 98, 119, 128, 129
  
- r2d, 102
- rarc, 103
- rcone, 105
- rcor, 106
- rellipsoid, 107
- restScore, 108
- rGivens, 110
- rMAP, 111
- rmsd, 112
- RnpdMAP, 113
  
- SchmidLeiman, 12, 29, 32, 38, 43, 45, 47, 49, 52, 76, 97, 101, 116, 126, 129
- seBeta, 120, 124
- seBetaCor, 122

seBetaFixed, 123  
skew, 84, 125  
SLi, 12, 29, 32, 38, 43, 45, 47, 49, 52, 76, 97,  
101, 119, 126  
smoothAPA, 130  
smoothBY, 132  
smoothKB, 135  
smoothLG, 136  
summary.monte, 93, 137  
summary.monte1, 93, 139  
svdNorm, 53, 67, 140  
  
tetcor, 141  
tetcorQuasi, 143  
  
vcos, 144  
vnorm, 145