

Package ‘howzatR’

September 9, 2022

Title Useful Functions for Cricket Analysis

Version 1.0.1

Description Helping to calculate cricket specific problems in a tidy & simple manner.

License MIT + file LICENSE

Imports magrittr, rlang

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.2.0

Depends R (>= 2.10)

LazyData true

URL <https://github.com/luke-lockley/howzatR>

BugReports <https://github.com/luke-lockley/howzatR/issues>

NeedsCompilation no

Author Luke Lockley [aut, cre] (<<https://orcid.org/0000-0002-7028-1499>>)

Maintainer Luke Lockley <luke.lockley@btinternet.com>

Repository CRAN

Date/Publication 2022-09-09 14:32:56 UTC

R topics documented:

balls_to_overs	2
bat_avg	2
bat_raw_df	3
bat_sr	3
bowl_avg	4
bowl_econ	5
bowl_raw_df	6
bowl_sr	6
overs_to_balls	7

Index**8**

balls_to_overs	<i>Convert Balls to Overs (Six Ball)</i>
----------------	------------------------------------------

Description

Convert numbers of balls as it equates in terms of six ball overs.

Usage

```
balls_to_overs(balls)
```

Arguments

balls	number of balls bowled/faced.
-------	-------------------------------

Value

number of six ball overs this equates too.

Examples

```
balls_to_overs(balls = 6)
balls_to_overs(balls = 17)
```

bat_avg	<i>Batters Average</i>
---------	------------------------

Description

Calculates a batter's average over a number of innings.

Usage

```
bat_avg(runs_scored, no_dismissals)
```

Arguments

runs_scored	A singular value of the runs scored by a batter.
no_dismissals	A singular value of the number of times a batters has been dismissed within those innings.

Value

A singular value showing the batter's average.

Additional Information

A batting average is the number of runs divided by the number of times a batters is dismissed. Batters who remain **not out** at the end of an innings **don't** have that innings count towards the number of dismissals. The higher average typically indicates a higher quality player. More info [here](#).

Examples

```
bat_avg(runs_scored = 568, no_dismissals = 9)
total_runs <- sum(c(45, 123, 56, 12, 192, 34, 78, 3, 25))
bat_avg(runs_scored = total_runs, no_dismissals = 9)
```

bat_raw_df	<i>Batters Dataset</i>
------------	------------------------

Description

A dataset containing basic data about batters

Usage

```
bat_raw_df
```

Format

A data frame with 3 rows and 5 variables:

Player Name of Player

Inns Numbers of Innings undertaken by Player

NO Numbers of Not Outs by Player

Runs_Scored Numbers of Runs Scored by Player

Balls_Faced Numbers of Balls Faced by Player

bat_sr	<i>Batters Strike Rate</i>
--------	----------------------------

Description

Calculates a batter's strike rate over a number of innings.

Usage

```
bat_sr(runs_scored, balls_faced)
```

Arguments

runs_scored A singular value of the runs scored by a batter.
balls_faced A singular value of balls faced by a batter. Overs can be converted into balls_faced using [overs_to_balls](#)

Value

A singular value showing the batter's strike rate per 100 Balls.

Additional Information

A batting strike rate is the average number of runs scored per 100 balls. For example, a strike rate of 135 implies a batter would score 135 runs in a 100 balls. A higher number indicates the batter scores at faster rate. More info [here](#).

Examples

```
bat_sr(runs_scored = 568, balls_faced = 600)
total_runs <- sum(c(45, 123, 56, 12, 192, 34, 78, 3, 25))
total_balls <- sum(c(50, 120, 78, 3, 226, 36, 45, 12, 30))
bat_sr(
  runs_scored = total_runs,
  balls_faced = total_balls
)
```

bowl_avg

Bowler Average

Description

Calculates bowlers' average number of runs per wicket taken across overs bowled.

Usage

```
bowl_avg(runs_conceded, wickets_taken)
```

Arguments

runs_conceded total runs conceded by bowler across the overs bowled.
wickets_taken total wickets taken across the overs bowled.

Value

Average number of runs per wicket taken across overs bowled.

Additional Information

A bowling average is the average number of runs conceded for wicket taken. A value of 15 indicates an average of 15 runs were conceded per wicket taken. The lower the value, the better the average; the reserve of [bat_avg](#) More info [here](#).

Examples

```
bowl_avg(runs_conceded = 50, wickets_taken = 6)
bowl_avg(runs_conceded = 341, wickets_taken = 13)
```

bowl_econ	<i>Bowler Economy Rate</i>
-----------	----------------------------

Description

Calculates bowlers' economy rate over six ball overs, five ball sets or per hundred balls.

Usage

```
bowl_econ(balls_bowled, runs_conceded, type = "overs")
```

Arguments

balls_bowled	number of balls bowled. Data in terms of six ball overs, please convert to overs_to_balls to get it terms of balls bowled
runs_conceded	total runs conceded by bowler across the overs, sets or per hundred balls bowled.
type	whether we are calculating economy over six ball overs, sets or per hundred balls bowled. Options "overs", "sets", "per_100". Defaults to overs

Value

Economy rate across the number of overs, sets or per hundred balls bowled.

Additional Information

Bowling economy rate is average number of runs scored per over or sets bowled.

- If using overs, a value of 9.5 indicates an average of 9.5 runs are scored per six ball over bowled.
- If using sets, a value of 9.5 indicates an average of 9.5 runs are scored per five ball set bowled.
- If using here, a value of 9.5 indicates an average of 9.5 runs are scored per hundred balls bowled. This the official statistic used by [The Hundred](#).

The higher the number the more detrimental is for the bowler. Runs scored through byes & leg byes are **excluded** from runs conceded by the bowler, however wides and no-balls are **included** in the bowler's figures.

More info [here](#).

Examples

```

bowl_econ(balls_bowled = 60, runs_conceded = 45)
bowl_econ(
  balls_bowled = overs_to_balls(overs = 7.1),
  runs_conceded = 26,
  type = "overs"
)

bowl_econ(balls_bowled = 30, runs_conceded = 35, type = "sets")

bowl_econ(balls_bowled = 22, runs_conceded = 19, type = "per_100")

```

bowl_raw_df	<i>Bowling Dataset</i>
-------------	------------------------

Description

A dataset containing basic data about bowlers

Usage

```
bowl_raw_df
```

Format

A data frame with 3 rows and 4 variables:

Player Name of Player

Balls_Bowled Numbers of Balls Bowled by Player

Runs_Conceded Numbers of Runs Conceded by Player

Wickets Numbers of Wickets taken by Player

bowl_sr	<i>Bowler Strike Rate</i>
---------	---------------------------

Description

Calculates bowlers' number of balls per wicket taken across overs bowled.

Usage

```
bowl_sr(balls_bowled, wickets_taken)
```

Arguments

balls_bowled number of balls bowled. Data in terms of six ball overs. please convert to [overs_to_balls](#) to get it terms of balls bowled

wickets_taken total wickets taken across the overs bowled.

Value

Number of balls per wicket taken across overs bowled.

Additional Information

A bowling strike rate is defined as the number of legal balls per wicket taken. For example a value of 20 indicates 20 balls bowled are scored per wicket. This the reverse of [bat_sr](#) where the lower the number the better. More info [here](#).

Examples

```
bowl_sr(balls_bowled = 3830, wickets_taken = 112)
bowl_sr(balls_bowled = overs_to_balls(overs = 1651.2), wickets_taken = 243)
```

overs_to_balls	<i>Convert Overs (Six Ball) to Balls</i>
----------------	------------------------------------------

Description

Convert Overs (Six Ball) to Balls

Usage

```
overs_to_balls(overs)
```

Arguments

overs number of six ball overs bowled/faced.

Value

number of six ball overs this equates too.

Examples

```
overs_to_balls(overs = 8.2)
overs_to_balls(overs = 10)
```

Index

* datasets

bat_raw_df, 3
bowl_raw_df, 6

balls_to_overs, 2

bat_avg, 2, 5

bat_raw_df, 3

bat_sr, 3, 7

bowl_avg, 4

bowl_econ, 5

bowl_raw_df, 6

bowl_sr, 6

overs_to_balls, 4, 5, 7, 7