

Package ‘portalr’

April 22, 2023

Title Create Useful Summaries of the Portal Data

Version 0.4.0

Description Download and generate summaries for the rodent, plant, ant, and weather data from the Portal Project. Portal is a long-term (and ongoing) experimental monitoring site in the Chihuahu desert. The raw data files can be found at <https://github.com/weecology/portaldata>.

License MIT + file LICENSE

URL <https://weecology.github.io/portalr/>,
<https://github.com/weecology/portalr>

BugReports <https://github.com/weecology/portalr/issues>

Depends R (>= 3.2.3)

Imports clipr, clisymbols, crayon, dplyr, forecast, httr, lubridate, lunar, magrittr, rlang, tidyr, tidyselect (>= 1.0.0), zoo

Suggests covr, cowplot, ggplot2, httpptest, knitr, pkgdown, rmarkdown, testthat

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Glenda M. Yenni [aut, cre] (<<https://orcid.org/0000-0001-6969-1848>>),
Hao Ye [aut] (<<https://orcid.org/0000-0002-8630-1458>>),
Erica M. Christensen [aut] (<<https://orcid.org/0000-0002-5635-2502>>),
Juniper L. Simonis [aut] (<<https://orcid.org/0000-0001-9798-0460>>),
Ellen K. Bledsoe [aut] (<<https://orcid.org/0000-0002-3629-7235>>),
Renata M. Diaz [aut] (<<https://orcid.org/0000-0003-0803-4734>>),
Shawn D. Taylor [aut] (<<https://orcid.org/0000-0002-6178-6903>>),
Ethan P. White [aut] (<<https://orcid.org/0000-0001-6728-7745>>),
S.K. Morgan Ernest [aut] (<<https://orcid.org/0000-0002-6026-8530>>),
Weecology [cph]

Maintainer Glenda M. Yenni <glenda@weecology.org>

Repository CRAN

Date/Publication 2023-04-22 00:32:30 UTC

R topics documented:

| | |
|--|-----------|
| add_seasons | 2 |
| bait_presence_absence | 4 |
| check_default_data_path | 4 |
| check_for_newer_data | 5 |
| clean_plant_data | 6 |
| clean_rodent_data | 6 |
| colony_presence_absence | 7 |
| download_observations | 8 |
| fcast_ndvi | 9 |
| fill_missing_ndvi | 10 |
| find_incomplete_censuses | 10 |
| format_code | 11 |
| format_todo | 11 |
| format_value | 12 |
| get_dataset_citation | 12 |
| get_future_newmoons | 13 |
| load_datafile | 13 |
| load_rodent_data | 14 |
| na_conformer | 16 |
| ndvi | 16 |
| phenocam | 17 |
| portalr | 17 |
| return_if_null | 18 |
| rodent_species | 18 |
| shrub_cover | 19 |
| summarize_individual_rodents | 20 |
| summarize_plant_data | 22 |
| summarize_rodent_data | 24 |
| weather | 26 |
| Index | 28 |

| | |
|-------------|--------------------|
| add_seasons | <i>Add Seasons</i> |
|-------------|--------------------|

Description

Higher-order data summaries, by 6-month seasons, 3-month seasons, or year. Also applies specified functions to the specified summary level.

yearly generates a table of yearly means

Usage

```

add_seasons(
  data,
  level = "site",
  season_level = 2,
  date_column = "yearmon",
  summary_funs = NA,
  path = get_default_data_path(),
  download_if_missing = TRUE,
  clean = TRUE
)

yearly(...)

```

Arguments

| | |
|---------------------|---|
| data | data frame containing columns: date, period, newmoonnumber, or year and month |
| level | summarize by "Plot", "Treatment", or "Site" |
| season_level | either year, 2: winter = Oct-March summer = April-Sept 4: winter = Dec-Feb spring = March-May summer = Jun-Aug fall = Sep-Nov |
| date_column | either "date" (must be in format "y-m-d"), "period", "newmoonnumber", or "yearmon" (data must contain "year" and "month") |
| summary_funs | A function specified by its name (e.g. "mean"). Default is NA (returned with seasons added but not summarized). |
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| clean | logical, load only QA/QC rodent data (TRUE) or all data (FALSE) |
| ... | arguments passed to add_seasons |

Value

a data.frame with additional "season" and "year" column, and other columns summarized as specified. If no summary function is specified, "season" and "year" columns are added to original dataframe, as well as a "seasonyear" column which correctly assigns months to seasons for grouping (eg December 2000 in winter 2001, rather than winter 2000).

bait_presence_absence *Ant Bait Presence Absence*

Description

Get ant species presence/absence by year/plot/stake from bait census data

Bait census data is more consistent over time than the colony census data. This function assumes that all species present in at least one census were censused in all years.

Usage

```
bait_presence_absence(
  path = get_default_data_path(),
  level = "Site",
  download_if_missing = TRUE,
  quiet = FALSE
)
```

Arguments

| | |
|---------------------|---|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| level | level at which to summarize data: 'Site', 'Plot', or 'Stake' |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| quiet | logical, whether to run without version messages |

Value

data frame with year, species, (plot if applicable), and presence [1, 0]

check_default_data_path

Manage the default path for downloading Portal Data into

Description

check_default_data_path checks if a default data path is set, and prompts the user to set it if it is missing.

get_default_data_path gets the value of the data path environmental variable

use_default_data_path has 3 steps. First, it checks for the presence of a pre-existing setting for the environmental variable. Then it checks if the folder exists and creates it, if needed. Then it provides instructions for setting the environmental variable.

Usage

```

check_default_data_path(
  ENV_VAR = "PORTALR_DATA_PATH",
  MESSAGE_FUN = message,
  DATA_NAME = "Portal data"
)

get_default_data_path(fallback = "~", ENV_VAR = "PORTALR_DATA_PATH")

use_default_data_path(path = NULL, ENV_VAR = "PORTALR_DATA_PATH")

```

Arguments

| | |
|-------------|--|
| ENV_VAR | the environmental variable to check (by default "PORTALR_DATA_PATH") |
| MESSAGE_FUN | the function to use to output messages |
| DATA_NAME | the name of the dataset to use in output messages |
| fallback | the default value to use if the setting is missing |
| path | character Folder into which data will be downloaded. |

Value

FALSE if there is no path set, TRUE otherwise
None

check_for_newer_data *Check for latest version of data files*

Description

Check the latest version against the data that exists on the GitHub repo

Usage

```
check_for_newer_data(path = get_default_data_path())
```

Arguments

| | |
|------|--------------------------------------|
| path | Folder in which data will be checked |
|------|--------------------------------------|

Value

bool TRUE if there is a newer version of the data online

clean_plant_data *Do basic cleaning of Portal plant data*

Description

This function does basic quality control of the Portal plant data. It is mainly called from [summarize_plant_data](#), with several arguments passed along.

The specific steps it does are, in order: (1) correct species names according to recent vouchers, if requested (2) restrict species to annuals or non-woody (3) remove records for unidentified species (5) exclude the plots that aren't long-term treatments

Usage

```
clean_plant_data(
  data_tables,
  type = "All",
  unknowns = FALSE,
  correct_sp = TRUE
)
```

Arguments

| | |
|-------------|---|
| data_tables | the list of data_tables, returned from calling load_plant_data |
| type | specify subset of species; If type=Annuals, removes all non-annual species. If type=Non-woody, removes shrub and subshrub species If type=Perennials, returns all perennial species (includes shrubs and subshrubs) If type=Shrubs, returns only shrubs and subshrubs If type=Winter-annual, returns all annuals found in winter IF type=Summer-annual, returns all annuals found in summer |
| unknowns | either removes all individuals not identified to species (unknowns = FALSE) or sums them in an additional column (unknowns = TRUE) |
| correct_sp | T/F whether or not to use likely corrected plant IDs, passed to rename_species_plants |

clean_rodent_data *Do basic cleaning of Portal rodent data*

Description

This function does basic quality control of the Portal rodent data. It is mainly called from [summarize_rodent_data](#), with several arguments passed along.

The specific steps it does are, in order: (1) add in missing weight data (2) remove records with "bad" period codes or plot numbers (3) remove records for unidentified species (4) exclude non-granivores (5) exclude incomplete trapping sessions (6) exclude the plots that aren't long-term treatments

Usage

```
clean_rodent_data(
  rodent_data,
  species_table,
  fillweight = FALSE,
  type = "Rodents",
  unknowns = FALSE
)
```

Arguments

| | |
|---------------|--|
| rodent_data | the raw rodent data table |
| species_table | the species table |
| fillweight | specify whether to fill in unknown weights with other records from that individual or species, where possible |
| type | specify subset of species; either all "Rodents" or only "Granivores" |
| unknowns | either removes all individuals not identified to species (unknowns = FALSE) or sums them in an additional column (unknowns = TRUE) |

 colony_presence_absence

Ant Colony Presence Absence

Description

Get ant species presence/absence by year/plot/stake from colony census data

Anomalies in ant colony census protocol over the years means that it can be difficult to discern true absences of all species in all years. This function uses information from Portal_ant_species.csv and Portal_ant_dataflags.csv to predict true presence/absence of species per plot per year. If a more conservative estimate is desired, setting the argument 'rare_sp = T' will only include species we are confident were censused regularly. Setting 'rare_sp = F' may include some false absences, since it is unknown if some rare species were censused in all years. Unknowns may also be excluded from output if desired.

Usage

```
colony_presence_absence(
  path = get_default_data_path(),
  level = "Site",
  rare_sp = FALSE,
  unknowns = FALSE,
  download_if_missing = TRUE,
  quiet = FALSE
)
```

Arguments

| | |
|---------------------|--|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| level | level at which to summarize data: 'Site', 'Plot', or 'Stake' |
| rare_sp | include rare species (T) or not (F). Rare species may or may not have been censused in all years. Setting 'rare_sp = FALSE' gives a more conservative estimate of presence/absence |
| unknowns | include unknown species (TRUE) or not (FALSE). Unknowns include those only identified to genus. |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| quiet | logical, whether to run without version messages |

Value

data frame with year, species, (plot if applicable), and presence [1, 0, NA]

download_observations *Download the PortalData repo*

Description

Downloads specified version of the Portal data.

Usage

```
download_observations(
  path = get_default_data_path(),
  version = "latest",
  source = "github",
  quiet = FALSE,
  verbose = FALSE,
  pause = 30,
  timeout = getOption("timeout"),
  force = FALSE
)
```

Arguments

| | |
|---------|--|
| path | character Folder into which data will be downloaded. |
| version | character Version of the data to download (default = "latest"). If NULL, returns. |
| source | character indicator of the source for the download. Either "github" (default) or "zenodo". |
| quiet | logical whether to download data silently. |

| | |
|---------|---|
| verbose | logical whether to provide details of downloading. |
| pause | Positive integer or integer numeric seconds for pausing during steps around unzipping that require time delayment. |
| timeout | Positive integer or integer numeric seconds for timeout on downloads. Temporarily overrides the "timeout" option in options . |
| force | logical indicator of whether or not existing files or folders (such as the archive) should be over-written if an up-to-date copy exists (most users should leave as FALSE). |

Value

NULL invisibly.

| | |
|------------|--|
| fcast_ndvi | <i>Forecast ndvi using a seasonal auto ARIMA</i> |
|------------|--|

Description

Forecast ndvi using a seasonal auto ARIMA

Usage

```
fcast_ndvi(hist_ndvi, level, lead, moons = NULL)
```

Arguments

| | |
|-----------|---|
| hist_ndvi | historic ndvi data |
| level | specify "monthly" or "newmoon" |
| lead | number of steps forward to forecast |
| moons | moon data (required if level = "newmoon") |

Details

ndvi values are forecast using auto.arima with seasonality (using a Fourier transform)

Value

a data.frame with time and ndvi values

| | |
|-------------------|--|
| fill_missing_ndvi | <i>Fill in historic ndvi data to the complete timeseries being fit</i> |
|-------------------|--|

Description

Fill in historic ndvi data to the complete timeseries being fit

Usage

```
fill_missing_ndvi(ndvi, level, last_time, moons = NULL)
```

Arguments

| | |
|-----------|---|
| ndvi | ndvi data |
| level | specify "monthly" or "newmoon" |
| last_time | the last time step to have been completed |
| moons | moon data (required if level = "newmoons" and forecasts are needed) |

Details

missing values during the time series are replaced using na.interp, missing values at the end of the time series are forecast using auto.arima with seasonality (using Fourier transform)

Value

a data.frame with time and ndvi values

| | |
|--------------------------|--|
| find_incomplete_censuses | <i>Period code for incomplete censuses</i> |
|--------------------------|--|

Description

Determines incomplete censuses by finding dates when some plots were trapped, but others were not.

Usage

```
find_incomplete_censuses(trapping_table, min_plots, min_traps)
```

Arguments

| | |
|----------------|---|
| trapping_table | Data_table of when plots were censused. |
| min_plots | minimum number of plots within a period for an observation to be included |
| min_traps | minimum number of traps for a plot to be included |

Value

Data.table of period codes when not all plots were trapped.

| | |
|-------------|-------------------------------|
| format_code | <i>Format content as code</i> |
|-------------|-------------------------------|

Description

Format content as code

Usage

```
format_code(...)
```

Arguments

... strings

Value

a formatted string to output

| | |
|-------------|--|
| format_todo | <i>Format content as an action to be performed by the user</i> |
|-------------|--|

Description

Format content as an action to be performed by the user

Usage

```
format_todo(...)
```

Arguments

... strings

Value

a formatted string to output

| | |
|--------------|---|
| format_value | <i>Format content as a variable value</i> |
|--------------|---|

Description

Format content as a variable value

Usage

```
format_value(...)
```

Arguments

... strings

Value

a formatted string to output

| | |
|----------------------|--|
| get_dataset_citation | <i>Return Citation for Portal Data</i> |
|----------------------|--|

Description

Return Citation for Portal Data

Usage

```
get_dataset_citation()
```

Value

An object of class "citation". For more details, see 'citation()'

get_future_newmoons *Get future newmoon dates and numbers*

Description

Get next newmoon dates and assign newmoon numbers for forecasting

Usage

```
get_future_newmoons(newmoons, nfuture_newmoons = NULL)
```

Arguments

newmoons current newmoon table
nfuture_newmoons number of future newmoons to get

Value

expected newmoons table for requested future newmoons

load_datafile *read in a raw datafile from the downloaded data or the GitHub repo*

Description

does checking for whether a particular datafile exists and then reads it in, using na_strings to determine what gets converted to NA. It can also download the dataset if it's missing locally.

Usage

```
load_datafile(  
  datafile,  
  na.strings = "",  
  path = get_default_data_path(),  
  download_if_missing = TRUE,  
  quiet = TRUE  
)
```

Arguments

| | |
|---------------------|---|
| datafile | the path to the datafile within the folder for Portal data |
| na.strings | a character vector of strings which are to be interpreted as <code>NA</code> values. Blank fields are also considered to be missing values in logical, integer, numeric and complex fields. Note that the test happens <i>after</i> white space is stripped from the input, so <code>na.strings</code> values may need their own white space stripped in advance. |
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| quiet | logical, whether to perform operations silently |

| | |
|------------------|--------------------------------------|
| load_rodent_data | <i>Read in the Portal data files</i> |
|------------------|--------------------------------------|

Description

Loads Portal data files from either a user-defined path or the online Github repository. If the user-defined path is un- available, the default option is to download to that location.

[load_rodent_data](#) loads the rodent data files

[load_plant_data](#) loads the plant data files

[load_ant_data](#) loads the ant data files

[load_trapping_data](#) loads just the rodent trapping files

Usage

```
load_rodent_data(
  path = get_default_data_path(),
  download_if_missing = TRUE,
  clean = TRUE,
  quiet = FALSE
)

load_plant_data(
  path = get_default_data_path(),
  download_if_missing = TRUE,
  quiet = FALSE
)

load_ant_data(
  path = get_default_data_path(),
  download_if_missing = TRUE,
  quiet = FALSE
)
```

```

)

load_trapping_data(
  path = get_default_data_path(),
  download_if_missing = TRUE,
  clean = TRUE,
  quiet = FALSE
)

```

Arguments

| | |
|---------------------|---|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| clean | logical, load only QA/QC rodent data (TRUE) or all data (FALSE) |
| quiet | logical, whether to run without version messages |

Value

[load_rodent_data](#) returns a list of 5 dataframes:

| | |
|----------------|--|
| rodent_data | raw data on rodent captures |
| species_table | species code, names, types |
| trapping_table | when each plot was trapped |
| newmoons_table | pairs census periods with newmoons |
| plots_table | rodent treatment assignments for each plot |

[load_plant_data](#) returns a list of 7 dataframes:

| | |
|------------------|---|
| quadrat_data | raw plant quadrat data |
| species_table | species code, names, types |
| census_table | indicates whether each quadrat was counted in each census; area of each quadrat |
| date_table | start and end date of each plant census |
| plots_table | rodent treatment assignments for each plot |
| transect_data | raw plant transect data with length and height (2015-present) |
| oldtransect_data | raw plant transect data as point counts (1989-2009) |

[load_ant_data](#) returns a list of 4 dataframes:

| | |
|---------------|-------------------------------------|
| bait_data | raw ant bait data |
| colony_data | raw ant colony data |
| species_table | species code, names, types |
| plots_table | treatment assignments for each plot |

`load_trapping_data` returns a list of 2 dataframes:

| | |
|-----------------------------|------------------------------------|
| <code>trapping_table</code> | when each plot was trapped |
| <code>newmoons_table</code> | pairs census periods with newmoons |

| | |
|---------------------------|---|
| <code>na_conformer</code> | <i>Conform NA entries to "NA" entries</i> |
|---------------------------|---|

Description

Given the species abbreviation *Neotoma albigula* (NA), when data are read in, there can be an NA when it should be an "NA". This function conforms the entries to be proper character values.

Usage

```
na_conformer(dfv, colname = "species")
```

Arguments

| | |
|----------------------|---|
| <code>dfv</code> | Either [1] a <code>data.frame</code> containing <code>colname</code> as a column with NAs that need to be conformed to "NA"s or [2] a vector with NAs that need to be conformed to "NA"s. |
| <code>colname</code> | character value of the column name in <code>tab</code> to conform the NAs to "NA"s. |

Value

`x` with any NA in `colname` replaced with "NA".

Examples

```
na_conformer(c("a", "b", NA, "c"))
```

| | |
|-------------------|--|
| <code>ndvi</code> | <i>NDVI by calendar month or lunar month</i> |
|-------------------|--|

Description

Summarize NDVI data to monthly or lunar monthly level

Usage

```
ndvi(
  level = "monthly",
  sensor = "landsat",
  fill = FALSE,
  path = get_default_data_path(),
  download_if_missing = TRUE
)
```

Arguments

| | |
|---------------------|---|
| level | specify "monthly" or "newmoon" |
| sensor | specify "landsat", "modis", "gimms", or "all" |
| fill | specify if missing data should be filled, passed to fill_missing_ndvi |
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |

phenocam

Phenocam data products by day, calendar month, or lunar month

Description

Summarize phenocam data products to either daily, monthly, or lunar monthly level.

Usage

```
phenocam(level = "daily", path = get_default_data_path())
```

Arguments

| | |
|-------|---|
| level | specify 'monthly', 'daily', or 'newmoon' |
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |

portalr

Creates summaries of the Portal data

Description

This package is designed to be an interface to the Portal data, which resides online at <https://github.com/weecology/portalData>. It contains a set of functions to download, clean, and summarize the data.

| | |
|----------------|---|
| return_if_null | <i>If a Value is NULL, Trigger the Parent Function's Return</i> |
|----------------|---|

Description

If the focal input is NULL, return value from the parent function. Should only be used within a function.

Usage

```
return_if_null(x, value = NULL)
```

Arguments

| | |
|-------|--|
| x | Focal input. |
| value | If x is NULL, <code>return</code> this input from the parent function. |

Value

If x is not NULL, NULL is returned. If x is NULL, the result of `return` with value as its input evaluated within the parent function's environment is returned.

Examples

```
ff <- function(x = 1, null_return = "hello"){  
  return_if_null(x, null_return)  
  x  
}  
ff()  
ff(NULL)
```

| | |
|----------------|-------------------------------------|
| rodent_species | <i>Rodent species abbreviations</i> |
|----------------|-------------------------------------|

Description

Creates a simple character vector of abbreviations for the Portal **Rodents**.

Usage

```

rodent_species(
  path = get_default_data_path(),
  type = "code",
  set = "all",
  total = FALSE
)

forecasting_species(
  path = get_default_data_path(),
  total = FALSE,
  type = "abbreviation"
)

```

Arguments

| | |
|-------|--|
| path | character Folder into which data will be downloaded. |
| type | character value indicating the output type. Current options include 'abbreviation' or 'code' (default, two-letter abbreviation), 'g_species' (abbreviated genus and species), 'Latin' (full scientific names), 'common' (common names), and 'table' (a data.frame of all the options). |
| set | character input of a specified set of species. Options include "all" (default, all species included) and "forecasting" (the species used in forecasting pipelines). |
| total | logical value indicating if "total" should be added or not. |

Value

character vector of species abbreviations.

shrub_cover

Generate percent cover from Portal plant transect data

Description

This function calculates percent cover from transect data. It handles the pre-2015 data differently from the current transects, because they are collected differently. But it returns a single time-series with all years of transect data available. It also returns mean height beginning in 2015.

Usage

```

shrub_cover(
  path = get_default_data_path(),
  type = "Shrubs",
  plots = "all",
  unknowns = FALSE,

```

```

    correct_sp = TRUE,
    download_if_missing = TRUE,
    quiet = FALSE
  )

```

Arguments

| | |
|---------------------|---|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| type | specify subset of species; If type=Annuals, removes all non-annual species. If type=Summer Annuals, returns all annual species that can be found in the summer If type=Winter Annuals, returns all annual species that can be found in the winter If type=Non-woody, removes shrub and subshrub species If type=Perennials, returns all perennial species (includes shrubs and subshrubs) If type=Shrubs, returns only shrubs and subshrubs |
| plots | specify subset of plots; can be a vector of plots, or specific sets: "all" plots or "Longterm" plots (plots that have had the same treatment for the entire time series) |
| unknowns | either removes all individuals not identified to species (unknowns = FALSE) or sums them in an additional column (unknowns = TRUE) |
| correct_sp | correct species names suspected to be incorrect in early data (T/F) |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| quiet | logical, whether to run without version messages |

Value

a data.frame of percent cover and mean height

```
summarize_individual_rodents
```

Return cleaned Portal rodent individual data

Description

This function cleans and subsets the data based on a number of arguments. It returns stake number and individual level data.

Usage

```

summarize_individual_rodents(
  path = get_default_data_path(),
  clean = TRUE,
  type = "Rodents",
  length = "all",
  unknowns = FALSE,

```

```

    time = "period",
    fillweight = FALSE,
    min_plots = 1,
    min_traps = 1,
    download_if_missing = TRUE,
    quiet = FALSE
)

summarise_individual_rodents(
  path = get_default_data_path(),
  clean = TRUE,
  type = "Rodents",
  length = "all",
  unknowns = FALSE,
  time = "period",
  fillweight = FALSE,
  min_plots = 1,
  min_traps = 1,
  download_if_missing = TRUE,
  quiet = FALSE
)

```

Arguments

| | |
|---------------------|---|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| clean | logical, load only QA/QC rodent data (TRUE) or all data (FALSE) |
| type | specify subset of species; either all "Rodents" or only "Granivores" |
| length | specify subset of plots; use "All" plots or only "Longterm" plots (to be deprecated) |
| unknowns | either removes all individuals not identified to species (unknowns = FALSE) or sums them in an additional column (unknowns = TRUE) |
| time | specify the format of the time index in the output, either "period" (sequential Portal surveys), "newmoon" (lunar cycle numbering), "date" (calendar date), or "all" (for all time indices) |
| fillweight | specify whether to fill in unknown weights with other records from that individual or species, where possible |
| min_plots | minimum number of plots within a period for an observation to be included |
| min_traps | minimum number of traps for a plot to be included |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| quiet | logical, whether to run without producing messages |

Value

a data.frame

summarize_plant_data *Generate summaries of Portal plant data*

Description

This function is a generic interface into creating summaries of the Portal plant species data. It contains a number of arguments to specify both the kind of data to summarize, at what level of aggregation, various choices for dealing with data quality, and output format.

plant_abundance generates a table of plant abundance

Usage

```
summarize_plant_data(
  path = get_default_data_path(),
  level = "Site",
  type = "All",
  length = "all",
  plots = length,
  unknowns = FALSE,
  correct_sp = TRUE,
  shape = "flat",
  output = "abundance",
  na_drop = switch(tolower(level), quadrat = FALSE, plot = FALSE, treatment = TRUE, site
    = TRUE, TRUE),
  zero_drop = switch(tolower(level), quadrat = TRUE, plot = FALSE, treatment = TRUE, site
    = TRUE, TRUE),
  min_quads = 1,
  effort = TRUE,
  download_if_missing = TRUE,
  quiet = FALSE
)
```

```
plant_abundance(..., shape = "flat")
```

```
summarise_plant_data(
  path = get_default_data_path(),
  level = "Site",
  type = "All",
  length = "all",
  plots = length,
  unknowns = FALSE,
  correct_sp = TRUE,
  shape = "flat",
  output = "abundance",
  na_drop = switch(tolower(level), quadrat = FALSE, plot = FALSE, treatment = TRUE, site
    = TRUE, TRUE),
```

```

zero_drop = switch(tolower(level), quadrat = TRUE, plot = FALSE, treatment = TRUE, site
  = TRUE, TRUE),
min_quads = 1,
effort = TRUE,
download_if_missing = TRUE,
quiet = FALSE
)

```

Arguments

| | |
|---------------------|---|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| level | summarize by "Plot", "Treatment", "Site", or "Quadrat" |
| type | specify subset of species; If type=Annuals, removes all non-annual species. If type=Summer Annuals, returns all annual species that can be found in the summer If type=Winter Annuals, returns all annual species that can be found in the winter If type=Non-woody, removes shrub and subshrub species If type=Perennials, returns all perennial species (includes shrubs and subshrubs) If type=Shrubs, returns only shrubs and subshrubs |
| length | specify subset of plots; use "All" plots or only "Longterm" plots (to be deprecated) |
| plots | specify subset of plots; can be a vector of plots, or specific sets: "all" plots or "Longterm" plots (plots that have had the same treatment for the entire time series) |
| unknowns | either removes all individuals not identified to species (unknowns = FALSE) or sums them in an additional column (unknowns = TRUE) |
| correct_sp | correct species names suspected to be incorrect in early data (T/F) |
| shape | return data as a "crosstab" or "flat" list |
| output | specify whether to return "abundance", or "cover" [cover data starts in summer 2015] |
| na_drop | logical, drop NA values (representing insufficient sampling) filling missing combinations of year-month-treatment/plot-species with NA could represent one of a few slightly different meanings: 1) that combo doesn't exist 2) that combo was skipped that month, or 3) that combo was trapped, but is unusable (a negative period code)) |
| zero_drop | logical, drop 0s (representing sufficient sampling, but no detections) |
| min_quads | numeric [1:16], minimum number of quadrats (out of 16) for a plot to be included |
| effort | logical as to whether or not the effort columns should be included in the output |
| download_if_missing | if the specified file path doesn't have the PortalData folder, then download it |
| quiet | logical, whether to run without version messages |
| ... | arguments passed to summarize_plant_data |

Value

a data.frame in either "long" or "wide" format, depending on the value of 'shape'

summarize_rodent_data *Generate summaries of Portal rodent data*

Description

This function is a generic interface into creating summaries of the Portal rodent species data. It contains a number of arguments to specify the kind of data to summarize (at what level of aggregation) and various choices for dealing with data quality, and output format.

abundance generates a table of rodent abundance

* biomass() generates a table of rodent biomass

* energy() generates a table of rodent energy (computed as $5.69 * (\text{biomass} ^{0.75})$ after White et al 2004)

* rates() generates a table of rodent growth rates (computed as $r = \log(N[t+1]/N[t])$)

Usage

```
summarize_rodent_data(
  path = get_default_data_path(),
  clean = TRUE,
  level = "Site",
  type = "Rodents",
  length = "all",
  plots = length,
  unknowns = FALSE,
  shape = "crosstab",
  time = "period",
  output = "abundance",
  fillweight = (output != "abundance"),
  na_drop = TRUE,
  zero_drop = switch(tolower(level), plot = FALSE, treatment = TRUE, site = TRUE),
  min_traps = 1,
  min_plots = 24,
  effort = FALSE,
  download_if_missing = TRUE,
  quiet = FALSE,
  include_unsampled = FALSE
)

abundance(...)

biomass(...)
```



```

energy(...)

rates(...)

summarise_rodent_data(
  path = get_default_data_path(),
  clean = TRUE,
  level = "Site",
  type = "Rodents",
  length = "all",
  plots = length,
  unknowns = FALSE,
  shape = "crosstab",
  time = "period",
  output = "abundance",
  fillweight = (output != "abundance"),
  na_drop = TRUE,
  zero_drop = switch(tolower(level), plot = FALSE, treatment = TRUE, site = TRUE),
  min_traps = 1,
  min_plots = 24,
  effort = FALSE,
  download_if_missing = TRUE,
  quiet = FALSE,
  include_unsampled = FALSE
)

```

Arguments

| | |
|----------|---|
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |
| clean | logical, load only QA/QC rodent data (TRUE) or all data (FALSE) |
| level | summarize by "Plot", "Treatment", or "Site" |
| type | specify subset of species; either all "Rodents" or only "Granivores" |
| length | specify subset of plots; use "All" plots or only "Longterm" plots (to be deprecated) |
| plots | specify subset of plots; can be a vector of plots, or specific sets: "all" plots or "Longterm" plots (plots that have had the same treatment for the entire time series) |
| unknowns | either removes all individuals not identified to species (unknowns = FALSE) or sums them in an additional column (unknowns = TRUE) |
| shape | return data as a "crosstab" or "flat" list |
| time | specify the format of the time index in the output, either "period" (sequential Portal surveys), "newmoon" (lunar cycle numbering), "date" (calendar date), or "all" (for all time indices) |
| output | specify whether to return "abundance", or "biomass", or "energy", or "rates" |

| | |
|----------------------------------|--|
| <code>fillweight</code> | specify whether to fill in unknown weights with other records from that individual or species, where possible |
| <code>na_drop</code> | logical, drop NA values (representing insufficient sampling) filling missing combinations of year-month-treatment/plot-species with NA could represent one of a few slightly different meanings: 1) that combo doesn't exist 2) that combo was skipped that month, or 3) that combo was trapped, but is unusable (a negative period code)) |
| <code>zero_drop</code> | logical, drop 0s (representing sufficient sampling, but no detections) |
| <code>min_traps</code> | minimum number of traps for a plot to be included |
| <code>min_plots</code> | minimum number of plots within a period for an observation to be included |
| <code>effort</code> | logical as to whether or not the effort columns should be included in the output |
| <code>download_if_missing</code> | if the specified file path doesn't have the PortalData folder, then download it |
| <code>quiet</code> | logical, whether to run without producing messages |
| <code>include_unsampled</code> | logical, overrides settings for 'na_drop' and 'zero_drop', setting both to FALSE |
| <code>...</code> | arguments passed to summarize_rodent_data |

Value

a data.frame in either "long" or "wide" format, depending on the value of 'shape'

| | |
|----------------------|---|
| <code>weather</code> | <i>Weather by day, calendar month, or lunar month</i> |
|----------------------|---|

Description

Summarize hourly weather data to either daily, monthly, or lunar monthly level.

Usage

```
weather(
  level = "daily",
  fill = FALSE,
  horizon = 365,
  temperature_limit = 4,
  path = get_default_data_path()
)
```

Arguments

| | |
|-------------------|---|
| level | specify 'monthly', 'daily', or 'newmoon' |
| fill | specify if missing data should be filled, passed to fill_missing_weather |
| horizon | Horizon (number of days) to use when calculating cumulative values (eg warm weather precip) |
| temperature_limit | Temperature limit (in C) to use when calculating cumulative values (eg warm weather precip) |
| path | either the file path that contains the PortalData folder or "repo", which then pulls data from the PortalData GitHub repository |

Index

- * **package**
 - portalr, 17
- abundance (summarize_rodent_data), 24
- add_seasons, 2, 3
- bait_presence_absence, 4
- biomass (summarize_rodent_data), 24
- check_default_data_path, 4
- check_for_newer_data, 5
- clean_plant_data, 6
- clean_rodent_data, 6
- colony_presence_absence, 7
- download_observations, 8
- energy (summarize_rodent_data), 24
- fcast_ndvi, 9
- fill_missing_ndvi, 10
- find_incomplete_censuses, 10
- forecasting_species (rodent_species), 18
- format_code, 11
- format_todo, 11
- format_value, 12
- get_dataset_citation, 12
- get_default_data_path
 - (check_default_data_path), 4
- get_future_newmoons, 13
- load_ant_data, 14, 15
- load_ant_data (load_rodent_data), 14
- load_datafile, 13
- load_plant_data, 6, 14, 15
- load_plant_data (load_rodent_data), 14
- load_rodent_data, 14, 14, 15
- load_trapping_data, 14, 16
- load_trapping_data (load_rodent_data), 14
- NA, 14
- na_conformer, 16
- ndvi, 16
- options, 9
- phenocam, 17
- plant_abundance (summarize_plant_data), 22
- portalr, 17
- rates (summarize_rodent_data), 24
- return, 18
- return_if_null, 18
- rodent_species, 18
- shrub_cover, 19
- summarise_individual_rodents
 - (summarize_individual_rodents), 20
- summarise_plant_data
 - (summarize_plant_data), 22
- summarise_rodent_data
 - (summarize_rodent_data), 24
- summarize_individual_rodents, 20
- summarize_plant_data, 6, 22, 23
- summarize_rodent_data, 6, 24, 26
- use_default_data_path
 - (check_default_data_path), 4
- weather, 26
- yearly (add_seasons), 2