

Package ‘provViz’

July 28, 2020

Title Provenance Visualizer

Version 1.0.7

Date 2020-07-17

Copyright President and Fellows of Harvard College, Trustees of Mount Holyoke College

Depends R (>= 3.5.0)

Description Displays provenance graphically for provenance collected by the 'rdt' or 'rdtLite' packages, or other tools providing compatible PROV JSON output. The exact format of the JSON created by 'rdt' and 'rdtLite' is described in <https://github.com/End-to-end-provenance/ExtendedProvJson>. More information about rdtLite and associated tools is available at <https://github.com/End-to-end-provenance/> and Barbara Lerner, Emery Boose, and Luis Perez (2018), Using Introspection to Collect Provenance in R, Informatics, <doi: 10.3390/informatics5010012>.

License GPL-3 | file LICENSE

URL <https://github.com/ProvTools/provViz>

BugReports <https://github.com/End-to-end-provenance/provViz/issues>

RoxygenNote 7.1.0

Suggests rdt, rdtLite

Additional_repositories <https://end-to-end-provenance.github.io/drat/>

NeedsCompilation no

Author Emery Boose [ctb],
Barbara Lerner [aut, cre],
Sofiya Taskova [aut],
Miruna Oprescu [aut],
Nikki Hoffler [aut],
Marios Dardas [aut],
Elizabeth Fong [ctb],
Thomas Pasquier [ctb],
Matthew Lau [ctb],
Aaron Ellison [res],
Margo Seltzer [res]

Maintainer Barbara Lerner <blerner@mtholyoke.edu>

Repository CRAN

Date/Publication 2020-07-28 09:40:09 UTC

R topics documented:

prov.visualize	2
Index	4

prov.visualize	<i>prov.visualize</i>
----------------	-----------------------

Description

prov.visualize displays the provenance graph for the last provenance collected in this R session.
 prov.visualize.file displays provenance stored in a file graphically
 prov.visualize.run runs an R script and displays its provenance graph visually.

Usage

```
prov.visualize()
prov.visualize.file(prov.file)
prov.visualize.run(r.script.path, ...)
```

Arguments

prov.file	the name of a file containing provenance that has been created by rdt or rdtLite, or another tool producing compatible provenance output.
r.script.path	The path to an R script. This script will be executed with provenance captured by the specified tool.
...	If r.script.path is set, these parameters will be passed to prov.run to control how provenance is collected. See rdt's prov.run function or rdtLites's prov.run function for details.

Details

These functions use provenance collected using the rdtLite or rdt packages.
 These functions do nothing when called non-interactively.

Examples

```
## Not run: prov.visualize ()  
testdata <- system.file("testdata", "prov.json", package = "provViz")  
prov.visualize.file (testdata)  
## Not run: prov.visualize.run ("script.R")  
## Not run: prov.visualize.run ("script.R", tool = "rdtLite")
```

Index

prov.visualize, [2](#)